# **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: C12N 15/12, C07K 14/72, G01N 33/50, 33/566

(11) International Publication Number:

WO 00/22129

| 7.1

(43) International Publication Date:

20 April 2000 (20.04.00)

(21) International Application Number:

PCT/US99/23938

(22) International Filing Date:

12 October 1999 (12.10.99)

(30) Priority Data:

09/170,496

13 October 1998 (13.10.98) US

(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application

US

09/170,496 (CIP)

Filed on

13 October 1998 (13.10.98)

(71) Applicant (for all designated States except US): ARENA PHARMACEUTICALS, INC. [US/US]; 6166 Nancy Ridge Drive, San Diego, CA 92121 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): BEHAN, Dominic, P. [GB/US]; 11472 Roxboro Court, San Diego, CA 92131 (US). CHALMERS, Derek, T. [GB/US]; 347 Longden Lane, Solana Beach, CA 92075 (US). LIAW, Chen, W. [US/US]; 7668 Salix Place, San Diego, CA 92129 (US).

(74) Agents: MILLER, Suzanne, E. et al.; Woodcock Washburn Kurtz Mackiewicz & Norris LLP, 46th floor, One Liberty Place, Philadelphia, PA 19103 (US).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: NON-ENDOGENOUS, CONSTITUTIVELY ACTIVATED HUMAN G PROTEIN-COUPLED RECEPTORS

#### (57) Abstract

Disclosed herein are constitutively activated, non-endogenous versions of endogenous human G protein-coupled receptors comprising (a) the following amino acid sequence region (C-terminus to N-terminus orientation) and/or (b) the following nucleic acid sequence region (3' to 5' orientation) transversing the transmembrane-6 (TM6) and intracellular loop-3 (IC3) regions of the GPCR: (a)  $P^1$   $AA_{15}$  X and/or (b)  $P^{codon}$  (AA-codon)<sub>15</sub>  $X_{codon}$ , respectively. In a most preferred embodiment,  $P^1$  and  $P^{codon}$  are endogenous proline and an endogenous nucleic acid encoding region encoding proline, respectively, located within TM6 of the non-endogenous GPCR;  $AA_{15}$  and (AA-codon)<sub>15</sub> are 15 endogenous amino acid residues and 15 codons encoding endogenous amino acid residues, respectively; and X and  $X_{codon}$  are non-endogenous lysine and a non-endogenous nucleic acid encoding region encoding lysine, respectively, located within IC3 of the non-endogenous GPCR. Because it is most preferred that the non-endogenous human GPCRs which incorporate these mutations are incorporated into mammalian cells and utilized for the screening of the candidate compounds, the non-endogenous human GPCR incorporating the mutation need not be purified and isolated *per se* (i.e., these are incorporated within the cellular membrane of a mammalian cell), although such purified and isolated non-endogenous human GPCRs are well within the purview of this disclosure.

# FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ТJ	Tajikistan
$\mathbf{BE}$	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		Z.modo no
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
$\mathbf{E}\mathbf{E}$	Estonia	LR	Liberia	SG	Singapore		

# NON-ENDOGENOUS, CONSTITUTIVELY ACTIVATED HUMAN G PROTEIN-COUPLED RECEPTORS

The benefits of commonly owned U.S. Serial Number 09/170,496, filed October 13, 1998, U.S. Serial Number 08/839, 449 filed April 14, 1997 (now abandoned), U.S. Serial Number 09/060,188, filed April 14, 1998; U.S. Provisional Number 60/090,783, filed June 26, 1998; and U.S. Provisional Number 60/095,677, filed on August 7, 1998, are hereby claimed. Each of the foregoing applications are incorporated by reference herein in their entirety.

#### FIELD OF THE INVENTION

The invention disclosed in this patent document relates to transmembrane receptors, and more particularly to human G protein-coupled receptors (GPCRs) which have been altered such that altered GPCRs are constitutively activated. Most preferably, the altered human GPCRs are used for the screening of therapeutic compounds.

- 2 -

# BACKGROUND OF THE INVENTION

Although a number of receptor classes exist in humans, by far the most abundant and therapeutically relevant is represented by the G protein-coupled receptor (GPCR or GPCRs) class. It is estimated that there are some 100,000 genes within the human genome, and of these, approximately 2% or 2,000 genes, are estimated to code for GPCRs. Of these, there are approximately 100 GPCRs for which the endogenous ligand that binds to the GPCR has been identified. Because of the significant time-lag that exists between the discovery of an endogenous GPCR and its endogenous ligand, it can be presumed that the remaining 1,900 GPCRs will be identified and characterized long before the endogenous ligands for these receptors are identified. Indeed, the rapidity by which the Human Genome Project is sequencing the 100,000 human genes indicates that the remaining human GPCRs will be fully sequenced within the next few years. Nevertheless, and despite the efforts to sequence the human genome, it is still very unclear as to how scientists will be able to rapidly, effectively and efficiently exploit this information to improve and enhance the human condition. The present invention is geared towards this important objective.

10

15

20

Receptors, including GPCRs, for which the endogenous ligand has been identified are referred to as "known" receptors, while receptors for which the endogenous ligand has not been identified are referred to as "orphan" receptors. This distinction is not merely semantic, particularly in the case of GPCRs. GPCRs represent an important area for the development of pharmaceutical products: from approximately 20 of the 100 known GPCRs, 60% of all prescription pharmaceuticals have been developed. Thus, the orphan GPCRs are to the pharmaceutical industry what gold was to California in the late 19th century – an opportunity to drive growth, expansion, enhancement and development. A serious drawback exists, however,

5

15

20

with orphan receptors relative to the discovery of novel therapeutics. This is because the traditional approach to the discovery and development of pharmaceuticals has required access to both the receptor and its endogenous ligand. Thus, heretofore, orphan GPCRs have presented the art with a tantalizing and undeveloped resource for the discovery of pharmaceuticals.

Under the traditional approach to the discovery of potential therapeutics, it is generally the case that the receptor is first identified. Before drug discovery efforts can be initiated, elaborate, time consuming and expensive procedures are typically put into place in order to identify, isolate and generate the receptor's endogenous ligand - this process can require from between 3 and ten years per receptor, at a cost of about \$5million (U.S.) per receptor. These time and financial 10 resources must be expended before the traditional approach to drug discovery can commence. This is because traditional drug discovery techniques rely upon so-called "competitive binding assays" whereby putative therapeutic agents are "screened" against the receptor in an effort to discover compounds that either block the endogenous ligand from binding to the receptor ("antagonists"), or enhance or mimic the effects of the ligand binding to the receptor ("agonists"). The overall objective is to identify compounds that prevent cellular activation when the ligand binds to the receptor (the antagonists), or that enhance or increase cellular activity that would otherwise occur if the ligand was properly binding with the receptor (the agonists). Because the endogenous ligands for orphan GPCRs are by definition not identified, the ability to discover novel and unique therapeutics to these receptors using traditional drug discovery techniques is not possible. The present invention, as will be set forth in greater detail below, overcomes these and other severe limitations created by such traditional drug discovery techniques.

GPCRs share a common structural motif. All these receptors have seven sequences of between 22 to 24 hydrophobic amino acids that form seven alpha helices, each of which spans the

- 4 -

membrane (each span is identified by number, *i.e.*, transmembrane-1 (TM-1), transmebrane-2 (TM-2), etc.). The transmembrane helices are joined by strands of amino acids between transmembrane-2 and transmembrane-3, transmembrane-4 and transmembrane-5, and transmembrane-6 and transmembrane-7 on the exterior, or "extracellular" side, of the cell membrane (these are referred to as "extracellular" regions 1, 2 and 3 (EC-1, EC-2 and EC-3), respectively). The transmembrane helices are also joined by strands of amino acids between transmembrane-1 and transmembrane-2, transmembrane-3 and transmembrane-4, and transmembrane-5 and transmembrane-6 on the interior, or "intracellular" side, of the cell membrane (these are referred to as "intracellular" regions 1, 2 and 3 (IC-1, IC-2 and IC-3), respectively). The "carboxy" ("C") terminus of the receptor lies in the intracellular space within the cell, and the "amino" ("N") terminus of the receptor lies in the extracellular space outside of the cell. The general structure of G protein-coupled receptors is depicted in Figure 1.

Generally, when an endogenous ligand binds with the receptor (often referred to as "activation" of the receptor), there is a change in the conformation of the intracellular region that allows for coupling between the intracellular region and an intracellular "G-protein." Although other G proteins exist, currently, Gq, Gs, Gi, and Go are G proteins that have been identified. Endogenous ligand-activated GPCR coupling with the G-protein begins a signaling cascade process (referred to as "signal transduction"). Under normal conditions, signal transduction ultimately results in cellular activation or cellular inhibition. It is thought that the IC-3 loop as well as the carboxy terminus of the receptor interact with the G protein. A principal focus of this invention is directed to the transmembrane-6 (TM6) region and the intracellular-3 (IC3) region of the GPCR.

20

Under physiological conditions, GPCRs exist in the cell membrane in equilibrium between

- 5 -

5

10

15

20

two different conformations: an "inactive" state and an "active" state. As shown schematically in Figure 2, a receptor in an inactive state is unable to link to the intracellular signaling transduction pathway to produce a biological response. Changing the receptor conformation to the active state allows linkage to the transduction pathway (via the G-protein) and produces a biological response.

A receptor may be stabilized in an active state by an endogenous ligand or a compound such as a drug. Recent discoveries, including but not exclusively limited to modifications to the amino acid sequence of the receptor, provide means other than endogenous ligands or drugs to promote and stabilize the receptor in the active state conformation. These means effectively stabilize the receptor in an active state by simulating the effect of an endogenous ligand binding to the receptor. Stabilization by such ligand-independent means is termed "constitutive receptor activation."

As noted above, the use of an orphan receptor for screening purposes has not been possible. This is because the traditional "dogma" regarding screening of compounds mandates that the ligand for the receptor be known. By definition, then, this approach has no applicability with respect to orphan receptors. Thus, by adhering to this dogmatic approach to the discovery of therapeutics, the art, in essence, has taught and has been taught to forsake the use of orphan receptors unless and until the endogenous ligand for the receptor is discovered. Given that there are an estimated 2,000 G protein coupled receptors, the majority of which are orphan receptors, such dogma castigates a creative, unique and distinct approach to the discovery of therapeutics.

Information regarding the nucleic acid and/or amino acid sequences of a variety of GPCRs is summarized below in Table A. Because an important focus of the invention disclosed herein is directed towards orphan GPCRs, many of the below-cited references are related to orphan GPCRs. However, this list is not intended to imply, nor is this list to be construed, legally or

-6-

otherwise, that the invention disclosed herein is only applicable to orphan GPCRs or the specific GPCRs listed below. Additionally, certain receptors that have been isolated are not the subject of publications per se; for example, reference is made to a G Protein-Coupled Receptor database on the "world-wide web" (neither the named inventors nor the assignee have any affiliation with this site) that lists GPCRs. Other GPCRs are the subject of patent applications owned by the present assignee and these are not listed below (including GPR3, GPR6 and GPR12; see U.S. Provisional Number 60/094879):

Table A

	Receptor Name	Publication Reference
10	GPR1	23 Genomics 609 (1994)
	GPR4	14 DNA and Cell Biology 25 (1995)
	GPR5	14 DNA and Cell Biology 25 (1995)
	GPR7	28 Genomics 84 (1995)
	GPR8	28 Genomics 84 (1995)
15	GPR9	184 J. Exp. Med. 963 (1996)
	GPR10	29 Genomics 335 (1995)
	GPR15	32 Genomics 462 (1996)
	GPR17	70 J Neurochem. 1357 (1998)
	GPR18	42 Genomics 462 (1997)
20	GPR20	187 Gene 75 (1997)
	GPR21	187 Gene 75 (1997)
	GPR22	187 Gene 75 (1997)
	GPR24	398 FEBS Lett. 253 (1996)
	GPR30	45 Genomics 607 (1997)
25	GPR31	42 Genomics 519 (1997)
	GPR32	50 Genomics 281 (1997)
İ	GPR40	239 Biochem. Biophys.
		Res. Commun. 543 (1997)
	GPR41	239 Biochem. Biophys.
		Res. Commun. 543 (1997)
	GPR43	239 Biochem. Biophys.
20		Res. Commun. 543 (1997)
30	APJ	136 Gene 355 (1993)
	BLR1	22 Eur. J. Immunol. 2759 (1992)
	CEPR	231 Biochem. Biophys.
		Res. Commun. 651 (1997)
	EBI1	23 Genomics 643 (1994)
26	EBI2	67 J. Virol. 2209 (1993)
35	ETBR-LP2	424 FEBS Lett. 193 (1998)
	GPCR-CNS	54 Brain Res. Mol. Brain Res. 152 (1998);
		45 Genomics 68 (1997)
	GPR-NGA	394 FEBS Lett. 325 (1996)
L	H9	386 FEBS Lett 219 (1996)

- 7 -

HBA954	1261 Biochim. Biophys. Acta 121 (1995)		
HG38	247 Biochem. Biophys.		
	Res. Commun. 266 (1998)		
HM74	5 Int. Immunol. 1239 (1993)		
OGR1	35 Genomics 397 (1996)		
V28	163 Gene 295 (1995)		

5

10

15

20

As will be set forth and disclosed in greater detail below, utilization of a mutational cassette to modify the endogenous sequence of a human GPCR leads to a constitutively activated version of the human GPCR. These non-endogenous, constitutively activated versions of human GPCRs can be utilized, *inter alia*, for the screening of candidate compounds to directly identify compounds of, *e.g.*, therapeutic relevance.

#### SUMMARY OF THE INVENTION

Disclosed herein is a non-endogenous, human G protein-coupled receptor comprising (a) as a most preferred amino acid sequence region (C-terminus to N-terminus orientation) and/or (b) as a most preferred nucleic acid sequence region (3' to 5' orientation) transversing the transmembrane-6 (TM6) and intracellular loop-3 (IC3) regions of the GPCR:

wherein:

- (1) P<sup>1</sup> is an amino acid residue located within the TM6 region of the GPCR, where P<sup>1</sup> is selected from the group consisting of (i) the endogenous GPCR's proline residue, and (ii) a non-endogenous amino acid residue other than proline;
- (2)  $AA_{15}$  are 15 amino acids selected from the group consisting of

- 8 -

(a) the endogenous GPCR's amino acids (b) non-endogenous amino acid residues, and (c) a combination of the endogenous GPCR's amino acids and non-endogenous amino acids, excepting that none of the 15 endogenous amino acid residues that are positioned within the TM6 region of the GPCR is proline; and

(3) X is a non-endogenous amino acid residue located within the IC3 region of said GPCR, preferably selected from the group consisting of lysine, hisitidine and arginine, and most preferably lysine, excepting that when the endogenous amino acid at position X is lysine, then X is an amino acid other than lysine, preferably alanine;

and/or

5

10

(b) P<sup>codon</sup> (AA-codon)<sub>15</sub> X<sub>codon</sub>

15 wherein:

(1) P<sup>codon</sup> is a nucleic acid sequence within the TM6 region of the GPCR, where P<sup>codon</sup> encodes an amino acid selected from the group consisting of (i) the endogenous GPCR's proline residue, and (ii) a non-endogenous amino acid residue other than proline;

20

(2) (AA-codon)<sub>15</sub> are 15 codons encoding 15 amino acids selected from the group consisting of (a) the endogenous GPCR's amino acids (b) non-endogenous amino acid residues and (c) a combination of the endogenous GPCR's amino acids and non-

-9-

endogenous amino acids, excepting that none of the 15 endogenous codons within the TM6 region of the GPCR encodes a proline amino acid residue; and

(3)  $X_{codon}$  is a nucleic acid encoding region residue located within the IC3 region of said GPCR, where  $X_{codon}$  encodes a non-endogenous amino acid, preferably selected from the group consisting of lysine, hisitidine and arginine, and most preferably lysine, excepting that when the endogenous encoding region at position  $X_{codon}$  encodes the amino acid lysine, then  $X_{codon}$  encodes an amino acid other than lysine, preferably alanine.

10

15

20

5

The terms endogenous and non-endogenous in reference to these sequence cassettes are relative to the endogenous GPCR. For example, once the endogenous proline residue is located within the TM6 region of a particular GPCR, and the 16<sup>th</sup> amino acid therefrom is identified for mutation to constitutively activate the receptor, it is also possible to mutate the endogenous proline residue (*i.e.*, once the marker is located and the 16<sup>th</sup> amino acid to be mutated is identified, one may mutate the marker itself), although it is most preferred that the proline residue not be mutated. Similarly, and while it is most preferred that AA<sub>15</sub> be maintained in their endogenous forms, these amino acids may also be mutated. The only amino acid that must be mutated in the non-endogenous version of the human GPCR is X *i.e.*, the endogenous amino acid that is 16 residues from P<sup>1</sup> cannot be maintained in its endogenous form and must be mutated, as further disclosed herein. Stated again, while it is preferred that in the non-endogenous version of the human GPCR, P<sup>1</sup> and AA<sub>15</sub> remain in their endogenous forms (*i.e.*, identical to their wild-type forms), once X is identified and mutated, any and/or all of P<sup>1</sup> and AA<sub>15</sub> can be mutated. This applies to the nucleic

- 10 -

acid sequences as well. In those cases where the endogenous amino acid at position X is lysine, then in the non-endogenous version of such GPCR, X is an amino acid other than lysine, preferably alanine.

Accordingly, and as a hypothetical example, if the endogenous GPCR has the following endogenous amino acid sequence at the above-noted positions:

#### P-AACCTTGGRRRDDDE -Q

then any of the following exemplary and hypothetical cassettes would fall within the scope of the disclosure (non-endogenous amino acids are set forth in bold):

P-AACCTTGGRRRDDDE-K

P-AACCTTHIGRRDDDE -K

10

P-ADEETTGGRRRDDDE -A

P-LLKFMSTWZLVAAPQ -K

#### A-LLKFMSTWZLVAAPQ -K

It is also possible to add amino acid residues within  $AA_{15}$ , but such an approach is not particularly advanced. Indeed, in the most preferred embodiments, the only amino acid that differs in the non-endogenous version of the human GPCR as compared with the endogenous version of that GPCR is the amino acid in position X; mutation of this amino acid itself leads to constitutive activation of the receptor.

Thus, in particularly preferred embodiments, P¹ and P<sup>codon</sup> are endogenous proline and an endogenous nucleic acid encoding region encoding proline, respectively; and X and X<sub>codon</sub> are non-endogenous lysine or alanine and a non-endogenous nucleic acid encoding region encoding lysine or alanine, respectively, with lysine being most preferred. Because it is most preferred that the non-endogenous versions of the human GPCRs which incorporate these mutations are

incorporated into mammalian cells and utilized for the screening of candidate compounds, the non-endogenous human GPCR incorporating the mutation need not be purified and isolated *per se* (*i.e.*, these are incorporated within the cellular membrane of a mammalian cell), although such purified and isolated non-endogenous human GPCRs are well within the purview of this disclosure. Genetargeted and transgenic non-human mammals (preferably rats and mice) incorporating the non-endogenous human GPCRs are also within the purview of this invention; in particular, genetargeted mammals are most preferred in that these animals will incorporate the non-endogenous versions of the human GPCRs in place of the non-human mammal's endogenous GPCR-encoding region (techniques for generating such non-human mammals to replace the non-human mammal's protein encoding region with a human encoding region are well known; see, for example, U.S. Patent No. 5,777,194.)

5

10

15

It has been discovered that these changes to an endogenous human GPCR render the GPCR constitutively active such that, as will be further disclosed herein, the non-endogenous, constitutively activated version of the human GPCR can be utilized for, *inter alia*, the direct screening of candidate compounds without the need for the endogenous ligand. Thus, methods for using these materials, and products identified by these methods are also within the purview of the following disclosure.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a generalized structure of a G protein-coupled receptor with the numbers

20 assigned to the transmembrane helixes, the intracellular loops, and the extracellular loops.

**Figure 2** schematically shows the two states, active and inactive, for a typical G protein coupled receptor and the linkage of the active state to the second messenger transduction pathway.

**Figure 3** is a sequence diagram of the preferred vector pCMV, including restriction enzymen site locations.

**Figure 4** is a diagrammatic representation of the signal measured comparing pCMV, non-endogenous, constitutively active GPR30 inhibition of GPR6-mediated activation of CRE-Luc reporter with endogenous GPR30 inhibition of GPR6-mediated activation of CRE-Luc reporter.

5

10

**Figure 5** is a diagrammatic representation of the signal measured comparing pCMV, non-endogenous, constitutively activated GPR17 inhibition of GPR3-mediated activation of CRE-Luc reporter with endogenous GPR17 inhibition of GPR3-mediated activation of CRE-Luc reporter.

**Figure 6** provides diagrammatic results of the signal measured comparing control pCMV, endogenous APJ and non-endogenous APJ.

Figure 7 provides an illustration of  $\rm IP_3$  production from non-endogenous human 5-HT<sub>2A</sub> receptor as compared to the endogenous version of this receptor.

Figure 8 are dot-blot format results for GPR1 (8A), GPR30 (8B) and APJ (8C).

#### **DETAILED DESCRIPTION**

The scientific literature that has evolved around receptors has adopted a number of terms to refer to ligands having various effects on receptors. For clarity and consistency, the following definitions will be used throughout this patent document. To the extent that these definitions conflict with other definitions for these terms, the following definitions shall control:

**AGONISTS** shall mean compounds that activate the intracellular response when they bind to the receptor, or enhance GTP binding to membranes.

- 13 - AMINO ACID ABBREVIATIONS used herein are set below:

	ALANINE	ALA	Α
	ARGININE	ARG	R
	ASPARAGINE	ASN	N
5	ASPARTIC ACID	ASP	D
	CYSTEINE	CYS	С
	GLUTAMIC ACID	GLU	Е
	GLUTAMINE	GLN	Q
	GLYCINE	GLY	G
10	HISTIDINE	HIS	Н
	ISOLEUCINE	ILE	I
	LEUCINE	LEU	L
	LYSINE	LYS	K
	METHIONINE	MET	M
15	PHENYLALANINE	PHE	F
	PROLINE	PRO	.P
	SERINE	SER	S
	THREONINE	THR	T
	TRYPTOPHAN	TRP	W
20	TYROSINE	TYR	Y
	VALINE	VAL	V

25

PARTIAL AGONISTS shall mean compounds which activate the intracellular response when they bind to the receptor to a lesser degree/extent than do agonists, or enhance GTP binding to membranes to a lesser degree/extent than do agonists

ANTAGONIST shall mean compounds that competitively bind to the receptor at the same site as the agonists but which do not activate the intracellular response initiated by the active form of the receptor, and can thereby inhibit the intracellular responses by agonists or partial agonists. ANTAGONISTS do not diminish the baseline intracellular response in the absence of an agonist or partial agonist.

30 **CANDIDATE COMPOUND** shall mean a molecule (for example, and not limitation, a chemical compound) which is amenable to a screening technique. Preferably, the phrase

"candidate compound" does not include compounds which were publicly known to be compounds selected from the group consisting of inverse agonist, agonist or antagonist to a receptor, as previously determined by an indirect identification process ("indirectly identified compound"); more preferably, not including an indirectly identified compound which has previously been determined to have therapeutic efficacy in at least one mammal; and, most preferably, not including an indirectly identified compound which has previously been determined to have therapeutic utility in humans.

5

10

15

CODON shall mean a grouping of three nucleotides (or equivalents to nucleotides) which generally comprise a nucleoside (adenosine (A), guanosine (G), cytidine (C), uridine (U) and thymidine (T)) coupled to a phosphate group and which, when translated, encodes an amino acid.

**COMPOUND EFFICACY** shall mean a measurement of the ability of a compound to inhibit or stimulate receptor functionality, as opposed to receptor binding affinity. A preferred means of detecting compound efficacy is via measurement of, *e.g.*, [35S]GTPγS binding, as further disclosed in the Example section of this patent document.

CONSTITUTIVELY ACTIVATED RECEPTOR shall mean a receptor subject to constitutive receptor activation. In accordance with the invention disclosed herein, a non-endogenous, human constitutively activated G protein-coupled receptor is one that has been mutated to include the amino acid cassette P<sup>1</sup>AA<sub>15</sub>X, as set forth in greater detail below.

in the active state by means other than binding of the receptor with its endogenous ligand or a chemical equivalent thereof. Preferably, a G protein-coupled receptor subjected to constitutive receptor activation in accordance with the invention disclosed herein evidences at least a 10% difference in response (increase or decrease, as the case may be) to the signal measured for

constitutive activation as compared with the endogenous form of that GPCR, more preferably, about a 25% difference in such comparative response, and most preferably about a 50% difference in such comparative response. When used for the purposes of directly identifying candidate compounds, it is most preferred that the signal difference be at least about 50% such that there is a sufficient difference between the endogenous signal and the non-endogenous signal to differentiate between selected candidate compounds. In most instances, the "difference" will be an increase in signal; however, with respect to Gs-coupled GPCRS, the "difference" measured is preferably a decrease, as will be set forth in greater detail below.

5

15

CONTACT or CONTACTING shall mean bringing at least two moieties together,

whether in an in vitro system or an in vivo system.

DIRECTLY IDENTIFYING or DIRECTLY IDENTIFIED, in relationship to the phrase "candidate compound", shall mean the screening of a candidate compound against a constitutively activated G protein-coupled receptor, and assessing the compound efficacy of such compound. This phrase is, under no circumstances, to be interpreted or understood to be encompassed by or to encompass the phrase "indirectly identifying" or "indirectly identified."

ENDOGENOUS shall mean a material that is naturally produced by the genome of the species. ENDOGENOUS in reference to, for example and not limitation, GPCR, shall mean that which is naturally produced by a human, an insect, a plant, a bacterium, or a virus. By contrast, the term NON-ENDOGENOUS in this context shall mean that which is not naturally produced by the genome of a species. For example, and not limitation, a receptor which is not constitutively active in its endogenous form, but when mutated by using the cassettes disclosed herein and thereafter becomes constitutively active, is most preferably referred to herein as a "non-endogenous, constitutively activated receptor." Both terms can be utilized to describe both "in

5

10

15

20

vivo" and "in vitro" systems. For example, and not limitation, in a screening approach, the endogenous or non-endogenous receptor may be in reference to an in vitro screening system whereby the receptor is expressed on the cell-surface of a mammalian cell. As a further example and not limitation, where the genome of a mammal has been manipulated to include a non-endogenous constitutively activated receptor, screening of a candidate compound by means of an in vivo system is viable.

therein. In the case of a prokaryotic Host Cell, a Plasmid is typically replicated as an autonomous molecule as the Host Cell replicates (generally, the Plasmid is thereafter isolated for introduction into a eukaryotic Host Cell); in the case of a eukaryotic Host Cell, a Plasmid is integrated into the cellular DNA of the Host Cell such that when the eukaryotic Host Cell replicates, the Plasmid replicates. Preferably, for the purposes of the invention disclosed herein, the Host Cell is eukaryotic, more preferably, mammalian, and most preferably selected from the group consisting of 293, 293T and COS-7 cells.

approach to the drug discovery process involving identification of an endogenous ligand specific for an endogenous receptor, screening of candidate compounds against the receptor for determination of those which interfere and/or compete with the ligand-receptor interaction, and assessing the efficacy of the compound for affecting at least one second messenger pathway associated with the activated receptor.

**INHIBIT** or **INHIBITING**, in relationship to the term "response" shall mean that a response is decreased or prevented in the presence of a compound as opposed to in the absence of the compound.

INVERSE AGONISTS shall mean compounds which bind to either the endogenous form of the receptor or to the constitutively activated form of the receptor, and which inhibit the baseline intracellular response initiated by the active form of the receptor below the normal base level of activity which is observed in the absence of agonists or partial agonists, or decrease GTP binding to membranes. Preferably, the baseline intracellular response is inhibited in the presence of the inverse agonist by at least 30%, more preferably by at least 50%, and most preferably by at least 75%, as compared with the baseline response in the absence of the inverse agonist.

5

10

15

KNOWN RECEPTOR shall mean an endogenous receptor for which the endogenous ligand specific for that receptor has been identified.

LIGAND shall mean an endogenous, naturally occurring molecule specific for an endogenous, naturally occurring receptor.

MUTANT or MUTATION in reference to an endogenous receptor's nucleic acid and/or amino acid sequence shall mean a specified change or changes to such endogenous sequences such that a mutated form of an endogenous, non-constitutively activated receptor evidences constitutive activation of the receptor. In terms of equivalents to specific sequences, a subsequent mutated form of a human receptor is considered to be equivalent to a first mutation of the human receptor if (a) the level of constitutive activation of the subsequent mutated form of the receptor is substantially the same as that evidenced by the first mutation of the receptor; and (b) the percent sequence (amino acid and/or nucleic acid) homology between the subsequent mutated form of the receptor and the first mutation of the receptor is at least about 80%, more preferably at least about 90% and most preferably at least 95%. Ideally, and owing to the fact that the most preferred cassettes disclosed herein for achieving constitutive activation includes a single amino acid and/or codon change between the endogenous and the non-endogenous forms of the GPCR (i.e. X or

5

15

20

 $X_{codon}$ ), the percent sequence homology should be at least 98%.

**ORPHAN RECEPTOR** shall mean an endogenous receptor for which the endogenous ligand specific for that receptor has not been identified or is not known.

PHARMACEUTICAL COMPOSITION shall mean a composition comprising at least one active ingredient, whereby the composition is amenable to investigation for a specified, efficacious outcome in a mammal (for example, and not limitation, a human). Those of ordinary skill in the art will understand and appreciate the techniques appropriate for determining whether an active ingredient has a desired efficacious outcome based upon the needs of the artisan.

**PLASMID** shall mean the combination of a Vector and cDNA. Generally, a Plasmid is introduced into a Host Cell for the purpose of replication and/or expression of the cDNA as a protein.

STIMULATE or STIMULATING, in relationship to the term "response" shall mean that a response is increased in the presence of a compound as opposed to in the absence of the compound.

TRANSVERSE or TRANSVERSING, in reference to either a defined nucleic acid sequence or a defined amino acid sequence, shall mean that the sequence is located within at least two different and defined regions. For example, in an amino acid sequence that is 10 amino acid moieties in length, where 3 of the 10 moieties are in the TM6 region of a GPCR and the remaining 7 moieties are in the IC3 region of the GPCR, the 10 amino acid moiety can be described as transversing the TM6 and IC3 regions of the GPCR.

**VECTOR** in reference to cDNA shall mean a circular DNA capable of incorporating at least one cDNA and capable of incorporation into a Host Cell.

The order of the following sections is set forth for presentational efficiency and is not

- 19 -

intended, nor should be construed, as a limitation on the disclosure or the claims to follow.

#### A. Introduction

10

The traditional study of receptors has always proceeded from the a priori assumption (historically based) that the endogenous ligand must first be identified before discovery could proceed to find antagonists and other molecules that could affect the receptor. Even in cases where an antagonist might have been known first, the search immediately extended to looking for the endogenous ligand. This mode of thinking has persisted in receptor research even after the discovery of constitutively activated receptors. What has not been heretofore recognized is that it is the active state of the receptor that is most useful for discovering agonists, partial agonists, and inverse agonists of the receptor. For those diseases which result from an overly active receptor or an under-active receptor, what is desired in a therapeutic drug is a compound which acts to diminish the active state of a receptor or enhance the activity of the receptor, respectively, not necessarily a drug which is an antagonist to the endogenous ligand. This is because a compound that reduces or enhances the activity of the active receptor state need not bind at the same site as the endogenous ligand. Thus, as taught by a method of this invention, any search for therapeutic compounds should start by screening compounds against the ligand-independent active state.

Screening candidate compounds against non-endogenous, constitutively activated GPCRs allows for the direct identification of candidate compounds which act at these cell surface receptors, without requiring any prior knowledge or use of the receptor's endogenous ligand. By determining areas within the body where the endogenous version of such GPCRs are expressed and/or over-expressed, it is possible to determine related disease/disorder states which are associated with the expression and/or over-expression of these receptors; such an approach is disclosed in this patent document.

- 20 -

#### B. Disease/Disorder Identification and/or Selection

10

Most preferably, inverse agonists to the non-endogenous, constitutively activated GPCRs can be identified using the materials of this invention. Such inverse agonists are ideal candidates as lead compounds in drug discovery programs for treating diseases related to these receptors. Because of the ability to directly identify inverse agonists, partial agonists or agonists to these receptors, thereby allowing for the development of pharmaceutical compositions, a search, for diseases and disorders associated with these receptors is possible. For example, scanning both diseased and normal tissue samples for the presence of these receptor now becomes more than an academic exercise or one which might be pursued along the path of identifying, in the case of an orphan receptor, an endogenous ligand. Tissue scans can be conducted across a broad range of healthy and diseased tissues. Such tissue scans provide a preferred first step in associating a specific receptor with a disease and/or disorder.

Preferably, the DNA sequence of the endogenous GPCR is used to make a probe for either radiolabeled cDNA or RT-PCR identification of the expression of the GPCR in tissue samples.

The presence of a receptor in a diseased tissue, or the presence of the receptor at elevated or decreased concentrations in diseased tissue compared to a normal tissue, can be preferably utilized to identify a correlation with that disease. Receptors can equally well be localized to regions of organs by this technique. Based on the known functions of the specific tissues to which the receptor is localized, the putative functional role of the receptor can be deduced.

# 20 C. A "Human GPCR Proline Marker" Algorithm and the Creation of Non-Endogenous, Constitutively-Active Human GPCRs

Among the many challenges facing the biotechnology arts is the unpredictability in gleaning genetic information from one species and correlating that information to another species

- 21 -

nowhere in this art does this problem evidence more annoying exacerbation than in the genetic sequences that encode nucleic acids and proteins. Thus, for consistency and because of the highly unpredictable nature of this art, the following invention is limited, in terms of mammals, to human GPCRs – applicability of this invention to other mammalian species, while a potential possibility, is considered beyond mere rote application.

In general, when attempting to apply common "rules" from one related protein sequence to another or from one species to another, the art has typically resorted to sequence alignment, i.e., sequences are linearized and attempts are then made to find regions of commonality between two or more sequences. While useful, this approach does not always prove to result in meaningful information. In the case of GPCRs, while the general structural motif is identical for all GPCRs, the variations in lengths of the TMs, ECs and ICs make such alignment approaches from one GPCR to another difficult at best. Thus, while it may be desirable to apply a consistent approach to, e.g., constitutive activation from one GPCR to another, because of the great diversity in sequence length, fidelity, etc from one GPCR to the next, a generally applicable, and readily successful mutational alignment approach is in essence not possible. In an analogy, such an approach is akin to having a traveler start a journey at point A by giving the traveler dozens of different maps to point B, without any scale or distance markers on any of the maps, and then asking the traveler to find the shortest and most efficient route to destination B only by using the maps. In such a situation, the task can be readily simplified by having (a) a common "placemarker" on each map, and (b) the ability to measure the distance from the place-marker to destination B - this, then, will allow the traveler to select the most efficient from starting-point A to destination B.

15

20

In essence, a feature of the invention is to provide such coordinates within human GPCRs

that readily allows for creation of a constitutively active form of the human GPCRs.

5

10

15

20

As those in the art appreciate, the transmembrane region of a cell is highly hydrophobic; thus, using standard hydrophobicity plotting techniques, those in the art are readily able to determine the TM regions of a GPCR, and specifically TM6 (this same approach is also applicable to determining the EC and IC regions of the GPCR). It has been discovered that within the TM6 region of human GPCRs, a common proline residue (generally near the middle of TM6), acts as a constitutive activation "marker." By counting 15 amino acids from the proline marker, the 16<sup>th</sup> amino acid (which is located in the IC3 loop), when mutated from its endogenous form to a non-endogenous form, leads to constitutive activation of the receptor. For convenience, we refer to this as the "Human GPCR Proline Marker" Algorithm. Although the non-endogenous amino acid at this position can be any of the amino acids, most preferably, the non-endogenous amino acid is lysine. While not wishing to be bound by any theory, we believe that this position itself is unique and that the mutation at this location impacts the receptor to allow for constitutive activation.

We note that, for example, when the endogenous amino acid at the 16<sup>th</sup> position is already lysine (as is the case with GPR4 and GPR32), then in order for X to be a non-endogenous amino acid, it must be other than lysine; thus, in those situations where the endogenous GPCR has an endogenous lysine residue at the 16<sup>th</sup> position, the non-endogenous version of that GPCR preferably incorporates an amino acid other than lysine, preferably alanine, histidine and arginine, at this position. Of further note, it has been determined that GPR4 appears to be linked to Gs and active in its endogenous form (data not shown).

Because there are only 20 naturally occurring amino acids (although the use of non-naturally occurring amino acids is also viable), selection of a particular non-endogenous amino

acid for substitution at this 16<sup>th</sup> position is viable and allows for efficient selection of a non-endogenous amino acid that fits the needs of the investigator. However, as noted, the more preferred non-endogenous amino acids at the 16<sup>th</sup> position are lysine, hisitidine, arginine and alanine, with lysine being most preferred. Those of ordinary skill in the art are credited with the ability to readily determine proficient methods for changing the sequence of a codon to achieve a desired mutation.

It has also been discovered that occasionally, but not always, the proline residue marker will be preceded in TM6 by W2 (*i.e.*, W2P<sup>1</sup>AA<sub>15</sub>X) where W is tryptophan and 2 is any amino acid residue.

Our discovery, amongst other things, negates the need for unpredictable and complicated sequence alignment approaches commonly used by the art. Indeed, the strength of our discovery, while an algorithm in nature, is that it can be applied in a facile manner to human GPCRs, with dexterous simplicity by those in the art, to achieve a unique and highly useful end-product, *i.e.*, a constitutively activated version of a human GPCR. Because many years and significant amounts of money will be required to determine the endogenous ligands for the human GPCRs that the Human Genome project is uncovering, the disclosed invention not only reduces the time necessary to positively exploit this sequence information, but at significant cost-savings. This approach truly validates the importance of the Human Genome Project because it allows for the utilization of genetic information to not only understand the role of the GPCRs in, *e.g.*, diseases, but also provides the opportunity to improve the human condition.

#### D. Screening of Candidate Compounds

5

10

# 1. Generic GPCR screening assay techniques

When a G protein receptor becomes constitutively active, it couples to a G protein (e.g.,

- 24 -

Gq, Gs, Gi, Go) and stimulates release and subsequent binding of GTP to the G protein. The G protein then acts as a GTPase and slowly hydrolyzes the GTP to GDP, whereby the receptor, under normal conditions, becomes deactivated. However, constitutively activated receptors, including the non-endogenous, human constitutively active GPCRs of the present invention, continue to exchange GDP for GTP. A non-hydrolyzable analog of GTP, [35S]GTPγS, can be used to monitor enhanced binding to G proteins present on membranes which express constitutively activated receptors. It is reported that [35S]GTPγS can be used to monitor G protein coupling to membranes in the absence and presence of ligand. An example of this monitoring, among other examples well-known and available to those in the art, was reported by Traynor and Nahorski in 1995. The preferred use of this assay system is for initial screening of candidate compounds because the system is generically applicable to all G protein-coupled receptors regardless of the particular G protein that interacts with the intracellular domain of the receptor.

#### B 2. Specific GPCR screening assay techniques

C Once candidate compounds are identified using the "generic" G protein-coupled receptor assay (*i.e.*, an assay to select compounds that are agonists, partial agonists, or inverse agonists), further screening to confirm that the compounds have interacted at the receptor site is preferred. For example, a compound identified by the "generic" assay may not bind to the receptor, but may instead merely "uncouple" the G protein from the intracellular domain.

#### a. Gs and Gi.

15

20

Gs stimulates the enzyme adenylyl cyclase. Gi (and Go), on the other hand, inhibit this enzyme. Adenylyl cyclase catalyzes the conversion of ATP to cAMP; thus,

- 25 -

constitutively activated GPCRs that couple the Gs protein are associated with increased cellular levels of cAMP. On the other hand, constitutively activated GPCRs that couple the Gi (or Go) protein are associated with decreased cellular levels of cAMP. See, generally, "Indirect Mechanisms of Synaptic Transmission," Chpt. 8, From Neuron To Brain (3rd Ed.) Nichols, J.G. et al eds. Sinauer Associates, Inc. (1992). Thus, assays that detect cAMP can be utilized to determine if a candidate compound is, e.g., an inverse agonist to the receptor (i.e., such a compound would decrease the levels of cAMP). A variety of approaches known in the art for measuring cAMP can be utilized; a most preferred approach relies upon the use of anti-cAMP antibodies in an ELISA-based format. Another type of assay that can be 10 utilized is a whole cell second messenger reporter system assay. Promoters on genes drive the expression of the proteins that a particular gene encodes. Cyclic AMP drives gene expression by promoting the binding of a cAMP-responsive DNA binding protein or transcription factor (CREB) which then binds to the promoter at specific sites called cAMP response elements and drives the expression of the gene. Reporter systems can be constructed which have a promoter containing multiple cAMP response elements before the reporter gene, e.g., β-galactosidase or luciferase. Thus, a constitutively activated Gs-linked receptor causes the accumulation of cAMP that then activates the gene and expression of the reporter protein. The reporter protein such as βgalactosidase or luciferase can then be detected using standard biochemical assays (Chen et al. 1995). With respect to GPCRs that link to Gi (or Go), and thus decrease levels of cAMP, an 20 approach to the screening of, e.g., inverse agonists, based upon utilization of receptors that link to Gs (and thus increase levels of cAMP) is disclosed in the Example section with respect to GPR17 and GPR30.

- 26 -

#### b. Go and Gq.

Gq and Go are associated with activation of the enzyme phospholipase C, which in turn hydrolyzes the phospholipid PIP<sub>2</sub>, releasing two intracellular messengers: diacycloglycerol (DAG) and inistol 1,4,5-triphoisphate (IP<sub>3</sub>). Increased accumulation of IP<sub>3</sub> is associated with activation of Gq- and Go-associated receptors. *See, generally*, "Indirect Mechanisms of Synaptic Transmission," Chpt. 8, From Neuron To Brain (3<sup>rd</sup> Ed.) Nichols, J.G. et al eds. Sinauer Associates, Inc. (1992). Assays that detect IP<sub>3</sub> accumulation can be utilized to determine if a candidate compound is, *e.g.*, an inverse agonist to a Gq- or Go-associated receptor (*i.e.*, such a compound would decrease the levels of IP<sub>3</sub>). Gq-associated receptors can also been examined using an AP1 reporter assay in that Gq-dependent phospholipase C causes activation of genes containing AP1 elements; thus, activated Gq-associated receptors will evidence an increase in the expression of such genes, whereby inverse agonists thereto will evidence a decrease in such expression, and agonists will evidence an increase in such expression, and agonists will evidence an increase in such expression. Commercially available assays for such detection are available.

#### E. Medicinal Chemistry

10

15

Generally, but not always, direct identification of candidate compounds is preferably conducted in conjunction with compounds generated via combinatorial chemistry techniques, whereby thousands of compounds are randomly prepared for such analysis. Generally, the results of such screening will be compounds having unique core structures; thereafter, these compounds are preferably subjected to additional chemical modification around a preferred core structure(s) to further enhance the medicinal properties thereof. Such techniques are

known to those in the art and will not be addressed in detail in this patent document.

# F. Pharmaceutical Compositions

Candidate compounds selected for further development can be formulated into pharmaceutical compositions using techniques well known to those in the art. Suitable pharmaceutically-acceptable carriers are available to those in the art; for example, *see* Remington's Pharmaceutical Sciences, 16<sup>th</sup> Edition, 1980, Mack Publishing Co., (Oslo et al., eds.)

#### G. Other Utility

10

15

Although a preferred use of the non-endogenous versions of the disclosed human GPCRs is for the direct identification of candidate compounds as inverse agonists, agonists or partial agonists (preferably for use as pharmaceutical agents), these receptors can also be utilized in research settings. For example, in vitro and in vivo systems incorporating these receptors can be utilized to further elucidate and understand the roles of the receptors in the human condition, both normal and diseased, as well understanding the role of constitutive activation as it applies to understanding the signaling cascade. A value in these non-endogenous receptors is that their utility as a research tool is enhanced in that, because of their unique features, the disclosed receptors can be used to understand the role of a particular receptor in the human body before the endogenous ligand therefor is identified. Other uses of the disclosed receptors will become apparent to those in the art based upon, *inter alia*, a review of this patent document.

#### **EXAMPLES**

The following examples are presented for purposes of elucidation, and not limitation, of the present invention. Following the teaching of this patent document that a mutational cassette may be utilized in the IC3 loop of human GPCRs based upon a position relative to a proline residue in TM6 to constitutively activate the receptor, and while specific nucleic acid

10

15

20

and amino acid sequences are disclosed herein, those of ordinary skill in the art are credited with the ability to make minor modifications to these sequences while achieving the same or substantially similar results reported below. Particular approaches to sequence mutations are within the purview of the artisan based upon the particular needs of the artisan.

# 5 Example 1 Preparation of Endogenous Human GPCRs

A variety of GPCRs were utilized in the Examples to follow. Some endogenous human GPCRs were graciously provided in expression vectors (as acknowledged below) and other endogenous human GPCRs were synthesized *de novo* using publicly-available sequence information.

#### 1. GPR1 (GenBank Accession Number: U13666)

The human cDNA sequence for GPR1 was provided in pRcCMV by Brian O'Dowd (University of Toronto). GPR1 cDNA (1.4kB fragment) was excised from the pRcCMV vector as a NdeI-XbaI fragment and was subcloned into the NdeI-XbaI site of pCMV vector (see Figure 3). Nucleic acid (SEQ.ID.NO.: 1) and amino acid (SEQ.ID.NO.: 2) sequences for human GPR1 were thereafter determined and verified.

# 2. GPR4 (GenBank Accession Numbers: L36148, U35399, U21051)

The human cDNA sequence for GPR4 was provided in pRcCMV by Brian O'Dowd (University of Toronto). GPR1 cDNA (1.4kB fragment) was excised from the pRcCMV vector as an ApaI(blunted)-XbaI fragment and was subcloned (with most of the 5' untranslated region removed) into HindIII(blunted)-XbaI site of pCMV vector. Nucleic acid (SEQ.ID.NO.: 3) and amino acid (SEQ.ID.NO.: 4) sequences for human GPR4 were thereafter determined and verified.

#### 3. GPR5 (GenBank Accession Number: L36149)

The cDNA for human GPR5 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 64°C for 1 min; and 72 °C for 1.5 min. The 5' PCR primer contained an EcoRI site with the sequence: 5'-TATGAATTCAGATGCTCTAAACGTCCCTGC-3' (SEQ.ID.NO.: 5) and the 3' primer contained BamHI site with the sequence: 5'-TCCGGATCCACCTGCACCTGCGCCTGCACC-3' (SEQ.ID.NO.: 6).

The 1.1 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of PCMV expression vector. Nucleic acid (SEQ.ID.NO.: 7) and amino acid (SEQ.ID.NO.: 8) sequences for human GPR5 were thereafter determined and verified.

# 4. GPR7 (GenBank Accession Number: U22491)

The cDNA for human GPR7 was generated and cloned into pCMV expression vector as follows: PCR condition- PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72°C for 1 min and 20 sec. The 5' PCR primer contained a HindIII site with the sequence:

- 5'-GCAAGCTTGGGGGACGCCAGGTCGCCGGCT-3' (SEQ.ID.NO.: 9)
- and the 3' primer contained a BamHI site with the sequence:

10

- 5'-GCGGATCCGGACGCTGGGGGAGTCAGGCTGC-3' (SEQ.ID.NO.: 10).
- The 1.1 kb PCR fragment was digested with HindIII and BamHI and cloned into HindIII-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 11) and amino acid (SEQ.ID.NO.:

- 30 -

12) sequences for human GPR7 were thereafter determined and verified.

#### 5. GPR8 (GenBank Accession Number: U22492)

The cDNA for human GPR8 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence:

5'-CGGAATTCGTCAACGGTCCCAGCTACAATG-3' (SEQ.ID.NO.: 13).

10 and the 3' primer contained a BamHI site with the sequence:

15

5'-ATGGATCCCAGGCCCTTCAGCACCGCAATAT-3'(SEQ.ID.NO.: 14).

The 1.1 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of PCMV expression vector. All 4 cDNA clones sequenced contained a possible polymorphism involving a change of amino acid 206 from Arg to Gln. Aside from this difference, nucleic acid (SEQ.ID.NO.: 15) and amino acid (SEQ.ID.NO.: 16) sequences for human GPR8 were thereafter determined and verified.

#### 6. GPR9 (GenBank Accession Number: X95876)

The cDNA for human GPR9 was generated and cloned into pCMV expression vector as follows: PCR was performed using a clone (provided by Brian O'Dowd) as template and pfu polymerase (Stratagene) with the buffer system provided by the manufacturer supplemented with 10% DMSO, 0.25 µM of each primer, and 0.5 mM of each of the 4 nucleotides. The cycle condition was 25 cycles of: 94°C for 1 min; 56°C for 1min; and 72 °C for 2.5 min. The 5' PCR primer contained an EcoRI site with the sequence:

- 31 -

5'-ACGAATTCAGCCATGGTCCTTGAGGTGAGTGACCACCAAGTGCTAAAT-3' (SEQ.ID.NO.: 17)

and the 3' primer contained a BamHI site with the sequence:

5'-GAGGATCCTGGAATGCGGGGAAGTCAG-3' (SEQ.ID.NO.: 18).

The 1.2 kb PCR fragment was digested with EcoRI and cloned into EcoRI-SmaI site of PCMV expression vector. Nucleic acid (SEQ.ID.NO.: 19) and amino acid (SEQ.ID.NO.: 20) sequences for human GPR9 were thereafter determined and verified.

# 7. GPR9-6 (GenBank Accession Number: U45982)

The cDNA for human GPR9-6 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence: 5'-TTAAGCTTGACCTAATGCCATCTTGTGTCC-3' (SEQ.ID.NO.: 21)

and the 3' primer contained a BamHI site with the sequence:

20

5'-TTGGATCCAAAAGAACCATGCACCTCAGAG-3' (SEQ.ID.NO.: 22).

The 1.2 kb PCR fragment was digested with BamHI and cloned into EcoRV-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 23) and amino acid (SEQ.ID.NO.: 24) sequences for human GPR9-6 were thereafter determined and verified.

# 8. GPR10 (GenBank Accession Number: U32672)

The human cDNA sequence for GPR10 was provided in pRcCMV by Brian O'Dowd (University of Toronto). GPR10 cDNA (1.3kB fragment) was excised from the pRcCMV vector as an EcoRI-XbaI fragment and was subcloned into EcoRI-XbaI site of pCMV

vector. Nucleic acid (SEQ.ID.NO.: 25) and amino acid (SEQ.ID.NO.: 26) sequences for human GPR10 were thereafter determined and verified.

### 9. GPR15 (GenBank Accession Number: U34806)

The human cDNA sequence for GPR15 was provided in pCDNA3 by Brian O'Dowd (University of Toronto). GPR15 cDNA (1.5kB fragment) was excised from the pCDNA3 vector as a HindIII-Bam fragment and was subcloned into HindIII-Bam site of pCMV vector. Nucleic acid (SEQ.ID.NO.: 27) and amino acid (SEQ.ID.NO.: 28) sequences for human GPR15 were thereafter determined and verified.

# 10. GPR17 (GenBank Accession Number: Z94154)

The cDNA for human GPR17 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 56°C for 1 min and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence:

5'-CTAGAATTCTGACTCCAGCCAAAGCATGAAT-3' (SEQ.ID.NO.: 29) and the 3' primer contained a BamHI site with the sequence:

5'-GCTGGATCCTAAACAGTCTGCGCCTCGGCCT-3' (SEO.ID.NO.: 30).

The 1.1 kb PCR fragment was digested with EcoRI and BamHl and cloned into EcoRI-BamHl 20 site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 31) and amino acid (SEQ.ID.NO.: 32) sequences for human GPR17 were thereafter determined and verified.

#### 11. GPR18 (GenBank Accession Number: L42324)

The cDNA for human GPR18 was generated and cloned into pCMV expression

- 33 -

vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25  $\mu$ M of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 54°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence:

5 5'-ATAAGATGATCACCCTGAACAATCAAGAT -3' (SEQ.ID.NO.: 33)

and the 3' primer contained an EcoRI site with the sequence:

10

5'-TCCGAATTCATAACATTTCACTGTTTATATTGC-3' (SEQ.ID.NO.: 34).

The 1.0 kb PCR fragment was digested with EcoRI and cloned into blunt-EcoRI site of pCMV expression vector. All 8 cDNA clones sequenced contained 4 possible polymorphisms involving changes of amino acid 12 from Thr to Pro, amino acid 86 from Ala to Glu, amino acid 97 from Ile to Leu and amino acid 310 from Leu to Met. Aside from these changes, nucleic acid (SEQ.ID.NO.: 35) and amino acid (SEQ.ID.NO.: 36) sequences for human GPR18 were thereafter determined and verified.

#### 12. GPR20 (GenBank Accession Number: U66579)

The cDNA for human GPR20 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence:

20 5'-CCAAGCTTCCAGGCCTGGGGTGTGCTGG-3' (SEQ.ID.NO.: 37)

and the 3' primer contained a BamHI site with the sequence:

5'-ATGGATCCTGACCTTCGGCCCCTGGCAGA-3' (SEQ.ID.NO.: 38).

The 1.2 kb PCR fragment was digested with BamHI and cloned into EcoRV-BamHI site of

- 34 -

PCMV expression vector. Nucleic acid (SEQ.ID.NO.: 39) and amino acid (SEQ.ID.NO.: 40) sequences for human GPR20 were thereafter determined and verified.

# 13. GPR21 (GenBank Accession Number: U66580)

The cDNA for human GPR21 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence: 5'-GAGAATTCACTCCTGAGCTCAAGATGAACT-3' (SEQ.ID.NO.: 41)

and the 3' primer contained a BamHI site with the sequence:

15

20

5'-CGGGATCCCCGTAACTGAGCCACTTCAGAT-3' (SEQ.ID.NO.: 42).

The 1.1 kb PCR fragment was digested with BamHI and cloned into EcoRV-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 43) and amino acid (SEQ.ID.NO.: 44) sequences for human GPR21 were thereafter determined and verified.

#### 14. GPR22 (GenBank Accession Number: U66581)

The cDNA for human GPR22 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25  $\mu$ M of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 50°C for 1 min; and 72 °C for 1.5 min. The 5' PCR primer was kinased with the sequence:

5'-TCCCCCGGGAAAAAACCAACTGCTCCAAA-3' (SEQ.ID.NO.: 45) and the 3' primer contained a BamHI site with the sequence:

5'-TAGGATCCATTTGAATGTGGATTTGGTGAAA-3' (SEQ.ID.NO.: 46).

15

The 1.38 kb PCR fragment was digested with BamHI and cloned into EcoRV-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 47) and amino acid (SEQ.ID.NO.: 48) sequences for human GPR22 were thereafter determined and verified.

# 15. GPR24 (GenBank Accession Number: U71092)

The cDNA for human GPR24 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 56°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contains a HindIII site with the sequence:

5'-GTGAAGCTTGCCTCTGGTGCCTGCAGGAGG-3' (SEQ.ID.NO.: 49) and the 3' primer contains an EcoRI site with the sequence:

5'-GCAGAATTCCCGGTGGCGTGTTGTGGTGCCC-3' (SEQ.ID.NO.: 50).

The 1.3 kb PCR fragment was digested with HindIII and EcoRI and cloned into HindIII-EcoRI site of pCMV expression vector. The nucleic acid (SEQ.ID.NO.: 51) and amino acid sequence (SEQ.ID.NO.: 52) for human GPR24 were thereafter determined and verified.

#### 16. GPR30 (GenBank Accession Number: U63917)

The cDNA for human GPR30 was generated and cloned as follows: the coding sequence of GPR30 (1128bp in length) was amplified from genomic DNA using the primers:

20 5'-GGCGGATCCATGGATGTGACTTCCCAA-3' (SEQ.ID.NO.: 53) and 5'-GGCGGATCCCTACACGGCACTGCTGAA-3' (SEQ.ID.NO.: 54).

The amplified product was then cloned into a commercially available vector, pCR2.1 (Invitrogen),

using a "TOPO-TA Cloning Kit" (Invitrogen, #K4500-01), following manufacturer instructions. The full-length GPR30 insert was liberated by digestion with BamH1, separated from the vector by agarose gel electrophoresis, and purified using a Sephaglas Bandprep™ Kit (Pharmacia, #27-9285-01) following manufacturer instructions. The nucleic acid (SEQ.ID.NO.: 55) and amino acid sequence (SEQ.ID.NO.: 56) for human GPR30 were thereafter determined and verified.

# 17. GPR31 (GenBank Accession Number: U65402)

The cDNA for human GPR31 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 58°C for 1 min; and 72 °C for 2 min. The 5' PCR primer contained an EcoRI site with the sequence: 5'-AAGGAATTCACGGCCGGGTGATGCCATTCCC-3' (SEQ.ID.NO.: 57) and the 3' primer contained a BamHI site with the sequence: 5'-GGTGGATCCATAAACACGGGCGTTGAGGAC -3' (SEQ.ID.NO.: 58).

The 1.0 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 59) and amino acid (SEQ.ID.NO.: 60) sequences for human GPR31 were thereafter determined and verified.

#### 18. GPR32 (GenBank Accession Number: AF045764)

The cDNA for human GPR32 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 56°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the

- 37 -

sequence:

5'-TAAGAATTCCATAAAAATTATGGAATGG-3' (SEQ.ID.NO.:243) and the 3' primer contained a BamHI site with the sequence:

5'-CCAGGATCCAGCTGAAGTCTTCCATCATTC-3' (SEQ.ID.NO.: 244).

The 1.1 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 245) and amino acid (SEQ.ID.NO.: 246) sequences for human GPR32 were thereafter determined and verified.

# 19. GPR40 (GenBank Accession Number: AF024687)

The cDNA for human GPR40 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min, 65°C for 1 min and 72 °C for 1 min and 10 sec. The 5' PCR primer contained an EcoRI site with the sequence

5'-GCAGAATTCGGCGGCCCCATGGACCTGCCCCC-3' (SEQ.ID.NO.: 247)
 and the 3' primer contained a BamHI site with the sequence
 5'-GCTGGATCCCCCGAGCAGTGGCGTTACTTC-3' (SEQ.ID.NO.: 248).
 The 1 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site
 of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 249) and amino acid (SEQ.ID.NO.: 250)
 sequences for human GPR40 were thereafter determined and verified.

# 20. GPR41 (GenBank Accession Number AF024688)

The cDNA for human GPR41 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase

(Perkin Elmer) with the buffer system provided by the manufacturer,  $0.25~\mu\text{M}$  of each primer, and 0.2~mM of each 4 nucleotides. The cycle condition was 30 cycles of 94°C for 1 min, 65°C for 1 min and 72 °C for 1 min and 10 sec. The 5' PCR primer contained an HindIII site with the sequence:

5'-CTCAAGCTTACTCTCTCACCAGTGGCCAC-3' (SEQ.ID.NO.: 251) and the 3' primer was kinased with the sequence 5'-CCCTCCTCCCCGGAGGACCTAGC-3' (SEQ.ID.NO.: 252).

10

The 1 kb PCR fragment was digested with HindIII and cloned into HindIII-blunt site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 253) and amino acid (SEQ.ID.NO.: 254) sequences for human GPR41 were thereafter determined and verified.

# 21. GPR43 (GenBank Accession Number AF024690)

The cDNA for human GPR43 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for 1 min and 10 sec. The 5' PCR primer contains an HindIII site with the sequence:

- 5'-TTTAAGCTTCCCCTCCAGGATGCTGCCGGAC-3' (SEQ.ID.NO.: 255) and the 3' primer contained an EcoRI site with the sequence:
- 5'-GGCGAATTCTGAAGGTCCAGGGAAACTGCTA-3' (SEQ.ID.NO. 256).
  The 1 kb PCR fragment was digested with HindIII and EcoRI and cloned into HindIII-EcoRI site
  of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 257) and amino acid (SEQ.ID.NO.: 258)
  sequences for human GPR43 were thereafter determined and verified.

#### 22. APJ (GenBank Accession Number: U03642)

Human APJ cDNA (in pRcCMV vector) was provided by Brian O'Dowd (University of Toronto). The human APJ cDNA was excised from the pRcCMV vector as an EcoRI-XbaI (blunted) fragment and was subcloned into EcoRI-SmaI site of pCMV vector.

Nucleic acid (SEQ.ID.NO.: 61) and amino acid (SEQ.ID.NO.: 62) sequences for human APJ were thereafter determined and verified.

#### 23. BLR1 (GenBank Accession Number: X68149)

The cDNA for human BLR1 was generated and cloned into pCMV expression vector as follows: PCR was performed using thymus cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence:

5'-TGAGAATTCTGGTGACTCACAGCCGGCACAG-3' (SEQ.ID.NO.: 63):

and the 3' primer contained a BamHI site with the sequence:

20

5'-GCCGGATCCAAGGAAAAGCAGCAATAAAAGG-3' (SEQ.ID.NO.: 64). The 1.2 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 65) and amino acid (SEQ.ID.NO.: 66) sequences for human BLR1 were thereafter determined and verified.

#### 24. CEPR (GenBank Accession Number: U77827)

The cDNA for human CEPR was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and

- 40 -

0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence: 5'-CAAAGCTTGAAAGCTGCACGGTGCAGAGAC-3' (SEQ.ID.NO.:67) and the 3' primer contained a BamHI site with the sequence:

5 5'-GCGGATCCCGAGTCACACCCTGGCTGGGCC-3' (SEQ.ID.NO.: 68).

The 1.2 kb PCR fragment was digested with BamHI and cloned into EcoRV-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 69) and amino acid (SEQ.ID.NO.: 70) sequences for human CEPR were thereafter determined and verified.

# 25. EBI1 (GenBank Accession Number: L31581)

The cDNA for human EBI1 was generated and cloned into pCMV expression vector as follows: PCR was performed using thymus cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 62°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence:

5'-ACAGAATTCCTGTGTGTGTTTTACCGCCCAG-3' (SEQ.ID.NO.: 71) and the 3' primer contained a BamHI site with the sequence:

5'-CTCGGATCCAGGCAGAAGAGTCGCCTATGG-3' (SEQ.ID.NO.: 72).

20

The 1.2 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of PCMV expression vector. Nucleic acid (SEQ.ID.NO.: 73) and amino acid (SEQ.ID.NO.: 74) sequences for human EBI1 were thereafter determined and verified.

# 26. EBI2 (GenBank Accession Number: L08177)

The cDNA for human EBI2 was generated and cloned into pCMV expression

vector as follows: PCR was performed using cDNA clone (graciously provided by Kevin Lynch, University of Virginia Health Sciences Center; the vector utilized was not identified by the source) as template and pfu polymerase (Stratagene) with the buffer system provided by the manufacturer supplemented with 10% DMSO, 0.25 μM of each primer, and 0.5 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 60°C for 1 min; and 72°C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence: 5'-CTGGAATTCACCTGGACCACCACCAATGGATA-3' (SEQ.ID.NO.: 75) and the 3' primer contained a BamHI site with the sequence 5'-CTCGGATCCTGCAAAGTTTGTCATACAG TT-3' (SEQ.ID.NO.: 76).

The 1.2 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 77) and amino acid (SEQ.ID.NO.: 78) sequences for human EBI2 were thereafter determined and verified.

#### 27. ETBR-LP2 (GenBank Accession Number: D38449)

The cDNA for human ETBR-LP2 was generated and cloned into pCMV expression vector as follows: PCR was performed using brain cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for 1.5 min. The 5' PCR contained an EcoRI site with the sequence:

5'-CTGGAATTCTCCTGCTCATCCAGCCATGCGG -3' (SEQ.ID.NO.: 79)
and the 3' primer contained a BamHI site with the sequence:
5'-CCTGGATCCCCACCCCTACTGGGGCCTCAG -3' (SEQ.ID.NO.: 80).
The 1.5 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI

site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 81) and amino acid (SEQ.ID.NO.: 82) sequences for human ETBR-LP2 were thereafter determined and verified.

# 28. GHSR (GenBank Accession Number: U60179)

The cDNA for human GHSR was generated and cloned into pCMV expression vector as follows: PCR was performed using hippocampus cDNA as template and TaqPlus Precision polymerase (Stratagene) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 68°C for 1 min; and 72 °C for 1 min and 10 sec. For first round PCR, the 5' PCR primer sequence was:

10 5'-ATGTGGAACGCGACGCCCAGCG-3' (SEQ.ID.NO.: 83)

and the 3' primer sequence was:

5'-TCATGTATTAATACTAGATTCT-3' (SEQ.ID.NO.: 84).

Two microliters of the first round PCR was used as template for the second round PCR where the 5' primer was kinased with sequence:

- 5'-TACCATGTGGAACGCGACGCCCAGCGAAGAGCCGGGGT-3'(SEQ.ID.NO.:85)
  and the 3' primer contained an EcoRI site with the sequence:
  - 5'-CGGAATTCATGTATTAATACTAGATTCTGTCCAGGCCCG-3'(SEQ.ID.NO.:86).

The 1.1 kb PCR fragment was digested with EcoRI and cloned into blunt-EcoRI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 87) and amino acid (SEQ.ID.NO.: 88) sequences

20 for human GHSR were thereafter determined and verified.

# 29. GPCR-CNS (GenBank Accession Number: AFO17262)

The cDNA for human GPCR-CNS was generated and cloned into pCMV expression vector as follows: PCR was performed using brain cDNA as template and rTth

10

15

polymerase (Perkin Elmer) with the buffer system provided by the manufacturer,  $0.25~\mu\text{M}$  of each primer, and 0.2~mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72°C for 2 min. The 5' PCR primer contained a HindIII site with the sequence:

5'-GCAAGCTTGTGCCCTCACCAAGCCATGCGAGCC-3' (SEQ.ID.NO.: 89) and the 3' primer contained an EcoRI site with the sequence:

5'-CGGAATTCAGCAATGAGTTCCGACAGAAGC-3' (SEQ.ID.NO.: 90).

The 1.9 kb PCR fragment was digested with HindIII and EcoRI and cloned into HindIII-EcoRI site of pCMV expression vector. All nine clones sequenced contained a potential polymorphism involving a S284C change. Aside from this difference, nucleic acid (SEQ.ID.NO.: 91) and amino acid (SEQ.ID.NO.: 92) sequences for human GPCR-CNS were thereafter determined and verified.

# 30. GPR-NGA (GenBank Accession Number: U55312)

The cDNA for human GPR-NGA was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25  $\mu$ M of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of 94°C for 1 min, 56°C for 1 min and 72 °C for 1.5 min. The 5' PCR primer contained an EcoRI site with the sequence:

- 5'-CAGAATTCAGAGAAAAAAAGTGAATATGGTTTTT-3' (SEQ.ID.NO.: 93)
- and the 3' primer contained a BamHI site with the sequence:
  - 5'-TTGGATCCCTGGTGCATAACAATTGAAAGAAT-3' (SEQ.ID.NO.: 94).
  - The 1.3 kb PCR fragment was digested with EcoRI and BamHI and cloned into EcoRI-BamHI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 95) and amino acid (SEQ.ID.NO.:

- 44 -

96) sequences for human GPR-NGA were thereafter determined and verified.

# 31. H9 (GenBank Accession Number: U52219)

The cDNA for human HB954 was generated and cloned into pCMV expression vector as follows: PCR was performed using pituitary cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min, 62°C for 1 min and 72 °C for 2 min. The 5' PCR primer contains a HindIII site with the sequence: 5'-GGAAAGCTTAACGATCCCCAGGAGCAACAT-3' (SEQ.ID.NO.: 97) and the 3' primer contains a BamHI site with the sequence:

10 5'-CTGGGATCCTACGAGAGCATTTTTCACACAG-3' (SEQ.ID.NO.: 98).

15

20

The 1.9 kb PCR fragment was digested with HindIII and BamHI and cloned into HindIII-BamHI site of pCMV expression vector. When compared to the published sequences, a different isoform with 12 bp in frame insertion in the cytoplasmic tail was also identified and designated "H9b." Both isoforms contain two potential polymorphisms involving changes of amino acid P320S and amino acid G448A. Isoform H9a contained another potential polymorphism of amino acid S493N, while isoform H9b contained two additional potential polymorphisms involving changes of amino acid I502T and amino acid A532T (corresponding to amino acid 528 of isoform H9a). Nucleic acid (SEQ.ID.NO.: 99) and amino acid (SEQ.ID.NO.: 100) sequences for human H9 were thereafter determined and verified (in the section below, both isoforms were mutated in accordance with the Human GPCR Proline Marker Algorithm).

#### 32. HB954 (GenBank Accession Number: D38449)

The cDNA for human HB954 was generated and cloned into pCMV expression

WO 00/22129

- 45 -

vector as follows: PCR was performed using brain cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of 94°C for 1 min, 58°C for 1 min and 72 °C for 2 min. The 5' PCR contained a HindIII site with the sequence:

5 5'-TCCAAGCTTCGCCATGGGACATAACGGGAGCT -3' (SEQ.ID.NO.: 101) and the 3' primer contained an EcoRI site with the sequence:

5'-CGTGAATTCCAAGAATTTACAATCCTTGCT -3' (SEQ.ID.NO.: 102).

The 1.6 kb PCR fragment was digested with HindIII and EcoRI and cloned into HindIII-EcoRI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 103) and amino acid (SEQ.ID.NO.: 104) sequences for human HB954 were thereafter determined and verified. 10

#### 33. HG38 (GenBank Accession Number: AF062006)

The cDNA for human HG38 was generated and cloned into pCMV expression vector as follows: PCR was performed using brain cDNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM of each 4 nucleotides. The cycle condition was 30 cycles of 94°C for 1 min, 56°C for 1 min and 72 °C for 1 min and 30 sec. Two PCR reactions were performed to separately obtain the 5' and 3' fragment. For the 5' fragment, the 5' PCR primer contained an HindIII site with the sequence: 5'-CCCAAGCTTCGGGCACCATGGACACCTCCC-3' (SEQ.ID.NO.: 259) and the 3' primer contained a BamHisite with the sequence:

5'-ACAGGATCCAAATGCACAGCACTGGTAAGC-3' (SEQ.ID.NO.: 260). 20

This 5' 1.5 kb PCR fragment was digested with HindIII and BamHI and cloned into an HindIII-BamHI site of pCMV. For the 3' fragment, the 5' PCR primer was kinased with the sequence: 5'-CTATAACTGGGTTACATGGTTTAAC-3' (SEQ.ID.NO. 261)

- 46 -

and the 3' primer contained an EcoRI site with the sequence:

5'-TTTGAATTCACATATTAATTAGAGACATGG-3' (SEQ.ID.NO.: 262).

The 1.4 kb 3' PCR fragment was digested with EcoRI and subcloned into a blunt-EcoRI site of pCMV vector. The 5' and 3' fragments were then ligated together through a common EcoRV site to generate the full length cDNA clone. Nucleic acid (SEQ.ID.NO.: 263) and amino acid (SEQ.ID.NO.: 264) sequences for human HG38 were thereafter determined and verified.

# 34. HM74 (GenBank Accession Number: D10923)

The cDNA for human HM74 was generated and cloned into pCMV expression vector as follows: PCR was performed using either genomic DNA or thymus cDNA (pooled) as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained an EcoRI site with the sequence:

5'-GGAGAATTCACTAGGCGAGGCGCTCCATC-3' (SEQ.ID.NO.: 105)

and the 3' primer was kinased with the sequence:

10

20

5'-GGAGGATCCAGGAAACCTTAGGCCGAGTCC-3' (SEQ.ID.NO.:106).

The 1.3 kb PCR fragment was digested with EcoRI and cloned into EcoRI-SmaI site of pCMV expression vector. Clones sequenced revealed a potential polymorphism involving a N94K change. Aside from this difference, nucleic acid (SEQ.ID.NO.: 107) and amino acid (SEQ.ID.NO.: 108) sequences for human HM74 were thereafter determined and verified.

# 35. MIG (GenBank Accession Numbers: AFO44600 and AFO44601)

The cDNA for human MIG was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and TaqPlus Precision

polymerase (Stratagene) for first round PCR or pfu polymerase (Stratagene) for second round PCR with the buffer system provided by the manufacturer, 0.25 μM of each primer, and 0.2 mM (TaqPlus Precision) or 0.5 mM (pfu) of each of the 4 nucleotides. When pfu was used, 10% DMSO was included in the buffer. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for: (a) 1 min for first round PCR; and (b) 2 min for second round PCR. Because there is an intron in the coding region, two sets of primers were separately used to generate overlapping 5' and 3' fragments. The 5' fragment PCR primers were:

- 5'-ACCATGGCTTGCAATGGCAGTGCGGCCAGGGGGCACT-3' (external sense) (SEQ.ID.NO.: 109)
- 10 and

20

- 5'-CGACCAGGACAAACAGCATCTTGGTCACTTGTCTCCGGC-3'(internal antisense) (SEQ.ID.NO.: 110).
- The 3' fragment PCR primers were:
- 5'-GACCAAGATGCTGTTTGTCCTGGTCGTGGTGTTTTGGCAT-3' (internal sense)
- 15 (SEQ.ID.NO.: 111) and
  - 5'-CGGAATTCAGGATCGGTCTCTTGCTGCGCCT-3' (external antisense with an EcoRI site) (SEQ.ID.NO.: 112).
  - The 5' and 3' fragments were ligated together by using the first round PCR as template and the kinased external sense primer and external antisense primer to perform second round PCR. The 1.2 kb PCR fragment was digested with EcoRI and cloned into the blunt-EcoRI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 113) and amino acid (SEQ.ID.NO.: 114) sequences for human MIG were thereafter determined and verified.

# 36. OGR1 (GenBank Accession Number: U48405)

The cDNA for human OGR1 was generated and cloned into pCMV expression vector as follows: PCR was performed using genomic DNA as template and rTth polymerase (Perkin Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer was kinased with the sequence: 5'-GGAAGCTTCAGGCCCAAAGATGGGGAACAT-3' (SEQ.ID.NO.: 115): and the 3' primer contained a BamHI site with the sequence: 5'-GTGGATCCACCCGCGGAGGACCCAGGCTAG -3' (SEQ.ID.NO.: 116).

The 1.1 kb PCR fragment was digested with BamHI and cloned into the EcoRV-BamHI site

of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 117) and amino acid (SEQ.ID.NO.:

118) sequences for human OGR1 were thereafter determined and verified.

#### 37. Serotonin 5HT<sub>2A</sub>

15

The cDNA encoding endogenous human 5HT<sub>2A</sub> receptor was obtained by RT-PCR using human brain poly-A<sup>+</sup> RNA; a 5' primer from the 5' untranslated region with an Xho I restriction site:

5'-GACCTCGAGTCCTTCTACACCTCATC-3' (SEQ.ID.NO: 119)
and a 3' primer from the 3' untranslated region containing an Xba I site:
5'-TGCTCTAGATTCCAGATAGGTGAAAACTTG-3' (SEQ.ID.NO: 120)

PCR was performed using either TaqPlus<sup>TM</sup> precision polymerase (Stratagene) or rTth<sup>TM</sup>
20 polymerase (Perkin Elmer) with the buffer system provided by the manufacturers, 0.25 μM of each
primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for
1 min; 57°C for 1min; and 72°C for 2 min. The 1.5 kb PCR fragment was digested with Xba I
and subcloned into Eco RV-Xba I site of pBluescript. The resulting cDNA clones were fully

sequenced and found to encode two amino acid changes from the published sequences. The first one was a T25N mutation in the N-terminal extracellular domain; the second is an H452Y mutation. Because cDNA clones derived from two independent PCR reactions using Taq polymerase from two different commercial sources (TaqPlus<sup>TM</sup> from Stratagene and rTth<sup>TM</sup> Perkin Elmer) contained the same two mutations, these mutations are likely to represent sequence polymorphisms rather than PCR errors. With these exceptions, the nucleic acid (SEQ.ID.NO.: 121) and amino acid (SEQ.ID.NO.: 122) sequences for human 5HT<sub>2A</sub> were thereafter determined and verified.

#### 38. Serotonin 5HT<sub>2C</sub>

- The cDNA encoding endogenous human 5HT<sub>2C</sub> receptor was obtained from human brain poly-A<sup>+</sup>RNA by RT-PCR. The 5' and 3' primers were derived from the 5' and 3' untranslated regions and contained the following sequences:
  - 5'-GACCTCGAGGTTGCTTAAGACTGAAGC-3' (SEQ.ID.NO.: 123)
  - 5'-ATTTCTAGACATATGTAGCTTGTACCG-3' (SEQ.ID.NO.: 124)
- Nucleic acid (SEQ.ID.NO.: 125) and amino acid (SEQ.ID.NO.: 126) sequences for human 5HT<sub>2C</sub> were thereafter determined and verified.

#### 39. V28 (GenBank Accession Number: U20350)

The cDNA for human V28 was generated and cloned into pCMV expression vector as follows: PCR was performed using brain cDNA as template and rTth polymerase (Perkin 20 Elmer) with the buffer system provided by the manufacturer, 0.25 µM of each primer, and 0.2 mM of each of the 4 nucleotides. The cycle condition was 30 cycles of: 94°C for 1 min; 65°C for 1 min; and 72 °C for 1 min and 20 sec. The 5' PCR primer contained a HindIII site with the sequence: 5'-GGTAAGCTTGGCAGTCCACGCCAGGCCTTC-3' (SEQ.ID.NO.: 127)

- 50 -

and the 3' primer contained an EcoRI site with the sequence:

# 5'-TCCGAATTCTCTGTAGACACAAGGCTTTGG-3' (SEQ.ID.NO.: 128)

The 1.1 kb PCR fragment was digested with HindIII and EcoRI and cloned into HindIII-EcoRI site of pCMV expression vector. Nucleic acid (SEQ.ID.NO.: 129) and amino acid (SEQ.ID.NO.:

5 130) sequences for human V28 were thereafter determined and verified.

**Example 2 PREPARATION OF NON-ENDOGENOUS HUMAN GPCRS** 

#### 1. Site-Directed Mutagenesis

Mutagenesis based upon the Human GPCR Proline Marker approach disclosed herein was performed on the foregoing endogenous human GPCRs using Transformer Site-Directed Mutagenesis Kit (Clontech) according to the manufacturer instructions. For this mutagenesis approach, a Mutation Probe and a Selection Marker Probe (unless otherwise indicated, the probe of SEQ.ID.NO.: 132 was the same throughout) were utilized, and the sequences of these for the specified sequences are listed below in Table B (the parenthetical number is the SEQ. ID.NO.). For convenience, the codon mutation incorporated into the human GPCR is also noted, in standard form:

Table B

	Receptor Identifier (Codon Mutation)	Mutation Probe Sequence (5'-3') (SEQ.ID.NO.)	Selection Marker Probe Sequence (5'-3') (SEQ.ID.NO.)
20	GPR1 (F245K)	GATCTCCAGTAGGCAT <u>AAG</u> T GGACAATTCTGG (131)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAG (132)
	GPR4 (K223A)	AGAAGGCCAAGATC <u>GCG</u> CGG CTGGCCCTCA (133)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
25	GPR5 (V224K)	CGGCGCCACCGCACGAAAAA GCTCATCTTC	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT

	-	(134)	
	GPR7 (T250K)	GCCAAGAAGCGGGTG <u>AAG</u> TT CCTGGTGGTGGCA (135)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
	GPR8 (T259K)	CAGGCGGAAGGTG <u>AAA</u> GTCC TGGTCCTCGT (136)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
30	GPR9 (M254K)	CGGCGCCTGCGGGCCAAGCG GCTGGTGGTGGTG	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
	GPR9-6 (L241K)	(137) CCAAGCACAAAGCC <u>AAG</u> AAA GTGACCATCAC (138)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
35	GPR10 (F276K)	GCGCCGGCGCACC <u>AAA</u> TGCT TGCTGGTGGT (139)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
Г	CDD 15	T. CALLAN A COTTO LA CALLANDA	
	GPR15 (1240K)	CAAAAAGCTGAAGAAATCTA AGAAGATCATCTTTATTGTCG (140)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
	GPR17	CAAGACCAAGGCA <u>AAA</u> CGCA	CTCCTTCGGTCCTCCTATCGT
	(V234K)	TGATCGCCAT (141)	TGTCAGAAGT
40	GPR18 (I231K)	GTCAAGGAGAAGTCC <u>AAA</u> AG GATCATCATC (142)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
	GPR20 (M240K)	CGCCGCGTGCGGGCCAAGCA GCTCCTGCTC (143)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
45	GPR21 (A251K)	CCTGATAAGCGCTAT <u>AAA</u> AT GGTCCTGTTTCGA (144)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
_			
	GPR22 (F312K)	GAAAGACAAAAGAGAGTC <u>A</u> <u>AG</u> AGGATGTCTTTATTG (145)	CTCCTTCGGTCCTCTATCGT TGTCAGAAGT
	GPR24 (T304K)	CGGAGAAAGAGGGTG <u>AAA</u> C GCACAGCCATCGCC (146)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
- 1	GPR30 (L258K)	alternate approach; see below	alternate approach; see below
1	GPR31 (Q221K)	AAGCTTCAGCGGGCC <u>AAG</u> GC ACTGGTCACC (147)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
1	GPR32 (K255A)	CATGCCAACCGGCCCGCGAG GCTGCTGCTGGT (279)	ACCAGCAGCAGCCTCGCGGG CCGGTTGGCATG (280)
	GPR40 (A223K)	CGGAAGCTGCGGGCC <u>AAA</u> TG GGTGGCCGGC (265)	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT
	GPR41	CAGAGGAGGGTG <u>AAG</u> GGCT GTTGGCG	CTCCTTCGGTCCTCCTATCGT TGTCAGAAGT

	(A223K)	(266)	
-	GPR43	GGCGGCGCGAGCCAAGGGG	CTCCTTCGGTCCTCCTATCGT
	(V221K)	CTGGCTGTGG (267)	TGTCAGAAGT
1	APJ	alternate approach; see below	alternate approach; see below
\$	(L247K)	11	and that approach, see below
Ī	BLR1	CAGCGGCAGAAGGCAAAAA	CTCCTTCGGTCCTCCTATCGT
	(V258K)	GGGTGGCCATC (148)	TGTCAGAAGT
	CEPR	CGGCAGAAGCGCAT	CTCCTTCGGTCCTCCTATCGT
	(L258K)	GATCCTCGCG	TGTCAGAAGT
L		(149)	
4	EBI1	CACCCCAACAACCCCAAAA	C C C C C C C C C C C C C C C C C C C
- 1		GAGCGCAACAAGGCC <u>AAA</u> A AGGTGATCATC	CTCCTTCGGTCCTCCTATCGT
	(I262K)	(150)	TGTCAGAAGT
	EBI2	GGTGTAAACAAAAAGGCT <u>AA</u>	CTCCTTCGGTCCTCCTATCGT
L	(L243K)	AAACACAATTATTCTTATT (151)	TGTCAGAAGT
	ETBR-LP2	GAGAGCCAGCTCAAGAGCAC	CTCCTTCGGTCCTCCTATCGT
\$	(N358K)	CGTGGTG (152)	TGTCAGAAGT
	GHSR	CCACAAGCAAACC <u>AAG</u> AAAA	CTCCTTCGGTCCTCCTATCGT
	(V262K)	TGCTGGCTGT (153)	TGTCAGAAGT
	GPCR-CNS	CTAGAGAGTCAGATG <u>AAG</u> TG	CTCCTTCGGTCCTCCTATCGT
	(N491K)	TACAGTAGTGGCAC (155)	TGTCAGAAGT
Ø (	GPR-NGA	CGGACAAAAGTGAAAACT <u>AA</u>	CTCCTTCGGTCCTCCTATCGT
L	(I275K)	AAAGATGTTCCTCATT (156)	TGTCAGAAGT
]	H9a and H9b	GCTGAGGTTCGCAAT <u>AAA</u> CT	CTCCTTCGGTCCTCCTATCGT
L	(F236K)	AACCATGTTTGTG (157)	TGTCAGAAGT
1	HB954	GGGAGGCCGAGCTG <u>AAA</u> GCC	CTCCTTCGGTCCTCCTATCGT
L	(H <b>265K</b> )	ACCCTGCTC (158)	TGTCAGAAGT
I	HG38	GGGACTGCTCTATGAAAAA	CATCAAGTGTATCATGTGCC
(	(V765K)	CACATTGCCCTG	AAGTACGCCC
L.	`	(268)	(154)
Г	HM74	CAAGATCAAGAGAGCCAAAA	CTCCTTCCCTCCTCCTCCT
1		CAAGATCAAGAGAGCC <u>AAA</u> A CCTTCATCATG	CTCCTTCGGTCCTCCTATCGT
(	(I230K)	(159)	TGTCAGAAGT
N	MIG	CCGGAGACAAGTG <u>AAG</u> AAG	CTCCTTCGGTCCTCCTATCGT
	T273K)	ATGCTGTTTGTC	TGTCAGAAGT
١,	12/JK)	(160)	1 O T O T O T O T O T O T O T O T O T O
(	OGR1	GCAAGGACCAGATC <u>AAG</u> CGG	CTCCTTCGGTCCTCCTATCGT
6	Q227K)	CTGGTGCTCA	TGTCAGAAGT
		(161)	
	Serotonin 5HT <sub>2A</sub> C322K)	alternate approach; see below	alternate approach; see below
S	Serotonin 5HT <sub>2C</sub>	alternate approach; see below	alternate approach; see below
	S310K)	11-5	approuon, see ociow

V28	CAAGAAAGCCAAAGCC <u>AAG</u>	CTCCTTCGGTCCTCCTATCGT
(I230K)	AAACTGATCCTTCTG	TGTCAGAAGT
(-22 322)	(162)	

The non-endogenous human GPCRs were then sequenced and the derived and verified nucleic acid and amino acid sequences are listed in the accompanying "Sequence Listing" appendix

5 to this patent document, as summarized in Table C below:

Table C

Mutated GPCR	Nucleic Acid Sequence Listing	Amino Acid Sequence Listing
GPR1	SEQ.ID.NO.: 163	SEQ.ID.NO.: 164
(F245K)		
10 GPR4	SEQ.ID.NO.: 165	SEQ.ID.NO.: 166
(K223A)		
GPR5	SEQ.ID.NO.: 167	SEQ.ID.NO.: 168
(V224K)		
GPR7	SEQ.ID.NO.: 169	SEQ.ID.NO.: 170
1 <b>5</b> (T250K)		
GPR8	SEQ.ID.NO.: 171	SEQ.ID.NO.: 172
(T259K)		
GPR9	SEQ.ID.NO.: 173	SEQ.ID.NO.: 174
(M254K)		
20 GPR9-6	SEQ.ID.NO.: 175	SEQ.ID.NO.: 176
(L241K)		
GPR10	SEQ.ID.NO.: 177	SEQ.ID.NO.: 178
(F276K)		
GPR15	SEQ.ID.NO.: 179	SEQ.ID.NO.: 180
25 (I240K)		
GPR17	SEQ.ID.NO.: 181	SEQ.ID.NO.: 182
(V234K)		
GPR18	SEQ.ID.NO.: 183	SEQ.ID.NO.: 184
(I231K)		
30 GPR20	SEQ.ID.NO.: 185	SEQ.ID.NO.: 186
(M240K)		
GPR21	SEQ.ID.NO.: 187	SEQ.ID.NO.: 188
(A251K)		
GPR22	SEQ.ID.NO.: 189	SEQ.ID.NO.: 190
35 (F312K)		
GPR24	SEQ.ID.NO.: 191	SEQ.ID.NO.: 192
(T304K))		
GPR30	SEQ.ID.NO.: 193	SEQ.ID.NO.: 194

(L258K)		
GPR31	SEQ.ID.NO.: 195	SEQ.ID.NO.: 196
(Q221K)		DEQ.ID.I.(O.: 190
GPR32	SEQ.ID.NO.: 269	SEQ.ID.NO.: 270
5 (K255A)	SEQ.ID.110 209	SEQ.ID.NO., 270
GPR40	SEQ.ID.NO.: 271	SEQ.ID.NO.: 272
(A223K)	SEQ.ID.NO.: 271	SEQ.ID.NO.: 272
GPR41	SEQ.ID.NO.: 273	SEQ.ID.NO.: 274
(A223K)	BEQ.ID.110 273	DEQ.ID.140 274
0 GPR43	SEQ.ID.NO.: 275	SEQ.ID.NO.: 276
(V221K)	522.12.170275	220.12.110 270
APJ	SEQ.ID.NO.: 197	SEQ.ID.NO.: 198
(L247K)		( 15.0 150
BLR1	SEQ.ID.NO.: 199	SEQ.ID.NO.: 200
\$ (V258K)		
CEPR	SEQ.ID.NO.: 201	SEQ.ID.NO.: 202
(L258K)		
EBI1	SEQ.ID.NO.: 203	SEQ.ID.NO.: 204
(I262K)		
EBI2	SEQ.ID.NO.: 205	SEQ.ID.NO.: 206
(L243K)		
ETBR-LP2	SEQ.ID.NO.: 207	SEQ.ID.NO.: 208
(N358K)		
GHSR	SEQ.ID.NO.: 209	SEQ.ID.NO.: 210
(V262K)		
GPCR-CNS	SEQ.ID.NO.: 211	SEQ.ID.NO.: 212
(N491K)		
GPR-NGA	SEQ.ID.NO.: 213	SEQ.ID.NO.: 214
(I275K)		
H9a	SEQ.ID.NO.: 215	SEQ.ID.NO.: 216
(F236K)		
H9b	SEQ.ID.NO.: 217	SEQ.ID.NO.: 218
(F236K)	GEO TO 110	
HB954	SEQ.ID.NO.: 219	SEQ.ID.NO.: 220
(H265K)		
HG38	SEQ.ID.NO.: 277	SEQ.ID.NO.: 278
(V765K)		
HM74	SEQ.ID.NO.: 221	SEQ.ID.NO.: 222
(I230K)		
MIG	SEQ.ID.NO.: 223	SEQ.ID.NO.: 224
(T273K)		
OGR1	SEQ.ID.NO.: 225	SEQ.ID.NO.: 226
(Q227K)	GEO ID MO 225	070 700
Serotonin 5HT <sub>2A</sub>	SEQ.ID.NO.: 227	SEQ.ID.NO.: 228
(C322K)		
Serotonin 5HT <sub>2C</sub>	SEQ.ID.NO.: 229	SEQ.ID.NO.: 230
(S310K)		
V28	SEQ.ID.NO.: 231	SEQ.ID.NO.: 232
=	<	DEQ.ED.110 202

WO 00/22129

- 55 -

# 2. Alternate Mutation Approaches for Employment of the Proline Marker Algorithm: APJ; Serotonin 5HT<sub>2A</sub>; Serotonin 5HT<sub>2C</sub>; and GPR30

Although the above site-directed mutagenesis approach is particularly preferred, other approaches can be utilized to create such mutations; those skilled in the art are readily credited with selecting approaches to mutating a GPCR that fits within the particular needs of the artisan.

#### a. APJ

Preparation of the non-endogenous, human APJ receptor was accomplished by mutating L247K. Two oligonucleotides containing this mutation were synthesized:

5'- GGCTTAAGAGCATCATCGTGGTGCTGGTG-3' (SEQ.ID.NO.: 233)

#### 10 5'-GTCACCACCACCACCACGATGATGCTCTTAAGCC-3' (SEQ.ID.NO.: 234)

The two oligonucleotides were annealed and used to replace the NaeI-BstEII fragment of human, endogenous APJ to generate the non-endogenous, version of human APJ.

#### b. Serotonin 5HT<sub>24</sub>

cDNA containing the point mutation C322K was constructed by utilizing the restriction

15 enzyme site Sph I which encompasses amino acid 322. A primer containing the C322K mutation:

5'-CAAAGAAAGTACTGGGCATCGTCTTCTTCCT-3' (SEQ.ID.NO: 235)

was used along with the primer from the 3' untranslated region of the receptor:

5'-TGCTCTAGATTCCAGATAGGTGAAAA CTTG-3' (SEQ.ID.NO.: 236)

to perform PCR (under the conditions described above). The resulting PCR fragment was then

20 used to replace the 3' end of endogenous 5HT<sub>2A</sub> cDNA through the T4 polymerase blunted Sph

#### c. Serotonin 5HT<sub>2C</sub>

I site.

The cDNA containing a S310K mutation was constructed by replacing the Sty I restriction fragment containing amino acid 310 with synthetic double stranded oligonucleotides that encode

- 56 -

the desired mutation. The sense strand sequence utilized had the following sequence:

5'-CTAGGGGCACCATGCAGGCTATCAACAATGAAAGAAAGCTAAGAAAGTC-3' (SEQ. ID.NO.: 237)

and the antisense strand sequence utilized had the following sequence:

5 5'-CAAGGACTTTCTTAGCTTTTCATTGTTGATAGCCTGCATGGTGCCC-3' (SEQ. ID. NO.: 238)

#### d. GPR30

Prior to generating non-endogenous GPR30, several independent pCR2.1/GPR30 isolates were sequenced in their entirety in order to identify clones with no PCR-generated mutations. A clone having no mutations was digested with EcoR1 and the endogenous GPR30 cDNA fragment was transferred into the CMV-driven expression plasmid pCI-neo (Promega), by digesting pCI-Neo with EcoR1 and subcloning the EcoRI-liberated GPR30 fragment from pCR2.1/GPR30, to generate pCI/GPR30. Thereafter, the leucine at codon 258 was mutated to a lysine using a Quick-Change<sup>TM</sup> Site-Directed Mutagenesis Kit (Stratagene, #200518), according to manufacturer's instructions, and the following primers:

5'-CGGCGGCAGAAGGCGAAACGCATGATCCTCGCGGT-3' (SEQ.ID.NO.: 239) and 5'-ACCGCGAGGATCATGCGTTTCGCCTTCTGC CGCCG-3' (SEQ.ID.NO.: 240)

#### Receptor (Endogenous and Mutated) Expression

Althou

Example 3

15

20

Although a variety of cells are available to the art for the expression of proteins, it is most preferred that mammalian cells be utilized. The primary reason for this is predicated upon practicalities, *i.e.*, utilization of, *e.g.*, yeast cells for the expression of a GPCR, while possible,

- 57 -

introduces into the protocol a non-mammalian cell which may not (indeed, in the case of yeast, does not) include the receptor-coupling, genetic-mechanism and secretary pathways that have evolved for mammalian systems – thus, results obtained in non-mammalian cells, while of potential use, are not as preferred as that obtained from mammalian cells. Of the mammalian cells, COS-7, 293 and 293T cells are particularly preferred, although the specific mammalian cell utilized can be predicated upon the particular needs of the artisan.

Unless otherwise noted herein, the following protocol was utilized for the expression of the endogenous and non-endogenous human GPCRs. Table D lists the mammalian cell and number utilized (per 150mm plate) for GPCR expression.

10

15

Table D

Receptor Name	Mammalian Cell
(Endogenous or Non-	(Number Utilized)
Endogenous)	
GPR17	293 (2 x 10 <sup>4</sup> )
GPR30	293 (4 x 10 <sup>4</sup> )
APJ	COS-7 (5X10 <sup>6</sup> )
ETBR-LP2	293 (1 x 10 <sup>7</sup> )
	293T (1 x 10 <sup>7</sup> )
GHSR	293 (1 x 10 <sup>7</sup> )
	293T (1 x 10 <sup>7</sup> )
MIG	293 (1 x 10 <sup>7</sup> )
Serotonin 5HT <sub>2A</sub>	293T (1 x 10 <sup>7</sup> )
Serotonin 5HT <sub>2c</sub>	293T (1 x 10 <sup>7</sup> )

20

25

On day one, mammalian cells were plated out. On day two, two reaction tubes were prepared (the proportions to follow for each tube are per plate): tube A was prepared by mixing 20µg DNA (e.g., pCMV vector; pCMV vector with endogenous receptor cDNA, and pCMV vector with non-endogenous receptor cDNA.) in 1.2ml serum free DMEM (Irvine Scientific,

- 58 -

Irvine, CA); tube B was prepared by mixing 120µl lipofectamine (Gibco BRL) in 1.2ml serum free DMEM. Tubes A and B were then admixed by inversions (several times), followed by incubation at room temperature for 30-45min. The admixture is referred to as the "transfection mixture". Plated cells were washed with 1XPBS, followed by addition of 10ml serum free DMEM. 2.4ml of the transfection mixture was then added to the cells, followed by incubation for 4hrs at 37°C/5% CO<sub>2</sub>. The transfection mixture was then removed by aspiration, followed by the addition of 25ml of DMEM/10% Fetal Bovine Serum. Cells were then incubated at 37°C/5% CO<sub>2</sub>. After 72hr incubation, cells were then harvested and utilized for analysis.

# 1. Gi-Coupled Receptors: Co-Transfection with Gs-Coupled Receptors

10

20

In the case of GPR30, it has been determined that this receptor couples the G protein Gi. Gi is known to inhibit the enzyme adenylyl cyclase, which is necessary for catalyzing the conversion of ATP to cAMP. Thus, a non-endogenous, constitutively activated form of GPR30 would be expected to be associated with decreased levels of cAMP. Assay confirmation of a non-endogenous, constitutively activated form of GPR30 directly via measurement of decreasing levels of cAMP, while viable, can be preferably measured by cooperative use of a Gs-coupled receptor. For example, a receptor that is Gs-coupled will stimulate adenylyl cyclase, and thus will be associated with an increase in cAMP. The assignee of the present application has discovered that the orphan receptor GPR6 is an endogenous, constitutively activated GPCR. GPR6 couples to the Gs protein. Thus when co-transfected, one can readily verify that a putative GPR30-mutation leads to constitutive activation thereof: *i.e.*, an endogenous, constitutively activated GPR6/endogenous, non-constitutively activated GPR30 cell will evidence an elevated level of cAMP when compared with an endogenous, constitutively active GPR6/non-endogenous, constitutively activated GPR30 (the latter evidencing a comparatively lower level of cAMP).

Assays that detect cAMP can be utilized to determine if a candidate compound is e.g., an inverse agonist to a Gs-associated receptor (i.e., such a compound would decrease the levels of cAMP) or a Gi-associated receptor (or a Go-associated receptor) (i.e., such a candidate compound would increase the levels of cAMP). A variety of approaches known in the art for measuring cAMP can be utilized; a preferred approach relies upon the use of anti-cAMP antibodies. Another approach, and most preferred, utilizes a whole cell second messenger reporter system assay. Promoters on genes drive the expression of the proteins that a particular gene encodes. Cyclic AMP drives gene expression by promoting the binding of a cAMP-responsive DNA binding protein or transcription factor (CREB) which then binds to the promoter at specific sites called cAMP response elements and drives the expression of the gene. Reporter systems can be constructed which have a promoter 10 containing multiple cAMP response elements before the reporter gene, e.g., \beta-galactosidase or luciferase. Thus, an activated receptor such as GPR6 causes the accumulation of cAMP which then activates the gene and expression of the reporter protein. Most preferably, 293 cells are cotransfected with GPR6 (or another Gs-linked receptor) and GPR30 (or another Gi-linked receptor) plasmids, preferably in a 1:1 ratio, most preferably in a 1:4 ratio. Because GPR6 is an 15 endogenous, constitutively active receptor that stimulates the production of cAMP, GPR6 strongly activates the reporter gene and its expression. The reporter protein such as  $\beta$ -galactosidase or luciferase can then be detected using standard biochemical assays (Chen et al. 1995). Cotransfection of endogenous, constitutively active GPR6 with endogenous, non-constitutively active GPR30 evidences an increase in the luciferase reporter protein. Conversely, co-transfection of endogenous, constitutively active GPR6 with non-endogenous, constitutively active GPR30 evidences a drastic decrease in expression of luciferase. Several reporter plasmids are known and available in the art for measuring a second messenger assay. It is considered well within the

20

skilled artisan to determine an appropriate reporter plasmid for a particular gene expression based primarily upon the particular need of the artisan. Although a variety of cells are available for expression, mammalian cells are most preferred, and of these types, 293 cells are most preferred. 293 cells were transfected with the reporter plasmid pCRE-Luc/GPR6 and non-endogenous, constitutively activated GPR30 using a Mammalian Transfection™ Kit (Stratagene, #200285) CaPO₄ precipitation protocol according to the manufacturer's instructions (*see*, 28 Genomics 347 (1995) for the published endogenous GPR6 sequence). The precipitate contained 400ng reporter, 80ng CMV-expression plasmid (having a 1:4 GPR6 to endogenous GPR30 or non-endogenous GPR30 ratio) and 20ng CMV-SEAP (a transfection control plasmid encoding secreted alkaline phosphatase). 50% of the precipitate was split into 3 wells of a 96-well tissue culture dish (containing 4X10⁴ cells/well); the remaining 50% was discarded. The following morning, the media was changed. 48 hr after the start of the transfection, cells were lysed and examined for luciferase activity using a Luclite™ Kit (Packard, Cat. # 6016911) and Trilux 1450 Microbeta™ liquid scintillation and luminescence counter (Wallac) as per the vendor's instructions. The data were analyzed using GraphPad Prism 2.0a (GraphPad Software Inc.).

10

15

20

With respect to GPR17, which has also been determined to be Gi-linked, a modification of the foregoing approach was utilized, based upon, *inter alia*, use of another Gs-linked endogenous receptor, GPR3 (*see* 23 Genomics 609 (1994) and 24 Genomics 391 (1994)). Most preferably, 293 cells are utilized. These cells were plated-out on 96 well plates at a density of 2 x 10<sup>4</sup> cells per well and were transfected using Lipofectamine Reagent (BRL) the following day according to manufacturer instructions. A DNA/lipid mixture was prepared for each 6-well transfection as follows: 260ng of plasmid DNA in 100μl of DMEM were gently mixed with 2μl of lipid in 100μl of DMEM (the 260ng of plasmid DNA consisted of 200ng of a 8xCRE-Luc

-61 -

reporter plasmid (see below), 50ng of pCMV comprising endogenous receptor or non-endogenous receptor or pCMV alone, and 10ng of a GPRS expression plasmid (GPRS in pcDNA3 (Invitrogen)). The 8XCRE-Luc reporter plasmid was prepared as follows: vector SRIF- $\beta$ -gal was obtained by cloning the rat somatostatin promoter (-71/+51) at BglV-HindIII site in the pβgal-Basic Vector (Clontech). Eight (8) copies of cAMP response element were obtained by PCR from an adenovirus template AdpCF126CCRE8 (see 7 Human Gene Therapy 1883 (1996)) and cloned into the SRIF-β-gal vector at the Kpn-BglV site, resulting in the 8xCRE-β-gal reporter vector. The 8xCRE-Luc reporter plasmid was generated by replacing the beta-galactosidase gene in the 8xCRE-β-gal reporter vector with the luciferase gene obtained from the pGL3-basic vector (Promega) at the HindIII-BamHI site. Following 30min. incubation at room temperature, the DNA/lipid mixture was diluted with  $400\,\mu l$  of DMEM and  $100\mu l$  of the diluted mixture was added to each well. 100 µl of DMEM with 10% FCS were added to each well after a 4hr incubation in a cell culture incubator. The next morning the transfected cells were changed with 200 µl/well of DMEM with 10% FCS. Eight (8) hours later, the wells were changed to 100 µl/well of DMEM without phenol red, after one wash with PBS. Luciferase activity were measured the next day using the LucLite™ reporter gene assay kit (Packard) following manufacturer instructions and read on a 1450 MicroBeta<sup>™</sup> scintillation and luminescence counter (Wallac).

Figure 4 evidences that constitutively active GPR30 inhibits GPR6-mediated activation of CRE-Luc reporter in 293 cells. Luciferase was measured at about 4.1 relative light units in the expression vector pCMV. Endogenous GPR30 expressed luciferase at about 8.5 relative light units, whereas the non-endogenous, constitutively active GPR30 (L258K), expressed luciferase at about 3.8 and 3.1 relative light units, respectively. Co-transfection of endogenous GPR6 with endogenous GPR30, at a 1:4 ratio, drastically increased luciferase

15

20

- 62 -

expression to about 104.1 relative light units. Co-transfection of endogenous GPR6 with non-endogenous GPR30 (L258K), at the same ratio, drastically decreased the expression, which is evident at about 18.2 and 29.5 relative light units, respectively. Similar results were observed with respect to GPR17 with respect to co-transfection with GPR3, as set forth in Figure 5.

# Example 3 Assays For determination of Constitutive Activity OF Non-Endogenous GPCRs

# A. Membrane Binding Assays

#### 1. [35S]GTPγS Assay

10

15

20

When a G protein-coupled receptor is in its active state, either as a result of ligand binding or constitutive activation, the receptor couples to a G protein and stimulates the release of GDP and subsequent binding of GTP to the G protein. The alpha subunit of the G protein-receptor complex acts as a GTPase and slowly hydrolyzes the GTP to GDP, at which point the receptor normally is deactivated. Constitutively activated receptors continue to exchange GDP for GTP. The non-hydrolyzable GTP analog, [35S]GTPγS, can be utilized to demonstrate enhanced binding of [35S]GTPγS to membranes expressing constitutively activated receptors. The advantage of using [35S]GTPγS binding to measure constitutive activation is that: (a) it is generically applicable to all G protein-coupled receptors; (b) it is proximal at the membrane surface making it less likely to pick-up molecules which affect the intracellular cascade.

The assay utilizes the ability of G protein coupled receptors to stimulate [ $^{35}$ S]GTP $\gamma$ S binding to membranes expressing the relevant receptors. The assay can, therefore, be used in the direct identification method to screen candidate compounds to known, orphan and constitutively activated G protein-coupled receptors. The assay is generic and has application

- 63 -

to drug discovery at all G protein-coupled receptors.

10

15

20

The [ $^{35}$ S]GTP $\gamma$ S assay was incubated in 20 mM HEPES and between 1 and about 20mM MgCl $_2$  (this amount can be adjusted for optimization of results, although 20mM is preferred) pH 7.4, binding buffer with between about 0.3 and about 1.2 nM [ $^{35}$ S]GTP $\gamma$ S (this amount can be adjusted for optimization of results, although 1.2 is preferred ) and 12.5 to 75  $\mu$ g membrane protein (*e.g.*, COS-7 cells expressing the receptor; this amount can be adjusted for optimization, although 75 $\mu$ g is preferred) and 1  $\mu$ M GDP (this amount can be changed for optimization) for 1 hour. Wheatgerm agglutinin beads (25  $\mu$ l; Amersham) were then added and the mixture was incubated for another 30 minutes at room temperature. The tubes were then centrifuged at 1500 x g for 5 minutes at room temperature and then counted in a scintillation counter.

A less costly but equally applicable alternative has been identified which also meets the needs of large scale screening. Flash plates<sup>TM</sup> and Wallac<sup>TM</sup> scintistrips may be utilized to format a high throughput [35S]GTPγS binding assay. Furthermore, using this technique, the assay can be utilized for known GPCRs to simultaneously monitor tritiated ligand binding to the receptor at the same time as monitoring the efficacy via [35S]GTPγS binding. This is possible because the Wallac beta counter can switch energy windows to look at both tritium and 35S-labeled probes. This assay may also be used to detect other types of membrane activation events resulting in receptor activation. For example, the assay may be used to monitor <sup>32</sup>P phosphorylation of a variety of receptors (both G protein coupled and tyrosine kinase receptors). When the membranes are centrifuged to the bottom of the well, the bound [35S]GTPγS or the <sup>32</sup>P-phosphorylated receptor will activate the scintillant which is coated of the wells. Scinti<sup>30</sup> strips (Wallac) have been used to demonstrate this principle. In addition, the assay also has utility for measuring ligand binding to receptors using radioactively labeled ligands. In a similar manner, when the radiolabeled bound

ligand is centrifuged to the bottom of the well, the scintistrip label comes into proximity with the radiolabeled ligand resulting in activation and detection.

Representative results of graph comparing Control (pCMV), Endogenous APJ and Non-Endogenous APJ, based upon the foregoing protocol, are set forth in Figure 6.

#### 2. Adenylyl Cyclase

5

10

15

20

A Flash Plate™ Adenylyl Cyclase kit (New England Nuclear; Cat. No. SMP004A) designed for cell-based assays was modified for use with crude plasma membranes. The Flash Plate wells contain a scintillant coating which also contains a specific antibody recognizing cAMP. The cAMP generated in the wells was quantitated by a direct competition for binding of radioactive cAMP tracer to the cAMP antibody. The following serves as a brief protocol for the measurement of changes in cAMP levels in membranes that express the receptors.

Transfected cells were harvested approximately three days after transfection. Membranes were prepared by homogenization of suspended cells in buffer containing 20mM HEPES, pH 7.4 and 10mM MgCl₂. Homogenization was performed on ice using a Brinkman Polytron™ for approximately 10 seconds. The resulting homogenate was centrifuged at 49,000 X g for 15 minutes at 4°C. The resulting pellet was then resuspended in buffer containing 20mM HEPES, pH 7.4 and 0.1 mM EDTA, homogenized for 10 seconds, followed by centrifugation at 49,000 X g for 15 minutes at 4°C. The resulting pellet can be stored at -80°C until utilized. On the day of measurement, the membrane pellet was slowly thawed at room temperature, resuspended in buffer containing 20mM HEPES, pH 7.4 and 10mM MgCL₂(these amounts can be optimized, although the values listed herein are prefereed), to yield a final protein concentration of 0.60mg/ml (the resuspended membranes were placed on ice until use).

cAMP standards and Detection Buffer (comprising 2 µCi of tracer [125I cAMP (100 µI] to

- 65 -

11 ml Detection Buffer) were prepared and maintained in accordance with the manufacturer's instructions. Assay Buffer was prepared fresh for screening and contained 20mM HEPES, pH 7.4, 10mM MgCl<sub>2</sub>, 20mM (Sigma), 0.1 units/ml creatine phosphokinase (Sigma), 50 μM GTP (Sigma), and 0.2 mM ATP (Sigma); Assay Buffer can be stored on ice until utilized. The assay was initiated by addition of 50ul of assay buffer followed by addition of 50ul of membrane suspension to the NEN Flash Plate. The resultant assay mixture is incubated for 60 minutes at room temperature followed by addition of 100ul of detection buffer. Plates are then incubated an additional 2-4 hours followed by counting in a Wallac MicroBeta scintillation counter. Values of cAMP/well are extrapolated from a standard cAMP curve which is contained within each assay plate. The foregoing assay was utilized with respect to analysis of MIG.

# B. Reporter-Based Assays

10

15

20

# 1. CREB Reporter Assay (Gs-associated receptors)

A method to detect Gs stimulation depends on the known property of the transcription factor CREB, which is activated in a cAMP-dependent manner. A PathDetect CREB trans-Reporting System (Stratagene, Catalogue # 219010) was utilized to assay for Gs coupled activity in 293 or 293T cells. Cells were transfected with the plasmids components of this above system and the indicated expression plasmid encoding endogenous or mutant receptor using a Mammalian Transfection Kit (Stratagene, Catalogue #200285) according to the manufacurer's instructions. Briefly, 400 ng pFR-Luc (luciferase reporter plasmid containing Gal4 recognition sequences), 40 ng pFA2-CREB (Gal4-CREB fusion protein containing the Gal4 DNA-binding domain), 80 ng CMV-receptor expression plasmid (comprising the receptor) and 20 ng CMV-SEAP (secreted alkaline phosphatase expression plasmid; alkaline phosphatase activity is measured in the media of transfected cells to control for variations in

- 66 -

transfection efficiency between samples) were combined in a calcium phosphate precipitate as per the Kit's instructions. Half of the precipitate was equally distributed over 3 wells in a 96-well plate, kept on the cells overnight, and replaced with fresh medium the following morning. Forty-eight (48) hr after the start of the transfection, cells were treated and assayed for luciferase activity as set forth with resepct to the GPR30 system, above. This assay was used with respect to GHSR.

# 2. AP1 reporter assay (Gq-associated receptors)

Ae method to detect Gq stimulation depends on the known property of Gq-dependent phospholipase C to cause the activation of genes containing AP1 elements in their promoter. A Pathdetect AP-1 cis-Reporting System (Stratagene, Catalogue # 219073) was utilized following the protocl set forth above with respect to the CREB reporter assay, except that the components of the calcium phosphate precipitate were 410 ng pAP1-Luc, 80 ng receptor expression plasmid, and 20 ng CMV-SEAP. This assay was used with respect to ETBR-LP2

# C. Intracellular IP3 Accumulation Assay

10

15

On day 1, cells comprising the serotonin receptors (endogenous and mutated) were plated onto 24 well plates, usually  $1\times10^5$  cells/well. On day 2 cells were transfected by firstly mixing 0.25 ug DNA in 50 ul serumfree DMEM/well and 2 ul lipofectamine in 50 µl serumfree DMEM/well. The solutions were gently mixed and incubated for 15-30 min at room temperature. Cells were washed with 0.5 ml PBS and 400 µl of serum free media was mixed with the transfection media and added to the cells. The cells were then incubated for 3-4 hrs at  $37^{\circ}$ C/5%CO<sub>2</sub> and then the transfection media was removed and replaced with 1ml/well of regular growth media. On day 3 the cells were labeled with  $^{3}$ H-myo-inositol. Briefly, the media was removed the cells were washed with 0.5 ml PBS. Then 0.5 ml inositol-free/serumfree media (GIBCO BRL) was added/well with 0.25 µCi of  $^{3}$ H-myo-inositol/well

- 67 -

and the cells were incubated for 16-18 hrs o/n at 37°C/5%CO2 . On Day 4 the cells were washed with 0.5 ml PBS and 0.45 ml of assay medium was added containing inositolfree/serum free media 10  $\mu M$  pargyline 10 mM lithium chloride or 0.4 ml of assay medium and 50 ul of 10x ketanserin (ket) to final concentration of  $10\mu M$ . The cells were then incubated for 30 min at 37°C. The cells were then washed with 0.5 ml PBSand 200 ul of fresh/icecold stop solution (1M KOH; 18 mM Na-borate; 3.8 mM EDTA) was added/well. The solution was kept on ice for 5-10 min or until cells were lysed and then neutralized by  $200 \,\mu l$  of fresh/ice cold neutralization sol. (7.5 % HCL). The lysate was then transferred into 1.5 ml eppendorf tubes and 1 ml of chloroform/methanol (1:2) was added/tube. The solution was vortexed for 15 sec and the upper phase was applied to a Biorad AG1-X8 anion exchange resin (100-200 mesh). Firstly, the resin was washed with water at 1:1.25 W/V and 0.9 ml of upper phase was loaded onto the column. The column was washed with 10 mls of 5 mM myo-inositol and 10 ml of 5 mM Na-borate/60mM Na-formate. The inositol tris phosphates were eluted into scintillation vials containing 10 ml of scintillation cocktail with 2 ml of 0.1 M formic acid/ 1 M ammonium formate. The columns were regenerated by washing with 10 ml of 0.1 M formic acid/3M ammonium formate and rinsed twice with dd H<sub>2</sub>O and stored at 4°C in water.

10

15

Figure 7 provides an illustration of IP3 production from the human 5-HT<sub>2A</sub> receptor that incorporates the C322K mutation. While these results evidence that the Proline Mutation 20 Algorithm approach constitutively activates this receptor, for purposes of using such a receptor for screening for identification of potential therapeutics, a more robust difference would be preferred. However, because the activated receptor can be utilized for understanding and elucidating the role of constitutive activation and for the identification of compounds that

can be further examined, we believe that this difference is itself useful in differentiating between the endogenous and non-endogenous versions of the human  $5\mathrm{HT}_{2A}$  receptor.

#### D. Result Summary

The results for the GPCRs tested are set forth in Table E where the Per-Cent Increase indicates the percentage difference in results observed for the non-endogenous GPCR as compared to the endogenous GPCR; these values are followed by parenthetical indications as to the type of assay utilized. Additionally, the assay sytem utilized is parenthetically listed (and, in cases where different Host Cells were used, both are listed). As these results indicate, a variety of assays can be utilized to determine constitutive activity of the non-endogenous versions of the human GPCRs.

Those skilled in the art, based upon the foregoing and with reference to information available to the art, are creditied with theability to selelect and/ot maximize a particular assay approach that suites the particular needs of theinvestigator.

Table E

Receptor Identifier	Per-Cent Difference
(Codon Mutation)	
GPR17	74.5
(V234K)	(CRE-Luc)
GPR30	71.6
(L258K)	(CREB)
APJ	49.0
(L247K)	(GTPγS)
ETBR-LP2	48.4(AP1-Luc - 293)
(N358K)	61.1(AP1-Luc – 293T)

GHSR	58.9(CREB - 293)
(V262K)	35.6(CREB - 293T)

15

20

25

- 69 -

MIG	39 (cAMP)
(I230K)	
Serotonin 5HT <sub>2A</sub>	33.2 (IP <sub>3</sub> )
(C322K)	
Serotonin 5HT <sub>2C</sub>	39.1(IP <sub>3</sub> )
(S310K)	25.1(113)

#### Example 6

5

# Tissue Distribution of Endogenous Orphan GPCRs

Using a commercially available human-tissue dot-blot format, endogenous orphan GPCRs were probed for a determination of the areas where such receptors are localized. Except as indicate below, the entire receptor cDNA (radiolabelled) was used as the probe: radiolabeled probe was generated using the complete receptor cDNA (excised from the vector) using a Prime-It II™ Random Primer Labeling Kit (Stratagene, #300385), according to manufacturer's instructions. A human RNA Master Blot™ (Clontech, #7770-1) was hybridized with the GPCR radiolabeled probe and washed under stringent conditions according manufacturer's instructions. The blot was exposed to Kodak BioMax Autoradiography film overnight at -80°C.

Representative dot-blot format results are presented in Figure 8 for GPR1 (8A), GPR30 (8B), and APJ (8C), with results being summarized for all receptors in Table F

20

15

Table F

GPCR	Tissue Distribution
	(highest levels, relative to other tissues in
	the dot-blot)
GPR1	Placenta, Ovary, Adrenal

- 70 -

5

10

15

20

GPR4	Broad; highest in Heart, Lung, Adrenal,
	Thyroid, Spinal Cord
GPR5	Placenta, Thymus, Fetal Thymus
	Lesser levels in spleen, fetal spleen
GPR7	Liver, Spleen, Spinal Cord, Placenta
GPR8	No expression detected
GPR9-6	Thymus, Fetal Thymus
	Lesser levels in Small Intestine
GPR18	Spleen, Lymph Node, Fetal Spleen, Testis
GPR20	Broad
GPR21	Broad; very low abundance
GPR22	Heart, Fetal Heart
	Lesser levels in Brain
GPR30	Stomach
GPR31	Broad
BLR1	Spleen
CEPR	Stomach, Liver, Thyroid, Putamen
EBI1	Pancreas
	Lesser levels in Lymphoid Tissues
EBI2	Lymphoid Tissues, Aorta, Lung, Spinal Cord
ETBR-LP2	Broad; Brain Tissue
GPCR-CNS	Brain
	Lesser levels in Testis, Placenta
GPR-NGA	Pituitary
	Lesser levels in Brain
Н9	Pituitary
HB954	Aorta, Cerebellum
	Lesser levels in most other tissues
HM74	Spleen, Leukocytes, Bone marrow, Mammary
	Glands, Lung, Trachea
MIG	Low levels in Kidney, Liver, Pancreas, Lung,
	Spleen
ORG1	Pituitary, Stomach, Placenta
V28	Brain, Spleen, Peripheral Leukocytes

Based upon the foregoing information, it is noted that human GPCRs can also be assessed for distribution in diseased tissue; comparative assessments between "normal" and diseased tissue can then be utilized to determine the potential for over-expression or under-expression of a particular receptor in a diseased state. In those circumstances where it is desirable to utilize the non-endogenous versions of the human GPCRs for the purpose of screening to directly identify

candidate compounds of potential therapeutic relevance, it is noted that inverse agonists are useful in the treatment of diseases and disorders where a particular human GPCR is over-expressed, whereas agonists or partial agonists are useful in the treatment of diseases and disorders where a particular human GPCR is under-expressed.

As desired, more detailed, cellular localization of the recepotrs, using techniques well-known to those in the art (e.g., in-situ hybridization) can be utilized to identify particular cells within these tissues where the receptor of interest is expressed.

5

10

It is intended that each of the patents, applications, and printed publications mentioned in this patent document be hereby incorporated by reference in their entirety.

As those skilled in the art will appreciate, numerous changes and modifications may be made to the preferred embodiments of the invention without departing from the spirit of the invention. It is intended that all such variations fall within the scope of the invention.

Although a variety of expression vectors are available to those in the art, for purposes of utilization for both the endogenous and non-endogenous human GPCRs, it is most preferred that the vector utilized be pCMV. This vector has been deposited with the American Type Culture Collection (ATCC) on October 13, 1998 (10801 University Blvd., Manassas, VA 20110-2209 USA) under the provisions of the Budapest Treaty for the International Recognition of the Deposit of Microorganisms for the Purpose of patent Procedure. The vector was tested by the ATCC on \_\_\_\_\_\_\_, 1998 and determined to be viable on \_\_\_\_\_\_\_\_, 1998. The ATCC has assigned the following deposit number to pCMV: \_\_\_\_\_\_\_.

- 72 -

### **CLAIMS**

What is claimed is:

1. A constitutively active, non-endogenous version of an endogenous human orphan G protein-coupled receptor (GPCR) comprising the following amino acid residues (carboxy-terminus to aminoterminus orientation) transversing the transmembrane-6 (TM6) and intracellular loop-3 (IC3) regions of the non-endogenous GPCR:

# P1 AA<sub>15</sub> X

wherein:

- (1) P<sup>1</sup> is an amino acid residue located within the TM6 region of the nonendogenous GPCR, where P<sup>1</sup> is selected from the group consisting of (i) the endogenous orphan GPCR proline residue, and (ii) a nonendogenous amino acid residue other than proline;
- of (a) the 15 endogenous amino acid residues of the endogenous orphan GPCR, (b) 15 non-endogenous amino acid residues, and (c) a combination of 15 amino acid residues, the combination comprising at least one endogenous amino acid residue of the endogenous orphan GPCR and at least one non-endogenous amino acid residue, excepting that none of the 15 endogenous amino acid residues that are positioned within the TM6 region of the GPCR is proline; and
- (2) X is a non-endogenous amino acid residue located within the IC3 region of said non-endogenous GPCR.
- 2. The non-endogenous human GPCR of claim 1 wherein P<sup>1</sup> is the endogenous proline

10

5

15

residue.

5

- 3. The non-endogenous human GPCR of claim1 wherein P<sup>1</sup> is a non-endogenous amino acid residue other than a proline residue.
- 4. The non-endogenous human GPCR of claim 1 wherein AA<sub>15</sub> are the 15 endogenous amino acid residues of the endogenous GPCR.
- 5. The non-endogenous human GPCR of claim 1 wherein X is selected from the group consisting of lysine, hisitidine, arganine and alanine residues, excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine, X is selected from the group consisting of histidine, arginine and alanine.
- 10 6. The non-endogenous human GPCR of claim 1 wherein X is a lysine residue, excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine, X is an amino acid other than lysine.
  - 7. The non-endogenous human GPCR of claim 4 wherein X is a lysine residue, excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine, X is an amino acid other than lysine.
  - 8. The non-endogenous, human GPCR of claim 1 wherein P<sup>1</sup> is a proline residue and X is a lysine residue, excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine, X is an amino acid other than lysine.
  - 9. A host cell comprising the non-endogenous human GPCR of claim 1.
- 20 10. The material of claim 9 wherein said host cell is of mammalian origin.
  - 11. The non-endogenous human GPCR of claim 1 in a purified and isolated form.
  - 12. A nucleic acid sequence encoding a constitutively active, non-endogenous version of an endogenous human orphan G protein-coupled receptor (GPCR) comprising the following

- 74 -

nucleic acid sequence region transversing the transmembrane-6 (TM6) and intracellular loop-3 (IC3) regions of the orphan GPCR:

wherein:

5

(1) P<sup>codon</sup> is a nucleic acid encoding region within the TM6 region of the non-endogenous GPCR, where P<sup>codon</sup> encodes an amino acid selected from the group consisting of (i) the endogenous GPCR proline residue, and (ii) a non-endogenous amino acid residue other than proline;

10

(2) (AA-codon)<sub>15</sub> are 15 codons encoding 15 amino acid residues selected from the group consisting of (a) the 15 endogenous amino acid residues of the endogenous orphan GPCR, (b) 15 non-endogenous amino acid residues, and (c) a combination of 15 amino acid residues, the combination comprising at least one endogenous amino acid residue of the endogenous orphan GPCR and at least one non-endogenous amino acid residue, excepting that none of the 15 endogenous amino acid residues that are positioned within the TM6 region of the orphan GPCR is proline; and

15

(3)  $X_{codon}$  is a nucleic acid encoding region residue located within the IC3 region of said non-endogenous human GPCR, where  $X_{codon}$  encodes a non-endogenous amino acid.

- 13. The nucleic acid sequence of claim 12 wherein P<sup>codon</sup> encodes an endogenous proline residue.
- 14. The nucleic acid sequence of claim 12 wherein P<sup>codon</sup> encodes a non-endogenous

10

amino acid residue other than a proline residue.

- 15. The nucleic acid sequence of claim 12 wherein  $X_{codon}$  encodes a non-endogenous amino acid selected from the group consisting of lysine, histidine, arginine and alanine, excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine,  $X_{codon}$  encodes an amino acid selected from the group consisiting of histidine, arginine and alanine.
- 16. The nucleic acid sequence of claim 13 wherein  $X_{codon}$  encodes a non-endogenous lysine amino acid excepting that when the endogenous amino acid in position X of said endogenous human GPCR is lysine,  $X_{codon}$  encodes an amino acid selected from the group consisiting of histidine, arginine and alanine.
- 17. The nucleic acid sequence of claim 12 wherein X<sub>codon</sub> is selected from the group consisting of AAA, AAG, GCA, GCG, GCC and GCU.
- 18. The nucleic acid sequence of claim 12 wherein  $X_{codon}$  is selected from the group consisting of AAA and AAG.
- 15 19. The nucleic acid sequence of claim 12 wherein P<sup>codon</sup> is selected from the group consisting of CCA, CCC, CCG and CCU, and X<sub>codon</sub> is selected from the group consisting of AAA and AAG.
  - 20. A vector comprising the nucleic acid sequence of claim 12.
  - 21. A plasmid comprising the nucleic acid sequence of claim 12.
- 20 22. A host cell comprising the nucleic acid sequence of claim 21.
  - 23. The nucleic acid sequence of claim 12 in a purified and isolated form.
  - 24. A method for selecting for alteration an endogenous amino acid residue within the third intracellular loop of a human G protein-coupled receptor ("GPCR"), said receptor

5

comprising a transmembrane 6 region and an intracellular loop 3 region, which endogenous amino acid, when altered to a non-endogenous amino acid, constitutively activates said human GPCR, comprising the following steps:

- (a) identifying an endogenous proline residue within the transmembrane 6 region of a human GPCR;
- (b) identifying, by moving in a direction of the carboxy-terminus region of said GPCR towards the amino-terminus region of said GPCR, the endogenous, 16<sup>th</sup> amino acid residue from said proline residue;
- altering the endogenous residue of step (b) to a non-endogenous amino acid residue to create a non-endogenous version of an endogenous human GPCR; and
  - (d) determining whether the non-endogenous human GPCR of step (c) is constitutively active.
- The method of claim 24 wherein the amino acid residue that is two residues from said
   proline residue in the transmembrane 6 region, in a carboxy-terminus to aminoterminus direction, is tryptophan.
  - 26. A constitutively active, non-endogenous human GPCR produced by the process of claim 24.
- 27. A constitutively active, non-endogenous human GPCR produced by the process of claim 25.
  - 28. An algorithmic approach for creating a non-endogenous, constitutively active version of an endogenous human G protein coupled receptor (GPCR), said endogenous GPCR comprising a transmembrane 6 region and an intracellular loop 3 region, the


algorithmic approach comprising the steps of:

- (a) selecting an endogenous human GPCR comprising a proline residue in the transmembrane-6 region;
- (b) identifying, by counting 16 amino acid residues from the proline residue of step (a), in a carboxy-terminus to amino-terminus direction, an endogenous amino acid residue;
  - (c) altering the identified amino acid residue of step (b) to a non-endogenous amino acid residue to create a non-endogenous version of the endogenous human GPCR; and
- (d) determining if the non-endogenous version of the endogenous human GPCRof step (c) is constitutively active.
  - 29. The algorithmic approach of claim 28 wherein the amino acid residue that is two residues from said proline residue in the transmembrane 6 region, in a carboxy-terminus to amino-terminus direction, is tryptophan.
- 15 30. A constitutively active, non-endogenous human GPCR produced by the algorithmic approach of claim 28.
  - A constitutively active, non-endogenous human GPCR produced by the algorithmic approach of claim 29.
- 32. A method for directly identifying a compound selected from the group consisting of inverse agonists, agonists and partial agonists to a non-endogenous, constitutively activated human G protein coupled receptor, said receptor comprising a transmembrane-6 region and an intracellular loop-3 region, comprising the steps of:
  - (a) selecting an endogenous human GPCR:

- (b) identifying a proline residue within the transmembrane-6 region of the GPCR of step (a);
- (c) identifying, in a carboxy-terminus to amino-terminus direction, the endogenous, 16th amino acid residue from the proline residue of step (b);
- 5 (d) altering the endogenous amino acid of step (c) to a non-endogenous amino acid;
  - (e) confirming that the non-endogenous GPCR of step (d) is constitutively active;
  - (f) contacting a candidate compound with the non-endogenous, constitutively-activated GPCR of step (e); and
- 10 (g) determining, by measurement of the compound efficacy at said contacted receptor, whether said compound is an inverse agonist, agonist or partial agonist of said receptor.
  - 33. The method of claim 32 wherein the non-endogenous amino acid of step (d) is lysine.
  - 34. A compound directly identified by the method of claim 32.
- 15 35. The method of claim 32 wherein the directly identified compound is an inverse agonist.
  - 36. The method of claim 32 wherein the directly identified compound is an agonist.--
  - 37. The method of claim 32 wherein the directly identified compound is a partial agonist.
  - 38. A composition comprising the inverse agonist of claim 35.
- 20 39. A composition comprising the agonist of claim 36.
  - 40. A composition comprising the partial agonist of claim 37.
  - 41. A method for directly identifying an inverse agonist to a non-endogenous,

constitutively activated human G protein coupled receptor ("GPCR"), said GPCR comprising a transmembrane-6 region and an intracellular loop-3 region, comprising the steps of:

- (a) selecting an endogenous human GPCR;
- (b) identifying a proline residue within the transmembrane-6 region of the GPCR of step (a);
- (c) identifying, in a carboxy-terminus to amino-terminus direction, the endogenous, 16th amino acid residue from the proline residue of step (b);
- (d) altering the endogenous amino acid of step (c) to a non-endogenous lysine residue;
- (e) confirming that the non-endogenous GPCR of step (d) is constitutively active;
- 10 (f) contacting a candidate compound with the non-endogenous, constitutively-activated GPCR of step (e); and
  - (g) determining, by measurement of the compound efficacy at said contacted receptor, whether said compound is an inverse agonist of said receptor.
  - 42. An inverse agonist directly identified by the method of claim 37.
- 15 43. A composition comprising an inverse agonist of claim 38.



EXTRACELLULAR






FIGURE 2

# pCMV Sequence and Restriction Site








FIGURE 3C








FIGURE 3D






Hae III TGGCAGCAGCCACTGGTAACAGGATTAGCAGAGCGAGGTATGTAGGCGGTGCTACAGAGTTCTTGAAGTGGTGGCCTAAC + 2160 ACCGTCGTCGGTGACCATTGTCCTAATCGTCTCGCTCCATACATCCGCCACGATGTCTCAAGAACTTCACCACCGGATTG TGNRISRARYVGGATEFLKWWP W Q Q P L V T G L A E R G M . A V L Q S S . S G G L G S S H W . Q D . Q S E V C R R C Y R V L E V V A . SGGLT A A A V P L L I L L A L Y T P P A V S N K F H H G L Q C C G S T V P N A S R P I Y A T S C L E Q L P P R V PLLWQYCS. CLSTHLRH.LTRSTTA.S TACGGCTACACTAGAAGGACAGTATTTGGTATCTGCGCTCTGCTGAAGCCAGTTACCTTCGGAAAAAGAGTTGGTAGCTC ATGCCGATGTGATCTTCCTGTCATAAACCATAGACGCGAGACGACTTCGGTCAATGGAAGCCTTTTTCTCAACCATCGAG Y G Y T R R T V F G I C A L L K P V T F G K R V G S S T A T L E G Q Y L V S A L C . S Q L P S E K E L V A L R L H . K D S I W Y L R S A E A S Y L R K K S W . L P. VLL VTN PIQAR S F G T V K P F L T P L E V A V S S P C Y K T D A S Q Q L W N G E S F S N T A R R S C . F S L I Q Y R E A S A L . R R F F L Q Y S + 2320 . S G K Q T T A G S G G F F V C K Q Q I T R R K K G L D P A N K P P L V A V V F L F A S S R L R A E K K D LIROTNHRW. RWFFCLQAADYAQKKRI Q D P L C V V A P L P P K K T Q L C C I V R L F F P D S G A F L G G S T A T T K K N A L L L N R A S F F S KIRCVFWRQYRHNKQKCAAS. ACFFLI BspH I CTCAAGAAGATCCTTTGATCTTTCTACGGGGTCTGACGCTCAGTGGAACGAAAACTCACGTTAAGGGATTTTGGTCATG GAGTTCTTCTAGGAAACTAGAAAAGATGCCCCAGACTGCGAGTCACCTTGCTTTTGAGTGCAATTCCCTAAAACCAGTAC S Q E D P L I F S T G S D A Q W N E N S R . G I L V M L K K I L . S F L R G L T L S G T K T H V K G F W S . LKKIL. SFLRGLTLSGTKTHVKGFWS SRRSFDLFYGV. RSVERKLTLRDFGH . S S G K I K E V P D S A . H F S F E R . P I K T M R L F I R Q D K R R P R V S L P V F V . T L P N Q D H E L L D K S R K . P T Q R E T S R F S V N L S K P . S Dra I Dra I + 2480 R L S K R I F T . I L L N . K . S F K S I . S I Y E . D Y Q K G S S P R S F . I K N E V L N Q S K V Y M S E I I K K D L H L D P F K L K M K F . I N L K Y I . V L N D F L I K V . I R K F . F H L K L D I . L I Y S Y S . . F P D E G L D K . I L F S T K F . D L T Y I L I L F S R . R S G K L N F I F N . I L R F Y I H T LIYSY DLTYILL FIGURE 36






ApaL I ACCGCTGTTGAGATCCAGTTCGATGTAACCCACTCGTGCACCCAACTGATCTTCAGCATCTTTTACTTTCACCAGCGTTT + 3280 TGGCGACAACTCTAGGTCAAGCTACATTGGGTGAGCACGTGGGTTGACTAGAAAGTCGTAGAAAATGAAAGTGGTCGCAAA PLLRSSSM. PTRAPN. SSASFTFTSV RC. DPVRCNPLVHPTDLQHLLLSPAF TAVEIQFD V THS C T Q L I F S I F Y F H Q R F G S N L D L E I Y G V R A G L Q D E A D K V K V L T R Q Q S G T R H L G S T C G V S R . C R K S E G A N V A T S I W N S T V W E H V W S I K L M K . K . W R K CTGGGTGAGCAAAAACAGGAAGGCAAAATGCCGCAAAAAAGGGAAATAAGGGCGAAATGTTGAATACTCATACTC + 3360GACCCACTCGTTTTTGTCCTTCCGTTTTACGGCGTTTTTTCCCTTATTCCCGCTGTGCCTTTACAACTTATGAGTATGAG S G . A K T G R Q N A A K K G I R A T R K C . I L I L L G E Q K Q E G K M P Q K R E . G R H G N V E Y S Y S W V S K N R K A K C R K K G N K G D T E M L N T H T PHAFVPLCFAAFFPILAVRFHQISMS RPSCFCSPLIGCFLSYPRCPFTSYEYE QTLLFLFAFHRLFPFLPSVSINFV.VI Hinc II Spe I Asel TTCCTTTTTCAATATTATTGAAGCATTTATCAGGGTTATTGTCTCATGCGCGTTGACATTGATTATTGACTAGTTATTAA + 3440 AAGGAAAAAGTTATAATAACTTCGTAAATAGTCCCAATAACAGAGTACGCGCAACTGTAACTAATAACTGATCAATAATT FLFQYY.SIYQGYCLMRVDIDY.LVIN SFFNIIEAFIRVIVSCALTLIID.LL LPFSILLKHLSGLLSHAR, H, LLTSY. KRK.Y.QLM..P.QRMRTSMS.QSTIL EKKLIISANILTITEHANVNIIS.NNI GKEINNFCKDPNND. ARQCQNNYL. Hae III Bgl I TAGTAATCAATTACGGGGTCATTAGTTCATAGCCCATATATGGAGTTCCGCGTTACATAACTTACGGTAAATGGCCCGCC + 3520 ATCATTAGTTAATGCCCCAGTAATCAAGTATCGGGTATATACCTCAAGGCGCAATGTATTGAATGCCATTTACCGGGCGG SNQLRGH. FIAHIWSSALHNLR. MAR IVINYGVISS. PIYGVPRYITYGKWPA . . SITGSLVHSPYMEFRVT. LTVNGPP N M A W I H L E A N C L K R Y I A R R TIL. PTMLEYGMYPTGR. MV. PLHG, Y DIVPDNT. LGYISNRTVYSVTFPG





Aat II + 3920 L T G I S K S P P H . R Q W E F V L A P K S T G L S D S R G F P S L H P I D V N G S L F W H Q N Q R D F P V. PSKWTEVGNVDIPTQKPVLILPVKW SVPIELDGGWQR. HSNTKAGFDVPSEL ERPNGLRWGMSTLPLKNQCWF. RSKG Rsa I Sac I AAATGTCGTAACAACTCCGCCCCATTGACGCAAATGGGCGGTAGGCCGTGTACGGTGGGAGGTCTATATAAGCAGAGCTCT TTTACAGCATTGTTGAGGCGGGGTAACTGCGTTTACCCGCCATCCGCACATGCCACCCTCCAGATATATTCGTCTCGAGA N V V T T P P H . R K W A V G V Y G G R S I . A E L K M S . Q L R P I D A N G R . A C T V G G L Y K Q S S K C R N N S A P L T Q M G G R R V R W E V Y I S R A L FTTVVGGWQRLHATPTYPPLDIYASSE IDYCSRGMSAFPRYAHVTPPRYLCLE FHRLLEAGNVCIPPLRTRHST.ILLAR Asel CTGGCTAACTAGAGAACCCACTGCTTAACTGGCTTATCGAAATTAATACGACTCACTATAGGGAGACCC GACCGATTGATCTCTTGGGTGACGAATTGACCGAATAGCTTTAATTATGCTGAGTGATATCCCTCTGGG → 4069 S G . L E N P L L N W L I E I N T T H Y R E T LAN. RTHCLTGLSKLIRLTIGRP WLTREPTA. LAYRN. YDSL. GDP P. S S F G S S L Q S I S I L V V . . L S V W R A L . L V W Q K V P K D F N I R S V I P L G Q S V L S G V A . S A . R F . Y S E S Y P S G



**Expression plamid** 

FIGURE 4








FIGURE 6




FIGURE 8A





FIGURE 8B






FIGURE 8C

1

#### SEQUENCE LISTING

(1) GENERAL INFORMATION: (i) APPLICANT: Behan, Dominic P. Chalmers, Derek T. 5 Liaw, Chen W. (ii) TITLE OF INVENTION: Non-Endogenous, Constitutively Activated Human G Protein-Coupled Orphan Receptors (iii) NUMBER OF SEQUENCES: 280 10 (iv) CORRESPONDENCE ADDRESS: (A) ADDRESSEE: Arena Pharmaceuticals, Inc. (B) STREET: 6166 Nancy Ridge Drive (C) CITY: San Diego 15 (D) STATE: (E) COUNTRY: USA (F) ZIP: 92122 (v) COMPUTER READABLE FORM: (A) MEDIUM TYPE: Floppy disk 20 IBM PC compatible (B) COMPUTER: (C) OPERATING SYSTEM: PC-DOS/MS-DOS (D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (vi) CURRENT APPLICATION DATA: (A) APPLICATION NUMBER: US 25 (B) FILING DATE: (C) CLASSIFICATION: (viii) ATTORNEY/AGENT INFORMATION: (A) NAME: Burgoon, Richard P. (B) REGISTRATION NUMBER: 34,787 30 (ix) TELECOMMUNICATION INFORMATION: (A) TELEPHONE: (619)453-7200 (B) TELEFAX: (619) 453 - 7210 (2) INFORMATION FOR SEQ ID NO:1: (i) SEQUENCE CHARACTERISTICS: 35 (A) LENGTH: 1068 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) 40 (xi) SEQUENCE DESCRIPTION: SEO ID NO:1:

	TATTACTCTC	TGGAGTCTGA	TTTGGAGGAG	AAAGTCCAGC	TGGGAGTTGT	TCACTGGGT	2 120
	TCCCTGGTGT	TATATTGTTT	GGCTTTTGTT	CTGGGAATTC	CAGGAAATGC	CATCGTCATT	г 180
	TGGTTCACGG	GGCTCAAGTG	GAAGAAGACA	GTCACCACTC	TGTGGTTCCT	CAATCTAGC	240
	ATTGCGGATT	TCATTTTTCT	TCTCTTTCTG	CCCCTGTACA	TCTCCTATGT	GGCCATGAAT	r 300
5	TTCCACTGGC	CCTTTGGCAT	CTGGCTGTGC	AAAGCCAATT	CCTTCACTGC	CCAGTTGAAC	360
	ATGTTTGCCA	GTGTTTTTT	CCTGACAGTG	ATCAGCCTGG	ACCACTATAT	CCACTTGATO	<b>420</b>
	CATCCTGTCT	TATCTCATCG	GCATCGAACC	CTCAAGAACT	CTCTGATTGT	CATTATATTO	480
	ATCTGGCTTT	TGGCTTCTCT	AATTGGCGGT	CCTGCCCTGT	ACTTCCGGGA	CACTGTGGAG	540
	TTCAATAATC	ATACTCTTTG	CTATAACAAT	TTTCAGAAGC	ATGATCCTGA	CCTCACTTTC	600
10	ATCAGGCACC	ATGTTCTGAC	TTGGGTGAAA	TTTATCATTG	GCTATCTCTT	CCCTTTGCTA	4 660
	ACAATGAGTA	TTTGCTACTT	GTGTCTCATC	TTCAAGGTGA	AGAAGCGAAC	AGTCCTGATC	720
	TCCAGTAGGC	ATTTCTGGAC	AATTCTGGTT	GTGGTTGTGG	CCTTTGTGGT	TTGCTGGACT	780
	CCTTATCACC	TGTTTAGCAT	TTGGGAGCTC	ACCATTCACC	ACAATAGCTA	TTCCCACCAT	840
	GTGATGCAGG	CTGGAATCCC	CCTCTCCACT	GGTTTGGCAT	TCCTCAATAG	TTGCTTGAAC	900
15	CCCATCCTTT	ATGTCCTAAT	TAGTAAGAAG	TTCCAAGCTC	GCTTCCGGTC	CTCAGTTGCT	960
	GAGATACTCA	AGTACACACT	GTGGGAAGTC	AGCTGTTCTG	GCACAGTGAG	TGAACAGCTC	1020
	AGGAACTCAG	AAACCAAGAA	TCTGTGTCTC	CTGGAAACAG	CTCAATAA		1068
	(3) INFORMA	TION FOR SE	Q ID NO:2:				
20	(	EQUENCE CHA A) LENGTH: B) TYPE: an C) STRANDED D) TOPOLOGY	355 amino a nino acid NESS:	cids			
	(ii)	MOLECULE TY	PE: protein	1			
25	(xi)	SEQUENCE DE	SCRIPTION:	SEQ ID NO:	2:		
	Met Gl 1	u Asp Leu G 5		Leu Phe Gl	u Glu Phe Gl	lu Asn Tyr 15	Ser
	Tyr As	p Leu Asp T 20	yr Tyr Ser	Leu Glu Se	r Asp Leu Gl	lu Glu Lys 30	Val

Gln Leu Gly Val Val His Trp Val Ser Leu Val Leu Tyr Cys Leu Ala 35 40 45

	Phe	Val 50	Leu	Gly	Ile	Pro	Gly 55	Asn	Ala	Ile	Val	Ile 60	Trp	Phe	Thr	Gly
	Leu 65	Lys	Trp	Lys	Lys	Thr 70	Val	Thr	Thr	Leu	Trp 75	Phe	Leu	Asn	Leu	Ala 80
5	Ile	Ala	Asp	Phe	Ile 85	Phe	Leu	Leu	Phe	Leu 90	Pro	Leu	Tyr	Ile	Ser 95	Tyr
	Val	Ala	Met	Asn 100	Phe	His	Trp	Pro	Phe 105	Gly	Ile	Trp	Leu	Cys 110	Lys	Ala
10	Asn	Ser	Phe 115	Thr	Ala	Gln		Asn 120	Met	Phe	Ala	Ser	Val 125	Phe	Phe	Leu
	Thr	Val 130	Ile	Ser	Leu	Asp	His 135	Tyr	Ile	His	Leu	Ile 140	His	Pro	Val	Leu
	Ser 145	His	Arg	His	Arg	Thr 150	Leu	Lys	Asn	Ser	Leu 155	Ile	Val	Ile	Ile	Phe 160
15	Ile	Trp	Leu	Leu	Ala 165	Ser	Leu	Ile	Gly	Gly 170	Pro	Ala	Leu	Tyr	Phe 175	Arg
	Asp	Thr	Val	Glu 180	Phe	Asn	Asn	His	Thr 185	Leu	Cys	Tyr	Asn	Asn 190	Phe	Gln
20	Lys	His	Asp 195	Pro	Asp	Leu	Thr	Leu 200	Ile	Arg	His	His	Val 205	Leu	Thr	Trp
	Val	Lys 210	Phe	Ile	Ile	Gly	Tyr 215	Leu	Phe	Pro	Leu	Leu 220	Thr	Met	Ser	Ile
	Cys 225	Tyr	Leu	Cys	Leu	Ile 230	Phe	Lys	Val	Lys	Lys 235	Arg	Thr	Val	Leu	Ile 240
25	Ser	Ser	Arg	His	Phe 245	Trp	Thr	Ile	Leu	Val 250	Val	Val	Val	Ala	Phe 255	Val
	Val	Cys	Trp	Thr 260	Pro	Tyr	His	Leu	Phe 265	Ser	Ile	Trp	Glu	Leu 270	Thr	Ile
30	His	His	Asn 275	Ser	Tyr	Ser	His	His 280	Val	Met	Gln	Ala	Gly 285	Ile	Pro	Leu
	Ser	Thr 290	Gly	Leu	Ala	Phe	Leu 295	Asn	Ser	Cys	Leu	Asn 300	Pro	Ile	Leu	Tyr
	Val 305	Leu	Ile	Ser	Lys	Lys 310	Phe	Gln	Ala	Arg	Phe 315	Arg	Ser	Ser	Val	Ala 320
35	Glu	Ile	Leu	Lys	Tyr 325	Thr	Leu	Trp	Glu	Val 330	Ser	Cys	Ser	Gly	Thr 335	Val
	Ser	Glu	Gln	Leu	Arg	Asn	Ser	Glu	Thr	Lys	Asn	Leu	Cys	Leu	Leu	Glu

4

340 345 350

Thr Ala Gln 355

## (4) INFORMATION FOR SEQ ID NO:3:

5 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1089 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

10 (ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

ATGGGCAACC ACACGTGGGA GGGCTGCCAC GTGGACTCGC GCGTGGACCA CCTCTTTCCG 60 CCATCCCTCT ACATCTTTGT CATCGGCGTG GGGCTGCCCA CCAACTGCCT GGCTCTGTGG 120 GCGGCCTACC GCCAGGTGCA ACAGCGCAAC GAGCTGGGCG TCTACCTGAT GAACCTCAGC 180 15 ATCGCCGACC TGCTGTACAT CTGCACGCTG CCGCTGTGGG TGGACTACTT CCTGCACCAC 240 GACAACTGGA TCCACGGCCC CGGGTCCTGC AAGCTCTTTG GGTTCATCTT CTACACCAAT 300 ATCTACATCA GCATCGCCTT CCTGTGCTGC ATCTCGGTGG ACCGCTACCT GGCTGTGGCC 360 CACCCACTCC GCTTCGCCCG CCTGCGCCGC GTCAAGACCG CCGTGGCCGT GAGCTCCGTG 420 GTCTGGGCCA CGGAGCTGGG CGCCAACTCG GCGCCCCTGT TCCATGACGA GCTCTTCCGA 480 GACCGCTACA ACCACACCTT CTGCTTTGAG AAGTTCCCCA TGGAAGGCTG GGTGGCCTGG 540 ATGAACCTCT ATCGGGTGTT CGTGGGCTTC CTCTTCCCGT GGGCGCTCAT GCTGCTGTCG 600 TACCGGGGCA TCCTGCGGGC CGTGCGGGGC AGCGTGTCCA CCGAGCGCCA GGAGAAGGCC 660 AAGATCAAGC GGCTGGCCCT CAGCCTCATC GCCATCGTGC TGGTCTGCTT TGCGCCCTAT 720 CACGTGCTCT TGCTGTCCCG CAGCGCCATC TACCTGGGCC GCCCCTGGGA CTGCGGCTTC 780 GAGGAGCGCG TCTTTTCTGC ATACCACAGC TCACTGGCTT TCACCAGCCT CAACTGTGTG 840 GCGGACCCCA TCCTCTACTG CCTGGTCAAC GAGGGCGCCC GCAGCGATGT GGCCAAGGCC 900 CTGCACAACC TGCTCCGCTT TCTGGCCAGC GACAAGCCCC AGGAGATGGC CAATGCCTCG 960 CTCACCCTGG AGACCCCACT CACCTCCAAG AGGAACAGCA CAGCCAAAGC CATGACTGGC 1020 AGCTGGGCGG CCACTCCGCC TTCCCAGGGG GACCAGGTGC AGCTGAAGAT GCTGCCGCCA 1080 30 GCACAATGA 1089

5

	(5)	INFO	RMAT	ION	FOR :	SEQ :	ID N	0:4:									
5		(i	) SE (A (B (C (D	) TY:	CE CI NGTH PE: 6 RANDI POLO	: 36: amino EDNE:	2 am: o ac: SS:	ino a id	acid	s							
		(i:	i) M	OLEC	ULE '	TYPE	: pr	otei	n								
		(x:	i) S	EQUE	NCE 1	DESCI	RIPT	ION:	SEQ	ID 1	NO:4	:					
10		Met 1	Gly	Asn	His	Thr 5	Trp	Glu	Gly	Cys	His 10	Val	Asp	Ser	Arg	Val 15	Asp
		His	Leu	Phe	Pro 20	Pro	Ser	Leu	Tyr	Ile 25	Phe	Val	Ile	Gly	Val 30	Gly	Leu
		Pro	Thr	Asn 35	Cys	Leu	Ala	Leu	Trp 40	Ala	Ala	Tyr	Arg	Gln 45	Val	Gln	Gln
15		Arg	Asn 50	Glu	Leu	Gly	Val	Tyr 55	Leu	Met	Asn	Leu	Ser 60	Ile	Ala	Asp	Leu
		Leu 65	Tyr	Ile	Cys	Thr	Leu 70	Pro	Leu	Trp	Val	Asp 75	Tyr	Phe	Leu	His	His 80
20		Asp	Asn	Trp	Ile	His 85	Gly	Pro	Gly	Ser	Cys 90	Lys	Leu	Phe	Gly	Phe 95	Ile
		Phe	Tyr	Thr	Asn 100	Ile	Tyr	Ile	Ser	Ile 105	Ala	Phe	Leu	Cys	Cys 110	Ile	Ser
		Val	Asp	Arg 115	Tyr	Leu	Ala	Val	Ala 120	His	Pro	Leu	Arg	Phe 125	Ala	Arg	Leu
25		Arg	Arg 130	Val	Lys	Thr	Ala	Val 135	Ala	Val	Ser	Ser	Val 140	Val	Trp	Ala	Thr
		Glu 145	Leu	Gly	Ala	Asn	Ser 150	Ala	Pro	Leu	Phe	His 155	Asp	Glu	Leu	Phe	Arg 160
30		Asp	Arg	Tyr	Asn	His 165	Thr	Phe	Cys	Phe	Glu 170	Lys	Phe	Pro	Met	Glu 175	Gly
		Trp	Val	Ala	Trp 180	Met	Asn	Leu	Tyr	Arg 185	Val	Phe	Val	Gly	Phe 190	Leu	Phe
		Pro	Trp	Ala 195	Leu	Met	Leu	Leu	Ser	Tyr	Arg	Gly	Ile	Leu 205	Arg	Ala	Val

210 215 220

Leu Ala Leu Ser Leu Ile Ala Ile Val Leu Val Cys Phe Ala Pro Tyr

35

Arg Gly Ser Val Ser Thr Glu Arg Gln Glu Lys Ala Lys Ile Lys Arg

	225	225									235					240	
	His	Val	Leu	Leu	Leu 245	Ser	Arg	Ser	Ala	Ile 250	Tyr	Leu	Gly	Arg	Pro 255	Trp	
5	Asp	Cys	Gly	Phe 260	Glu	Glu	Arg	Val	Phe 265	Ser	Ala	Tyr	His	Ser 270	Ser	Leu	
	Ala	Phe	Thr 275	Ser	Leu	Asn	Cys	Val 280	Ala	Asp	Pro	Ile	Leu 285	Tyr	Cys	Leu	
	Val	Asn 290	Glu	Gly	Ala	Arg	Ser 295	Asp	Val	Ala	Lys	Ala 300	Leu	His	Asn	Leu	
10	Leu 305	Arg	Phe	Leu	Ala	Ser 310	Asp	Lys	Pro	Gln	Glu 315	Met	Ala	Asn	Ala	Ser 320	
	Leu	Thr	Leu	Glu	Thr 325	Pro	Leu	Thr	Ser	Lys 330	Arg	Asn	Ser	Thr	Ala 335	Lys	
15	Ala	Met	Thr	Gly 340	Ser	Trp	Ala	Ala	Thr 345	Pro	Pro	Ser	Gln	Gly 350	Asp	Gln	
	Val	Gln	Leu 355	Lys	Met	Leu	Pro	Pro 360	Ala	Gln							
(6) INFORMATION FOR SEQ ID NO:5:																	
20	(i	(B)	QUENC LEI TYI STI	NGTH: PE: r RANDE	30 nucle	base eic a SS: s	e pai acid singl	irs									
	(i	i) MC	OLECU	JLE T	YPE:	DNA	¼ (g€	enomi	Lc)								
25	(x	i) SI	EQUEN	ICE I	ESCF	RIPTI	ON:	SEQ	ID 1	10 : 5 :	:						
	TATGAATT	CA GA	ATGC'I	CTAP	ACG	TCCC	CTGC										30
	(7) INFO	RMAT]	ON E	FOR S	EQ I	D NO	0:6:										
30	(i	(B)	QUENC LEN TYI STI	NGTH: PE: r RANDE	30 nucle DNES	base eic a SS: s	e pai acid singl	rs									
	(i	i) MC	DLECU	JLE I	YPE:	DNA	A (ge	enomi	lc)								
	(x	i) SI	EQUEN	ICE I	ESCF	RIPTI	ON:	SEQ	ID N	10:6:							
35	TCCGGATC	CA CO	CTGC	ACCTO	G CGC	CCTGC	CACC										30
	(8) INFO	RMATI	ON E	FOR S	EQ 1	D NO	): 7:	:									

60

120

180

240

300

360

420

480

540

600

660

720

780

840

900

960

1002

	7													
5	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 1002 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:													
	ATGGAGTCCT	CAGGCAACCC	AGAGAGCACC	ACCTTTTTTT	ACTATGACCT	TCAGAGCCAG								
	CCGTGTGAGA	ACCAGGCCTG	GGTCTTTGCT	ACCCTCGCCA	CCACTGTCCT	GTACTGCCTG								
10	GTGTTTCTCC	TCAGCCTAGT	GGGCAACAGC	CTGGTCCTGT	GGGTCCTGGT	GAAGTATGAG								
	AGCCTGGAGT	CCCTCACCAA	CATCTTCATC	CTCAACCTGT	GCCTCTCAGA	CCTGGTGTTC								
	GCCTGCTTGT	TGCCTGTGTG	GATCTCCCCA	TACCACTGGG	GCTGGGTGCT	GGGAGACTTC								
	CTCTGCAAAC	TCCTCAATAT	GATCTTCTCC	ATCAGCCTCT	ACAGCAGCAT	CTTCTTCCTG								
	ACCATCATGA	CCATCCACCG	CTACCTGTCG	GTAGTGAGCC	CCCTCTCCAC	CCTGCGCGTC								
15	CCCACCCTCC	GCTGCCGGGT	GCTGGTGACC	ATGGCTGTGT	GGGTAGCCAG	CATCCTGTCC								
	TCCATCCTCG	ACACCATCTT	CCACAAGGTG	CTTTCTTCGG	GCTGTGATTA	TTCCGAACTC								
	ACGTGGTACC	TCACCTCCGT	CTACCAGCAC	AACCTCTTCT	TCCTGCTGTC	CCTGGGGATT								
	ATCCTGTTCT	GCTACGTGGA	GATCCTCAGG	ACCCTGTTCC	GCTCACGCTC	CAAGCGGCGC								
	CACCGCACGG	TCAAGCTCAT	CTTCGCCATC	GTGGTGGCCT	ACTTCCTCAG	CTGGGGTCCC								
20	TACAACTTCA	CCCTGTTTCT	GCAGACGCTG	TTTCGGACCC	AGATCATCCG	GAGCTGCGAG								
	GCCAAACAGC	AGCTAGAATA	CGCCCTGCTC	ATCTGCCGCA	ACCTCGCCTT	CTCCCACTGC								

25 (9) INFORMATION FOR SEQ ID NO:8:

30

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 333 amino acids

TCCCCTGGTG CCTTCGCCTA TGAGGGCGCC TCCTTCTACT GA

TGCTTTAACC CGGTGCTCTA TGTCTTCGTG GGGGTCAAGT TCCGCACACA CCTGAAACAT

GTTCTCCGGC AGTTCTGGTT CTGCCGGCTG CAGGCACCCA GCCCAGCCTC GATCCCCCAC

- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

	Met 1	Glu	Ser	Ser	Gly 5	Asn	Pro	Glu	Ser	Thr 10	Thr	Phe	Phe	Tyr	Tyr 15	Asp
	Leu	Gln	Ser	Gln 20	Pro	Cys	Glu	Asn	Gln 25	Ala	Trp	Val	Phe	Ala 30	Thr	Lou
5	Ala	Thr	Thr 35	Val	Leu	Tyr	Cys	Leu 40	Val	Phe	Leu	Leu	Ser 45	Leu	Val	Gly
	Asn	Ser 50	Leu	Val	Leu	Trp	Val 55	Leu	Val	Lys	Tyr	Glu 60	Ser	Leu	Glu	Ser
10	Leu 65	Thr	Asn	Ile	Phe	Ile 70	Leu	Asn	Leu	Cys	Leu 75	Ser	Asp	Leu	Val	Phe 80
	Ala	Cys	Leu	Leu	Pro 85	Val	Trp	Ile	Ser	Pro 90	Tyr	His	Trp	Gly	Trp 95	Val
	Leu	Gly	Asp	Phe 100	Leu	Cys	Lys	Leu	Leu 105	Asn	Met	Ile	Phe	Ser 110	Ile	Ser
15	Leu	Tyr	Ser 115	Ser	Ile	Phe	Phe	Leu 120	Thr	Ile	Met	Thr	Ile 125	His	Arg	Tyr
	Leu	Ser 130	Val	Val	Ser	Pro	Leu 135	Ser	Thr	Leu	Arg	Val 140	Pro	Thr	Leu	Arg
20	Cys 145	Arg	Val	Leu	Val	Thr 150	Met	Ala	Val	Trp	Val 155	Ala	Ser	Ile	Leu	Ser 160
	Ser	Ile	Leu	Asp	Thr 165	Ile	Phe	His	Lys	Val 170	Leu	Ser	Ser	Gly	Cys 175	Asp
	Tyr	Ser	Glu	Leu 180	Thr	Trp	Tyr	Leu	Thr 185	Ser	Val	Tyr	Gln	His 190	Asn	Leu
25	Phe	Phe	Leu 195	Leu	Ser	Leu	Gly	Ile 200	Ile	Leu	Phe	Cys	Tyr 205	Val	Glu	Ile
	Leu	Arg 210	Thr	Leu	Phe	Arg	Ser 215	Arg	Ser	Lys	Arg	Arg 220	His	Arg	Thr	Val
30	Lys 225	Leu	Ile	Phe	Ala	Ile 230	Val	Val	Ala	Tyr	Phe 235	Leu	Ser	Trp	Gly	Pro 240
	Tyr	Asn	Phe	Thr	Leu 245	Phe	Leu	Gln	Thr	Leu 250	Phe	Arg	Thr	Gln	Ile 255	Ile
	Arg	Ser	Cys	Glu 260	Ala	Lys	Gln	Gln	Leu 265	Glu	Tyr	Ala	Leu	Leu 270	Ile	Cys
35	Arg	Asn	Leu 275	Ala	Phe	Ser	His	Cys 280	Cys	Phe	Asn	Pro	Val 285	Leu	Tyr	Val

WO 00/22129

	Phe Val Gly Val Lys Phe Arg Thr His Leu Lys His Val Leu Arg Glr 290 295 300	L												
	Phe Trp Phe Cys Arg Leu Gln Ala Pro Ser Pro Ala Ser Ile Pro His 305 310 315 320													
5	Ser Pro Gly Ala Phe Ala Tyr Glu Gly Ala Ser Phe Tyr 325 330													
	(10) INFORMATION FOR SEQ ID NO:9:													
10	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>													
	(ii) MOLECULE TYPE: DNA (genomic)													
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:													
15	GCAAGCTTGG GGGACGCCAG GTCGCCGGCT	30												
	(11) INFORMATION FOR SEQ ID NO:10:													
20	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 31 base pairs  (B) TYPE: nucleic acid													
	(ii) MOLECULE TYPE: DNA (genomic)													
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:													
	GCGGATCCGG ACGCTGGGGG AGTCAGGCTG C	31												
25	(12) INFORMATION FOR SEQ ID NO:11:													
30	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 987 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>													
	(ii) MOLECULE TYPE: DNA (genomic)													
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:													
	ATGGACAACG CCTCGTTCTC GGAGCCCTGG CCCGCCAACG CATCGGGCCC GGACCCGGCG	60												
	CTGAGCTGCT CCAACGCGTC GACTCTGGCG CCGCTGCCGG CGCCGCTGGC GGTGGCTGTA	120												
35	CCAGTTGTCT ACGCGGTGAT CTGCGCCGTG GGTCTGGCGG GCAACTCCGC CGTGCTGTAC	180												

	GTGTTGCTGC	GGGCGCCCG	CATGAAGACC	GTCACCAACC	TGTTCATCCT	CAACCTGGC	240							
	ATCGCCGACG	AGCTCTTCAC	GCTGGTGCTG	CCCATCAACA	TCGCCGACTT	CCTGCTGCG	300							
	CAGTGGCCCT	TCGGGGAGCT	CATGTGCAAG	CTCATCGTGG	CTATCGACCA	GTACAACAC	360							
	TTCTCCAGCC	TCTACTTCCT	CACCGTCATG	AGCGCCGACC	GCTACCTGGT	GGTGTTGGC	2 420							
5	ACTGCGGAGT	CGCGCCGGGT	GGCCGGCCGC	ACCTACAGCG	CCGCGCGCGC	GGTGAGCCT	G 480							
	GCCGTGTGGG	GGATCGTCAC	ACTCGTCGTG	CTGCCCTTCG	CAGTCTTCGC	CCGGCTAGA	C 540							
	GACGAGCAGG	GCCGGCGCCA	GTGCGTGCTA	GTCTTTCCGC	AGCCCGAGGC	CTTCTGGTG	G 600							
	CGCGCGAGCC	GCCTCTACAC	GCTCGTGCTG	GGCTTCGCCA	TCCCCGTGTC	CACCATCTG	r 660							
	GTCCTCTATA	CCACCCTGCT	GTGCCGGCTG	CATGCCATGC	GGCTGGACAG	CCACGCCAAC	J 720							
10	GCCCTGGAGC	GCGCCAAGAA	GCGGGTGACC	TTCCTGGTGG	TGGCAATCCT	GGCGGTGTG	780							
	CTCCTCTGCT	GGACGCCCTA	CCACCTGAGC	ACCGTGGTGG	CGCTCACCAC	CGACCTCCC	3 840							
	CAGACGCCGC	TGGTCATCGC	TATCTCCTAC	TTCATCACCA	GCCTGACGTA	CGCCAACAG	900							
	TGCCTCAACC	CCTTCCTCTA	CGCCTTCCTG	GACGCCAGCT	TCCGCAGGAA	CCTCCGCCAC	g 960							
	CTGATAACTT	GCCGCGCGC	AGCCTGA				987							
15	(13) INFORM	MATION FOR S	SEQ ID NO:1	2:										
20	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 328 amino acids  (B) TYPE: amino acid  (C) STRANDEDNESS:													
	(ii)	MOLECULE TY	PE: protei	ı										
	(xi)	SEQUENCE DE	SCRIPTION:	SEQ ID NO:	12:									
	Met As 1	sp Asn Ala S		Glu Pro Trp	o Pro Ala As	sn Ala Ser 15	Gly							
25	Pro As	sp Pro Ala I 20	⊔eu Ser Cys	Ser Asn Ala 25	a Ser Thr Le	eu Ala Pro 30	Leu							
	Pro Al	a Pro Leu <i>P</i> 35	ala Val Ala	Val Pro Val	Val Tyr Al		Cys							
30	Ala Va 50		ala Gly Asn 55	Ser Ala Val	Leu Tyr Va 60	al Leu Leu	Arg							
	Ala Pr 65	ro Arg Met I	ys Thr Val	Thr Asn Let	ı Phe Ile Le 75	eu Asn Leu	Ala 80							

		Ile	Ala	Asp	Glu	Leu 85	Phe	Thr	Leu	Val	Leu 90	Pro	Ile	Asn	Ile	Ala 95	Asp
		Phe	Leu	Leu	Arg 100	Gln	Trp	Pro	Phe	Gly 105	Glu	Leu	Met	Cys	Lys 110	Leu	Ile
5		Val	Ala	Ile 115	Asp	Gln	Tyr	Asn	Thr 120	Phe	Ser	Ser	Leu	Tyr 125	Phe	Leu	Thr
		Val	Met 130	Ser	Ala	Asp	Arg	Tyr 135	Leu	Val	Val	Leu	Ala 140	Thr	Ala	Glu	Ser
10		Arg 145	Arg	Val	Ala	Gly	Arg 150	Thr	Tyr	Ser	Ala	Ala 155	Arg	Ala	Val	Ser	Leu 160
		Ala	Val	Trp	Gly	Ile 165	Val	Thr	Leu	Val	Val 170	Leu	Pro	Phe	Ala	Val 175	Phe
		Ala	Arg	Leu	Asp 180	Asp	Glu	Gln	Gly	Arg 185	Arg	Gln	Cys	Val	Leu 190	Val	Phe
15		Pro	Gln	Pro 195	Glu	Ala	Phe	Trp	Trp 200	Arg	Ala	Ser	Arg	Leu 205	Tyr	Thr	Leu
		Val	Leu 210	Gly	Phe	Ala	Ile	Pro 215	Val	Ser	Thr	Ile	Cys 220	Val	Leu	Tyr	Thr
20		Thr 225	Leu	Leu	Cys	Arg	Leu 230	His	Ala	Met	Arg	Leu 235	Asp	Ser	His	Ala	Lys 240
		Ala	Leu	Glu	Arg	Ala 245	Lys	Lys	Arg	Val	Thr 250	Phe	Leu	Val	Val	Ala 255	Ile
		Leu	Ala	Val	Cys 260	Leu	Leu	Cys	Trp	Thr 265	Pro	Tyr	His	Leu	Ser 270	Thr	Val
25		Val	Ala	Leu 275	Thr	Thr	Asp	Leu	Pro 280	Gln	Thr	Pro	Leu	Val 285	Ile	Ala	Ile
		Ser	Tyr 290	Phe	Ile	Thr	Ser	Leu 295	Thr	Tyr	Ala	Asn	Ser 300	Cys	Leu	Asn	Pro
30		Phe 305	Leu	Tyr	Ala	Phe	Leu 310	Asp	Ala	Ser	Phe	Arg 315	Arg	Asn	Leu	Arg	Gln 320
		Leu	Ile	Thr	Cys	Arg 325	Ala	Ala	Ala								
	(14)	INFO	RMAT	CION	FOR	SEQ	ID N	10:13	:								
35		(i)	(A) (B) (C)	UENC LEN TYE STF	IGTH: PE: n PANDE	30 ucle	base ic a SS: s	e pai acid singl	rs								

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:	
	CGGAATTCGT CAACGGTCCC AGCTACAATG	30
	(15) INFORMATION FOR SEQ ID NO:14:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 31 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10	(ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:	
	ATGGATCCCA GGCCCTTCAG CACCGCAATA T	31
	(16) INFORMATION FOR SEQ ID NO:15:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1002 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:	
	ATGCAGGCCG CTGGGCACCC AGAGCCCCTT GACAGCAGGG GCTCCTTCTC CCTCCCCACG	60
	ATGGGTGCCA ACGTCTCTCA GGACAATGGC ACTGGCCACA ATGCCACCTT CTCCGAGCCA	120
	CTGCCGTTCC TCTATGTGCT CCTGCCCGCC GTGTACTCCG GGATCTGTGC TGTGGGGCTG	180
	ACTGGCAACA CGGCCGTCAT CCTTGTAATC CTAAGGGCGC CCAAGATGAA GACGGTGACC	240
25	AACGTGTTCA TCCTGAACCT GGCCGTCGCC GACGGGCTCT TCACGCTGGT ACTGCCCGTC	300
	AACATCGCGG AGCACCTGCT GCAGTACTGG CCCTTCGGGG AGCTGCTCTG CAAGCTGGTG	360
	CTGGCCGTCG ACCACTACAA CATCTTCTCC AGCATCTACT TCCTAGCCGT GATGAGCGTG	420
	GACCGATACC TGGTGGTGCT GGCCACCGTG AGGTCCCGCC ACATGCCCTG GCGCACCTAC	480
	CGGGGGGCGA AGGTCGCCAG CCTGTGTGTC TGGCTGGGCG TCACGGTCCT GGTTCTGCCC	540
30	TTCTTCTCTT TCGCTGGCGT CTACAGCAAC GAGCTGCAGG TCCCAAGCTG TGGGCTGAGC	600
	TTCCCGTGGC CCGAGCGGGT CTGGTTCAAG GCCAGCCGTG TCTACACTTT GGTCCTGGGC	660
	TTCGTGCTGC CCGTGTGCAC CATCTGTGTG CTCTACACAG ACCTCCTGCG CAGGCTGCGG	720

	GCCGTGCGG	C TC	CGC	rctgo	G AG	CCAA	GGCT	CTA	GCA	AGG (	CCAG	GCGG2	AA G	GTGA	CCGT	7	780
	CTGGTCCTC	CG TC	GTGC	CTGG	c cg:	rgrg	CCTC	CTC	rgcr	GGA (	CGCC	CTTC	CA C	CTGG	CCTC:	Г	840
	GTCGTGGCC	CC TG	BACC	ACGG	A CC	rgcc	CCAG	ACC	CCAC	rgg :	rcat(	CAGT	AT G	rcct2	ACGT	7	900
	ATCACCAGO	CC TC	CACGI	racgo	CA	ACTC	GTGC	CTG	AACC	CCT :	rccto	CTAC	BC C	TTTC:	raga:	Г	960
5	GACAACTTC	CC GG	SAAGA	AACTI	r cc	GCAG(	CATA	TTG	CGGT	GCT (	GΑ					1	002
	(17) INFO	RMAT	NOI	FOR	SEQ	ID 1	NO:16	5:									
10		(B)	LEN TYI STF TOI	NGTH: PE: & RANDE POLOC	: 333 amino EDNES	am: ac: ss: not:	ino a id relev	acids vant	3								
						-			TD .	70 7	_						
		.) SE						-									
15	Met 1	Gln	Ala	Ala	Gly 5	His	Pro	Glu	Pro	Leu 10	Asp	Ser	Arg	Gly	Ser 15	Phe	
	Ser	Leu	Pro	Thr 20	Met	Gly	Ala	Asn	Val 25	Ser	Gln	Asp	Asn	Gly 30	Thr	Gly	
	His	Asn	Ala 35	Thr	Phe	Ser	Glu	Pro 40	Leu	Pro	Phe	Leu	Tyr 45	Val	Leu	Leu	
20	Pro	Ala 50	Val	Tyr	Ser	Gly	Ile 55	Cys	Ala	Val	Gly	Leu 60	Thr	Gly	Asn	Thr	
	Ala 65	Val	Ile	Leu	Val	Ile 70	Leu	Arg	Ala	Pro	Lys 75	Met	Lys	Thr	Val	Thr 80	
25	Asn	Val	Phe	Ile	Leu 85	Asn	Leu	Ala	Val	Ala 90	Asp	Gly	Leu	Phe	Thr 95	Leu	
	Val	Leu	Pro	Val 100	Asn	Ile	Ala	Glu	His 105	Leu	Leu	Gln	Tyr	Trp 110	Pro	Phe	
	Gly	Glu	Leu 115	Leu	Cys	Lys	Leu	Val 120	Leu	Ala	Val	Asp	His 125	Tyr	Asn	Ile	
30	Phe	Ser 130	Ser	Ile	Tyr	Phe	Leu 135	Ala	Val	Met	Ser	Val 140	Asp	Arg	Tyr	Leu	
	Val 145	Val	Leu	Ala	Thr	Val 150	Arg	Ser	Arg	His	Met 155	Pro	Trp	Arg	Thr	Tyr 160	
35	Arg	Gly	Ala	Lys	Val 165	Ala	Ser	Leu	Cys	Val 170	Trp	Leu	Gly	Val	Thr 175	Val	

		Leu	Val	Leu	Pro 180	Phe	Phe	Ser	Phe	Ala 185	Gly	Val	Tyr	Ser	Asn 190	Glu	Leu	
		Gln	Val	Pro 195	Ser	Cys	Gly	Leu	Ser 200	Phe	Pro	Trp	Pro	Glu 205	Arg	Val	Trp	
5		Phe	Lys 210	Ala	Ser	Arg	Val	Tyr 215	Thr	Leu	Val	Leu	Gly 220	Phe	Val	Leu	Pro	
		Val 225	Cys	Thr	Ile	Cys	Val 230	Leu	Tyr	Thr	Asp	Leu 235	Leu	Arg	Arg	Leu	Arg 240	
10		Ala	Val	Arg	Leu	Arg 245	Ser	Gly	Ala	Lys	Ala 250	Leu	Gly	Lys	Ala	Arg 255	Arg	
		Lys	Val	Thr	Val 260	Leu	Val	Leu	Val	Val 265	Leu	Ala	Val	Cys	Leu 270	Leu	Cys	
		Trp	Thr	Pro 275	Phe	His	Leu	Ala	Ser 280	Val	Val	Ala	Leu	Thr 285	Thr	Asp	Leu	
15		Pro	Gln 290	Thr	Pro	Leu	Val	Ile 295	Ser	Met	Ser	Tyr	Val 300	Ile	Thr	Ser	Leu	
		Thr 305	Tyr	Ala	Asn	Ser	Cys 310	Leu	Asn	Pro	Phe	Leu 315	Tyr	Ala	Phe	Leu	Asp 320	
20		Asp	Asn	Phe	Arg	Lys 325	Asn	Phe	Arg	Ser	Ile 330	Leu	Arg	Cys				
	(18)	INFO	ORMAT	rion	FOR	SEQ	ID N	10:17	7:									
25		(i)	(A) (B) (C)	QUENC LEN TYPE STE TOE	NGTH: PE: r RANDE	: 48 lucle EDNES	base ic a SS: s	e pai acid sing]	rs									
		(ii	L) MC	DLECU	JLE I	YPE:	DNA	4 (ge	enomi	.c)								
		(x)	L) SE	EQUE	ICE I	ESCF	RIPTI	ON:	SEQ	ID N	10:17	<b>'</b> :						
	ACGAZ	ATTCA	AG CC	CATGO	TCCI	TGF	GGTG	SAGT	GACC	CACCA	AG I	GCTA	TAA					48
30	(19)	INFO	ORMAT	rion	FOR	SEQ	ID N	10:18	3:									
35	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 27 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li></ul>																	
		(ii	L) MC	DLECU	JLE I	TYPE:	DNA	A (ge	nomi	.c)								
		(xi	i) si	EQUE	ICE I	ESCF	RIPTI	ON:	SEQ	ID N	10:18	3:						

15

#### GAGGATCCTG GAATGCGGGG AAGTCAG

5

27

#### (20) INFORMATION FOR SEQ ID NO:19:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1107 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)

#### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

	(/				'		
10	ATGGTCCTTG	AGGTGAGTGA	CCACCAAGTG	CTAAATGACG	CCGAGGTTGC	CGCCCTCCTG	60
	GAGAACTTCA	GCTCTTCCTA	TGACTATGGA	GAAAACGAGA	GTGACTCGTG	CTGTACCTCC	120
	CCGCCCTGCC	CACAGGACTT	CAGCCTGAAC	TTCGACCGGG	CCTTCCTGCC	AGCCCTCTAC	180
	AGCCTCCTCT	TTCTGCTGGG	GCTGCTGGGC	AACGGCGCGG	TGGCAGCCGT	GCTGCTGAGC	240
	CGGCGGACAG	CCCTGAGCAG	CACCGACACC	TTCCTGCTCC	ACCTAGCTGT	AGCAGACACG	300
15	CTGCTGGTGC	TGACACTGCC	GCTCTGGGCA	GTGGACGCTG	CCGTCCAGTG	GGTCTTTGGC	360
	TCTGGCCTCT	GCAAAGTGGC	AGGTGCCCTC	TTCAACATCA	ACTTCTACGC	AGGAGCCCTC	420
	CTGCTGGCCT	GCATCAGCTT	TGACCGCTAC	CTGAACATAG	TTCATGCCAC	CCAGCTCTAC	480
	CGCCGGGGGC	CCCCGGCCCG	CGTGACCCTC	ACCTGCCTGG	CTGTCTGGGG	GCTCTGCCTG	540
	CTTTTCGCCC	TCCCAGACTT	CATCTTCCTG	TCGGCCCACC	ACGACGAGCG	CCTCAACGCC	600
20	ACCCACTGCC	AATACAACTT	CCCACAGGTG	GGCCGCACGG	CTCTGCGGGT	GCTGCAGCTG	660
	GTGGCTGGCT	TTCTGCTGCC	CCTGCTGGTC	ATGGCCTACT	GCTATGCCCA	CATCCTGGCC	720
	GTGCTGCTGG	TTTCCAGGGG	CCAGCGGCGC	CTGCGGGCCA	TGCGGCTGGT	GGTGGTGGTC	780
	GTGGTGGCCT	TTGCCCTCTG	CTGGACCCCC	TATCACCTGG	TGGTGCTGGT	GGACATCCTC	840
	ATGGACCTGG	GCGCTTTGGC	CCGCAACTGT	GGCCGAGAAA	GCAGGGTAGA	CGTGGCCAAG	900
25	TCGGTCACCT	CAGGCCTGGG	CTACATGCAC	TGCTGCCTCA	ACCCGCTGCT	CTATGCCTTT	960
	GTAGGGGTCA	AGTTCCGGGA	GCGGATGTGG	ATGCTGCTCT	TGCGCCTGGG	CTGCCCCAAC	1020
	CAGAGAGGGC	TCCAGAGGCA	GCCATCGTCT	TCCCGCCGGG	ATTCATCCTG	GTCTGAGACC	1080
	TCAGAGGCCT	CCTACTCGGG	CTTGTGA				1107

(21) INFORMATION FOR SEQ ID NO:20:

5	(i)	(A) (B) (C)	QUEN( ) LE1 ) TYI ) STI ) TOI	NGTH : PE :	: 368 amino EDNES	am: ac: SS:	ino a id	acids	5							
	(i:	i) <b>M</b> (	OLECT	JLE 7	CYPE:	pro	oteir	1								
	(x:	i) SI	EQUE	NCE I	DESCI	RIPT:	ION:	SEQ	ID 1	10:20	):					
	Met 1	Val	Leu	Glu	Val 5	Ser	Asp	His	Gln	Val 10	Leu	Asn	Asp	Ala	Glu 15	Va]
10	Ala	Ala	Leu	Leu 20	Glu	Asn	Phe	Ser	Ser 25	Ser	Tyr	Asp	Tyr	Gly 30	Glu	Asr
	Glu	Ser	Asp 35	Ser	Cys	Cys	Thr	Ser 40	Pro	Pro	Cys	Pro	Gln 45	Asp	Phe	Sei
15	Leu	Asn 50	Phe	Asp	Arg	Ala	Phe 55	Leu	Pro	Ala	Leu	Tyr 60	Ser	Leu	Leu	Phe
	Leu 65	Leu	Gly	Leu	Leu	Gly 70	Asn	Gly	Ala	Val	Ala 75	Ala	Val	Leu	Leu	Sei 80
	Arg	Arg	Thr	Ala	Leu 85	Ser	Ser	Thr	Asp	Thr 90	Phe	Leu	Leu	His	Leu 95	Ala
20	Val	Ala	Asp	Thr 100	Leu	Leu	Val	Leu	Thr 105	Leu	Pro	Leu	Trp	Ala 110	Val	Asp
	Ala	Ala	Val 115	Gln	Trp	Val	Phe	Gly 120	Ser	Gly	Leu	Cys	Lys 125	Val	Ala	GlΣ
25	Ala	Leu 130	Phe	Asn	Ile	Asn	Phe 135	Tyr	Ala	Gly	Ala	Leu 140	Leu	Leu	Ala	Cys
	Ile 145	Ser	Phe	Asp	Arg	Tyr 150	Leu	Asn	Ile	Val	His 155	Ala	Thr	Gln	Leu	Туі
	Arg	Arg	Gly	Pro	Pro 165	Ala	Arg	Val	Thr	Leu 170	Thr	Cys	Leu	Ala	Val 175	Trp
30	Gly	Leu	Cys	Leu 180	Leu	Phe	Ala	Leu	Pro 185	Asp	Phe	Ile	Phe	Leu 190	Ser	Ala
	His	His	Asp 195	Glu	Arg	Leu	Asn	Ala 200	Thr	His	Cys	Gln	Tyr 205	Asn	Phe	Pro
35	Gln	Val 210	Gly	Arg	Thr	Ala	Leu 215	Arg	Val	Leu	Gln	Leu 220	Val	Ala	Gly	Phe
	Leu 225	Leu	Pro	Leu	Leu	Val 230	Met	Ala	Tyr	Cys	Tyr 235	Ala	His	Ile	Leu	Ala 240

17

	Val	Leu	Leu	Val	Ser 245	Arg	Gly	Gln	Arg	Arg 250	Leu	Arg	Ala	Met	Arg 255	Leu	
	Val	Val	Val	Val 260	Val	Val	Ala	Phe	Ala 265	Leu	Cys	Trp	Thr	Pro 270	Tyr	His	
5	Leu	Val	Val 275	Leu	Val	Asp	Ile	Leu 280	Met	Asp	Leu	Gly	Ala 285	Leu	Ala	Arg	
	Asn	Cys 290	Gly	Arg	Glu	Ser	Arg 295	Val	Asp	Val	Ala	Lys 300	Ser	Val	Thr	Ser	
10	Gly 305	Leu	Gly	Tyr	Met	His 310	Cys	Cys	Leu	Asn	Pro 315	Leu	Leu	Tyr	Ala	Phe 320	
	Val	Gly	Val	Lys	Phe 325	Arg	Glu	Arg	Met	Trp 330	Met	Leu	Leu	Leu	Arg 335	Leu	
	Gly	Cys	Pro	Asn 340	Gln	Arg	Gly	Leu	Gln 345	Arg	Gln	Pro	Ser	Ser 350	Ser	Arg	
15	Arg	Asp	Ser 355	Ser	Trp	Ser	Glu	Thr 360	Ser	Glu	Ala	Ser	Tyr 365	Ser	Gly	Leu	
,	(22) INFORMATION FOR SEQ ID NO:21:																
20	(22) INFORMATION FOR SEQ ID NO:21:  (i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 30 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear																
	(i:	L) MC	DECU	JLE :	TYPE:	: DNZ	A (ge	enomi	ic)								
	(x:	L) SI	EQUE1	ICE I	ESCI	RIPTI	EON:	SEQ	ID 1	10:21	L:						
25	TTAAGCTT	BA CO	TAAT	rgccz	A TCT	rtgto	3TCC										30
	(23) INFO	ORMAT	rion	FOR	SEQ	ID 1	10:22	2:									
30	(i)	(B)	QUENC LEN TYI STI	IGTH: PE: 1 PANDI	: 30 nucle EDNES	base eic a SS: s	e pai acid singl	irs									
	(i:	i) MO	LECU	JLE :	rype:	: DNZ	A (ge	enom	ic)								
	(x:	i) SI	EQUE	ICE I	DESC	RIPT	ON:	SEQ	ID 1	10:22	2:						
	TTGGATCC	AA AA	AGAA	CCAT	G CA	CCTC	AGAG										30
35	(24) INFO	ORMA:	rion	FOR	SEQ	ID 1	NO:23	3:									

(i) SEQUENCE CHARACTERISTICS:

18

(A) LENGTH: 1074 base pairs

(B) TYPE: nucleic acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

5 (ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

	ATGGCTGATG	ACTATGGCTC	TGAATCCACA	TCTTCCATGG	AAGACTACGT	TAACTTCAAC	60
	TTCACTGACT	TCTACTGTGA	GAAAAACAAT	GTCAGGCAGT	TTGCGAGCCA	TTTCCTCCCA	120
	CCCTTGTACT	GGCTCGTGTT	CATCGTGGGT	GCCTTGGGCA	ACAGTCTTGT	TATCCTTGTC	180
10	TACTGGTACT	GCACAAGAGT	GAAGACCATG	ACCGACATGT	TCCTTTTGAA	TTTGGCAATT	240
	GCTGACCTCC	TCTTTCTTGT	CACTCTTCCC	TTCTGGGCCA	TTGCTGCTGC	TGACCAGTGG	300
	AAGTTCCAGA	CCTTCATGTG	CAAGGTGGTC	AACAGCATGT	ACAAGATGAA	CTTCTACAGC	360
	TGTGTGTTGC	TGATCATGTG	CATCAGCGTG	GACAGGTACA	TTGCCATTGC	CCAGGCCATG	420
	AGAGCACATA	CTTGGAGGGA	GAAAAGGCTT	TTGTACAGCA	AAATGGTTTG	CTTTACCATC	480
15	TGGGTATTGG	CAGCTGCTCT	CTGCATCCCA	GAAATCTTAT	ACAGCCAAAT	CAAGGAGGAA	540
	TCCGGCATTG	CTATCTGCAC	CATGGTTTAC	CCTAGCGATG	AGAGCACCAA	ACTGAAGTCA	600
	GCTGTCTTGA	CCCTGAAGGT	CATTCTGGGG	TTCTTCCTTC	CCTTCGTGGT	CATGGCTTGC	660
	TGCTATACCA	TCATCATTCA	CACCCTGATA	CAAGCCAAGA	AGTCTTCCAA	GCACAAAGCC	720
	CTAAAAGTGA	CCATCACTGT	CCTGACCGTC	TTTGTCTTGT	CTCAGTTTCC	CTACAACTGC	780
20	ATTTTGTTGG	TGCAGACCAT	TGACGCCTAT	GCCATGTTCA	TCTCCAACTG	TGCCGTTTCC	840
	ACCAACATTG	ACATCTGCTT	CCAGGTCACC	CAGACCATCG	CCTTCTTCCA	CAGTTGCCTG	900
	AACCCTGTTC	TCTATGTTTT	TGTGGGTGAG	AGATTCCGCC	GGGATCTCGT	GAAAACCCTG	960
	AAGAACTTGG	GTTGCATCAG	CCAGGCCCAG	TGGGTTTCAT	TTACAAGGAG	AGAGGGAAGC	1020
	TTGAAGCTGT	CGTCTATGTT	GCTGGAGACA	ACCTCAGGAG	CACTCTCCCT	CTGA	1074

25 (25) INFORMATION FOR SEQ ID NO:24:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 357 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
- 30 (D) TOPOLOGY: not relevant
  - (ii) MOLECULE TYPE: protein

WO 00/22129

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

	Met 1	Ala	Asp	Asp	Tyr 5	Gly	Ser	Glu	Ser	Thr 10	Ser	Ser	Met	Glu	Asp 15	Tyr
5	Val	Asn	Phe	Asn 20	Phe	Thr	Asp	Phe	Tyr 25	Cys	Glu	Lys	Asn	Asn 30	Val	Arg
	Gln	Phe	Ala 35	Ser	His	Phe	Leu	Pro 40	Pro	Leu	Tyr	Trp	Leu 45	Val	Phe	Ile
	Val	Gly 50	Ala	Leu	Gly	Asn	Ser 55	Leu	Val	Ile	Leu	Val 60	Tyr	Trp	Tyr	Cys
10	Thr 65	Arg	Val	Lys	Thr	Met 70	Thr	Asp	Met	Phe	Leu 75	Leu	Asn	Leu	Ala	Ile 80
	Ala	Asp	Leu	Leu	Phe 85	Leu	Val	Thr	Leu	Pro 90	Phe	Trp	Ala	Ile	Ala 95	Ala
15	Ala	Asp	Gln	Trp 100	Lys	Phe	Gln	Thr	Phe 105	Met	Cys	Lys	Val	Val 110	Asn	Ser
	Met	Tyr	Lys 115	Met	Asn	Phe	Tyr	Ser 120	Cys	Val	Leu	Leu	Ile 125	Met	Cys	Ile
	Ser	Val 130	Asp	Arg	Tyr	Ile	Ala 135	Ile	Ala	Gln	Ala	Met 140	Arg	Ala	His	Thr
20	Trp 145	Arg	Glu	Lys	Arg	Leu 150	Leu	Tyr	Ser	Lys	Met 155	Val	Cys	Phe	Thr	Ile 160
	Trp	Val	Leu	Ala	Ala 165	Ala	Leu	Cys	Ile	Pro 170	Glu	Ile	Leu	Tyr	Ser 175	Gln
25	Ile	Lys	Glu	Glu 180	Ser	Gly	Ile	Ala	Ile 185	Cys	Thr	Met	Val	Tyr 190	Pro	Ser
	Asp	Glu	Ser 195	Thr	Lys	Leu	Lys	Ser 200	Ala	Val	Leu	Thr	Leu 205	Lys	Val	Ile
	Leu	Gly 210	Phe	Phe	Leu	Pro	Phe 215	Val	Val	Met	Ala	Cys 220	Cys	Tyr	Thr	Ile
30	Ile 225	Ile	His	Thr	Leu	Ile 230	Gln	Ala	Lys	Lys	Ser 235	Ser	Lys	His	Lys	Ala 240
	Leu	Lys	Val	Thr	Ile 245	Thr	Val	Leu	Thr	Val 250	Phe	Val	Leu	Ser	Gln 255	Phe
35	Pro	Tyr	Asn	Cys 260	Ile	Leu	Leu	Val	Gln 265	Thr	Ile	Asp	Ala	Tyr 270	Ala	Met
	Phe	Ile	Ser 275	Asn	Cys	Ala	Val	Ser 280	Thr	Asn	Ile	Asp	Ile 285	Cys	Phe	Gln

20

		hr Gln 1	Thr Ile	Ala Phe 295	Phe His	Ser Cys	Leu Asn 300	Pro Val	Leu
	Tyr V 305	al Phe V	al Gly	Glu Arg 310	Phe Arg	Arg Asp 315	Leu Val	Lys Thr	Leu 320
5	Lys A	sn Leu G	Sly Cys 325	Ile Ser	Gln Ala	Gln Trp 330	Val Ser	Phe Thr	Arg
	Arg G		Ser Leu 340	Lys Leu	Ser Ser 345	Met Leu	Leu Glu	Thr Thr	Ser
10	Gly A	la Leu S 355	Ser Leu						
	(26) INFOR	MATION F	OR SEQ	ID NO:2	5:				
15		SEQUENCE (A) LENG (B) TYPE (C) STRA (D) TOPO	TH: 111 : nucle MDEDNES	0 base p ic acid S: singl	pairs				
	(ii)	MOLECUL	E TYPE:	DNA (ge	enomic)				
	(xi)	SEQUENC	E DESCR	IPTION:	SEQ ID N	IO:25:			
	ATGGCCTCAT	CGACCAC	TCG GGG	CCCCAGG	GTTTCTGA	CT TATT	TTCTGG G	CTGCCGCCG	60
20	GCGGTCACAA	CTCCCGC	CAA CCA	GAGCGCA	GAGGCCTC	GG CGGGC	CAACGG G	TCGGTGGCT	7 120
	GGCGCGGACG	CTCCAGC	CGT CAC	GCCCTTC	CAGAGCCI	GC AGCT	GTGCA T	CAGCTGAAG	180
	GGGCTGATCG	TGCTGCT	CTA CAG	CGTCGTG	GTGGTCGT	GG GGCT	GTGGG C.	AACTGCCTC	3 240
	CTGGTGCTGG	TGATCGC	GCG GGT	GCCGCGG	CTGCACAA	CG TGAC	BAACTT C	CTCATCGGC	300
	AACCTGGCCT	TGTCCGA	CGT GCT	CATGTGC	ACCGCCTG	CG TGCC	CTCAC G	CTGGCCTAT	360
25	GCCTTCGAGC	CACGCGG	CTG GGT	GTTCGGC	GGCGGCCT	GT GCCAC	CTGGT C	TTCTTCCTC	420
	CAGCCGGTCA	CCGTCTA	TGT GTC	GGTGTTC	ACGCTCAC	CA CCATO	GCAGT G	GACCGCTAC	480
	GTCGTGCTGG	TGCACCC	GCT GAG	GCGCGCA	TCTCGCTG	CG CCTC	AGCCTA CO	GCTGTGCTG	540
	GCCATCTGGG	CGCTGTC	CGC GGT	GCTGGCG	CTGCCGCC	CG CCGTC	CACAC C	TATCACGTO	600
	GAGCTCAAGC	CGCACGA	CGT GCG	CCTCTGC	GAGGAGTT	'CT GGGGC	CTCCCA G	GAGCGCCAG	660
30	CGCCAGCTCT	ACGCCTG	GGG GCT	GCTGCTG	GTCACCTA	CC TGCTC	CCTCT G	CTGGTCATC	720
	CTCCTGTCTT	ACGTCCG	GGT GTC	AGTGAAG	CTCCGCAA	CC GCGTG	GTGCC G	GGCTGCGTG	780

ACCCAGAGCC AGGCCGACTG GGACCGCGCT CGGCGCCGGC GCACCTTCTG CTTGCTGGTG

	GTGGTCGTG	G TGGTG	TTCGC CG	TCTGCTGG	CTGCCG	CTGC ACG	TCTTCAA	CCTGCTGCG	G 900
	GACCTCGAC	C CCCAC	GCCAT CG	ACCCTTAC	GCCTTT	GGC TGG	TGCAGCT	GCTCTGCCA	C 960
	TGGCTCGCC	'A TGAGT'	TCGGC CT	GCTACAAC	CCCTTC	ATCT ACC	CCTGGCT	GCACGACAG	C 1020
	TTCCGCGAG	G AGCTG	CGCAA AC	TGTTGGTC	GCTTGG	CCCC GCA	AGATAGC	CCCCCATGG	C 1080
5	CAGAATATG	A CCGTC	AGCGT GG	TCATCTGA					1110
	(27) INFO	RMATION	FOR SEQ	ID NO:2	6:				
10		(A) LEI (B) TYI (C) STI (D) TOI	NGTH: 36 PE: amin RANDEDNE POLOGY:		acids vant				
	(xi	) SEQUEI	NCE DESC	RIPTION:	SEQ ID	NO:26:			
15	Met . 1	Ala Ser	Ser Thr	Thr Arg	Gly Pro	Arg Val	l Ser As	p Leu Phe 15	Ser
	Gly	Leu Pro	Pro Ala 20	Val Thr	Thr Pro	Ala Ası	n Gln Se	r Ala Glu 30	Ala
	Ser .	Ala Gly 35	Asn Gly	Ser Val	Ala Gly 40	Ala Ası	Ala Pr 45	o Ala Val	Thr
20		Phe Gln 50	Ser Leu	Gln Leu 55	Val His	Gln Lei	Lys Gl	y Leu Ile	Val
	Leu : 65	Leu Tyr	Ser Val	Val Val 70	Val Val	. Gly Let 75	ı Val Gl	y Asn Cys	Leu 80
25	Leu <sup>-</sup>	Val Leu	Val Ile 85	Ala Arg	Val Pro	Arg Let 90	ı His As	n Val Thr 95	Asn
	Phe :	Leu Ile	Gly Asn 100	Leu Ala	Leu Ser 105		Leu Me	t Cys Thr 110	Ala
	Cys	Val Pro 115	Leu Thr	Leu Ala	Tyr Ala	Phe Glu	Pro Ar	g Gly Trp 5	Val
30		Gly Gly 130	Gly Leu	Cys His 135	Leu Val	. Phe Phe	Leu Gl:	n Pro Val	Thr
	Val ' 145	Tyr Val	Ser Val	Phe Thr 150	Leu Thr	Thr Ile		l Asp Arg	Tyr 160

Val Val Leu Val His Pro Leu Arg Arg Ala Ser Arg Cys Ala Ser Ala

		Tyr	Ala	Val	Leu 180	Ala	Ile	Trp	Ala	Leu 185	Ser	Ala	Val	Leu	Ala 190	Leu	Pro
		Pro	Ala	Val 195	His	Thr	Tyr	His	Val 200	Glu	Leu	Lys	Pro	His 205	Asp	Val	Arg
5		Leu	Cys 210	Glu	Glu	Phe	Trp	Gly 215	Ser	Gln	Glu	Arg	Gln 220	Arg	Gln	Leu	Tyr
		Ala 225	Trp	Gly	Leu	Leu	Leu 230	Val	Thr	Tyr	Leu	Leu 235	Pro	Leu	Leu	Val	Ile 240
0		Leu	Leu	Ser	Tyr	Val 245	Arg	Val	Ser	Val	Lys 250	Leu	Arg	Asn	Arg	Val 255	Val
		Pro	Gly	Cys	Val 260	Thr	Gln	Ser	Gln	Ala 265	Asp	Trp	Asp	Arg	Ala 270	Arg	Arg
		Arg	Arg	Thr 275	Phe	Cys	Leu	Leu	Val 280	Val	Val	Val	Val	Val 285	Phe	Ala	Val
5		Cys	Trp 290	Leu	Pro	Leu	His	Val 295	Phe	Asn	Leu	Leu	Arg 300	Asp	Leu	Asp	Pro
		His 305	Ala	Ile	Asp	Pro	Tyr 310	Ala	Phe	Gly	Leu	Val 315	Gln	Leu	Leu	Cys	His 320
20		Trp	Leu	Ala	Met	Ser 325	Ser	Ala	Cys	Tyr	Asn 330	Pro	Phe	Ile	Tyr	Ala 335	Trp
		Leu	His	Asp	Ser 340	Phe	Arg	Glu	Glu	Leu 345	Arg	Lys	Leu	Leu	Val 350	Ala	Trp
		Pro	Arg	Lys 355	Ile	Ala	Pro	His	Gly 360	Gln	Asn	Met	Thr	Val 365	Ser	Val	Val
25		Ile															
	(28)	INFO	RMAT	TION	FOR	SEQ	ID 1	10:27	7:								
		(i)	_	~	CE CI												

- (A) LENGTH: 1083 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:
- 35 ATGGACCCAG AAGAAACTTC AGTTTATTTG GATTATTACT ATGCTACGAG CCCAAACTCT 60
  GACATCAGGG AGACCCACTC CCATGTTCCT TACACCTCTG TCTTCCTTCC AGTCTTTTAC 120

1083

	ACAGCTGTGT	TCCTGACTGG	AGTGCTGGGG	AACCTTGTTC	TCATGGGAGC	GTTGCATTTC	180
	AAACCCGGCA	GCCGAAGACT	GATCGACATC	TTTATCATCA	ATCTGGCTGC	CTCTGACTTC	240
	ATTTTTCTTG	TCACATTGCC	TCTCTGGGTG	GATAAAGAAG	CATCTCTAGG	ACTGTGGAGG	300
	ACGGGCTCCT	TCCTGTGCAA	AGGGAGCTCC	TACATGATCT	CCGTCAATAT	GCACTGCAGT	360
5	GTCCTCCTGC	TCACTTGCAT	GAGTGTTGAC	CGCTACCTGG	CCATTGTGTG	GCCAGTCGTA	420
	TCCAGGAAAT	TCAGAAGGAC	AGACTGTGCA	TATGTAGTCT	GTGCCAGCAT	CTGGTTTATC	480
	TCCTGCCTGC	TGGGGTTGCC	TACTCTTCTG	TCCAGGGAGC	TCACGCTGAT	TGATGATAAG	540
	CCATACTGTG	CAGAGAAAAA	GGCAACTCCA	ATTAAACTCA	TATGGTCCCT	GGTGGCCTTA	600
	ATTTTCACCT	TTTTTGTCCC	TTTGTTGAGC	ATTGTGACCT	GCTACTGTTG	CATTGCAAGG	660
10	AAGCTGTGTG	CCCATTACCA	GCAATCAGGA	AAGCACAACA	AAAAGCTGAA	GAAATCTATA	720
	AAGATCATCT	TTATTGTCGT	GGCAGCCTTT	CTTGTCTCCT	GGCTGCCCTT	CAATACTTTC	780
	AAGTTCCTGG	CCATTGTCTC	TGGGTTGCGG	CAAGAACACT	ATTTACCCTC	AGCTATTCTT	840
	CAGCTTGGTA	TGGAGGTGAG	TGGACCCTTG	GCATTTGCCA	ACAGCTGTGT	CAACCCTTTC	900
	ATTTACTATA	TCTTCGACAG	CTACATCCGC	CGGGCCATTG	TCCACTGCTT	GTGCCCTTGC	960
15	CTGAAAAACT	ATGACTTTGG	GAGTAGCACT	GAGACATCAG	ATAGTCACCT	CACTAAGGCT	1020
	CTCTCCACCT	TCATTCATGC	AGAAGATTTT	GCCAGGAGGA	GGAAGAGGTC	TGTGTCACTC	1080
	TAA						1083

23

(29) INFORMATION FOR SEQ ID NO:28:

20

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 360 amino acids

- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- 25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

Met Asp Pro Glu Glu Thr Ser Val Tyr Leu Asp Tyr Tyr Tyr Ala Thr

Ser Pro Asn Ser Asp Ile Arg Glu Thr His Ser His Val Pro Tyr Thr 20

30 Ser Val Phe Leu Pro Val Phe Tyr Thr Ala Val Phe Leu Thr Gly Val 40

PCT/US99/23938

	Leu	Gly 50	Asn	Leu	Val	Leu	Met 55	Gly	Ala	Leu	His	Phe 60	Lys	Pro	Gly	Ser
	Arg 65	Arg	Leu	Ile	Asp	Ile 70	Phe	Ile	Ile	Asn	Leu 75	Ala	Ala	Ser	Asp	Phe 80
5	Ile	Phe	Leu	Val	Thr 85	Leu	Pro	Leu	Trp	Val 90	Asp	Lys	Glu	Ala	Ser 95	Leu
	Gly	Leu	Trp	Arg 100	Thr	Gly	Ser	Phe	Leu 105	Cys	Lys	Gly	Ser	Ser 110	Tyr	Met
10	Ile	Ser	Val 115	Asn	Met	His	Cys	Ser 120	Val	Leu	Leu	Leu	Thr 125	Cys	Met	Ser
	Val	Asp 130	Arg	Tyr	Leu	Ala	Ile 135	Val	Trp	Pro	Val	Val 140	Ser	Arg	Lys	Phe
	Arg 145	Arg	Thr	Asp	Сув	Ala 150	Tyr	Val	Val	Cys	Ala 155	Ser	Ile	Trp	Phe	Ile 160
15	Ser	Cys	Leu	Leu	Gly 165	Leu	Pro	Thr	Leu	Leu 170	Ser	Arg	Glu	Leu	Thr 175	Leu
	Ile	Asp	Asp	Lys 180	Pro	Tyr	Сув	Ala	Glu 185	Lys	Lys	Ala	Thr	Pro 190	Ile	Lys
20	Leu	Ile	Trp 195	Ser	Leu	Val	Ala	Leu 200	Ile	Phe	Thr	Phe	Phe 205	Val	Pro	Leu
	Leu	Ser 210	Ile	Val	Thr	Cys	Tyr 215	Cys	Cys	Ile	Ala	Arg 220	Lys	Leu	Сув	Ala
	His 225	Tyr	Gln	Gln	Ser	Gly 230	Lys	His	Asn	Lys	Lys 235	Leu	Lys	Lys	Ser	Ile 240
25	Lys	Ile	Ile	Phe	Ile 245	Val	Val	Ala	Ala	Phe 250	Leu	Val	Ser	Trp	Leu 255	Pro
	Phe	Asn	Thr	Phe 260	Lys	Phe	Leu	Ala	Ile 265	Val	Ser	Gly	Leu	Arg 270	Gln	Glu
30	His	Tyr	Leu 275	Pro	Ser	Ala	Ile	Leu 280	Gln	Leu	Gly	Met	Glu 285	Val	Ser	Gly
	Pro	Leu 290	Ala	Phe	Ala	Asn	Ser 295	Cys	Val	Asn	Pro	Phe 300	Ile	Tyr	Tyr	Ile
	Phe 305	Asp	Ser	Tyr	Ile	Arg 310	Arg	Ala	Ile	Val	His 315	Cys	Leu	Cys	Pro	Cys 320
35	Leu	Lys	Asn	Tyr	Asp 325	Phe	Gly	ser	Ser	Thr 330	Glu	Thr	Ser	Asp	Ser 335	His
	Leu	Thr	Lys	Ala	Leu	Ser	Thr	Phe	Ile	His	Ala	Glu	Asp	Phe	Ala	Arg

	Arg Arg Lys Arg Ser Val Ser Leu 355 360	
	(30) INFORMATION FOR SEQ ID NO:29:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 31 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:	
	CTAGAATTCT GACTCCAGCC AAAGCATGAA T	31
	(31) INFORMATION FOR SEQ ID NO:30:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:	
	GCTGGATCCT AAACAGTCTG CGCTCGGCCT	30
	(32) INFORMATION FOR SEQ ID NO:31:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1020 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:	
30	ATGAATGGCC TTGAAGTGGC TCCCCCAGGT CTGATCACCA ACTTCTCCCT GGCCACGGCA	60
	GAGCAATGTG GCCAGGAGAC GCCACTGGAG AACATGCTGT TCGCCTCCTT CTACCTTCTG	120
	GATTTTATCC TGGCTTTAGT TGGCAATACC CTGGCTCTGT GGCTTTTCAT CCGAGACCAC	180
	AAGTCCGGGA CCCCGGCCAA CGTGTTCCTG ATGCATCTGG CCGTGGCCGA CTTGTCGTGC	240
	GTGCTGGTCC TGCCCACCCG CCTGGTCTAC CACTTCTCTG GGAACCACTG GCCATTTGGG	300

	GAAATCGCAT GCCGTCTCAC CGGCTTCCTC TTCTACCTCA ACATGTACGC CAGCATCTAC	360
	TTCCTCACCT GCATCAGCGC CGACCGTTTC CTGGCCATTG TGCACCCGGT CAAGTCCCTC	420
	AAGCTCCGCA GGCCCCTCTA CGCACACCTG GCCTGTGCCT TCCTGTGGGT GGTGGTGGCT	480
	GTGGCCATGG CCCCGCTGCT GGTGAGCCCA CAGACCGTGC AGACCAACCA CACGGTGGTC	540
5	TGCCTGCAGC TGTACCGGGA GAAGGCCTCC CACCATGCCC TGGTGTCCCT GGCAGTGGCC	600
	TTCACCTTCC CGTTCATCAC CACGGTCACC TGCTACCTGC TGATCATCCG CAGCCTGCGG	560
	CAGGGCCTGC GTGTGGAGAA GCGCCTCAAG ACCAAGGCAG TGCGCATGAT CGCCATAGTG	720
	CTGGCCATCT TCCTGGTCTG CTTCGTGCCC TACCACGTCA ACCGCTCCGT CTACGTGCTG	780
	CACTACCGCA GCCATGGGGC CTCCTGCGCC ACCCAGCGCA TCCTGGCCCT GGCAAACCGC	340
10	ATCACCTCCT GCCTCACCAG CCTCAACGGG GCACTCGACC CCATCATGTA TTTCTTCGTG	900
	GCTGAGAAGT TCCGCCACGC CCTGTGCAAC TTGCTCTGTG GCAAAAGGCT CAAGGGCCCG	960
	CCCCCCAGCT TCGAAGGGAA AACCAACGAG AGCTCGCTGA GTGCCAAGTC AGAGCTGTGA 10	20
	(33) INFORMATION FOR SEQ ID NO:32:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 339 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS:</li> <li>(D) TOPOLOGY: not relevant</li> </ul>	
	(ii) MOLECULE TYPE: protein	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:	
	Met Asn Gly Leu Glu Val Ala Pro Pro Gly Leu Ile Thr Asn Phe Ser 1 5 10 15	
	Leu Ala Thr Ala Glu Gln Cys Gly Gln Glu Thr Pro Leu Glu Asn Met 20 25 30	

25 Leu Phe Ala Ser Phe Tyr Leu Leu Asp Phe Ile Leu Ala Leu Val Gly

Asn Thr Leu Ala Leu Trp Leu Phe Ile Arg Asp His Lys Ser Gly Thr

Pro Ala Asn Val Phe Leu Met His Leu Ala Val Ala Asp Leu Ser Cys 30 70

Val Leu Val Leu Pro Thr Arg Leu Val Tyr His Phe Ser Gly Asn His

Trp Pro Phe Gly Glu Ile Ala Cys Arg Leu Thr Gly Phe Leu Phe Tyr

					100					105					110		
		Leu	Asn	Met 115	Tyr	Ala	Ser	Ile	Tyr 120	Phe	Leu	Thr	Cys	Ile 125	Ser	Ala	Asp
5		Arg	Phe 130	Leu	Ala	Ile	Val	His 135	Pro	Val	Lys	Ser	Leu 140	Lys	Leu	Arg	Arg
		Pro 145	Leu	Tyr	Ala	His	Leu 150	Ala	Cys	Ala	Phe	Leu 155	Trp	Val	Val	Val	Ala 160
		Val	Ala	Met	Ala	Pro 165	Leu	Leu	Val	Ser	Pro 170	Gln	Thr	Val	Gln	Thr 175	Asn
10		His	Thr	Val	Val 180	Cys	Leu	Gln	Leu	Tyr 185	Arg	Glu	Lys	Ala	Ser 190	His	His
		Ala	Leu	Val 195	Ser	Leu	Ala	Val	Ala 200	Phe	Thr	Phe	Pro	Phe 205	Ile	Thr	Thr
15		Val	Thr 210	Cys	Tyr	Leu	Leu	Ile 215	Ile	Arg	Ser	Leu	Arg 220	Gln	Gly	Leu	Arg
		Val 225	Glu	Lys	Arg	Leu	Lys 230	Thr	Lys	Ala	Val	Arg 235	Met	Ile	Ala	Ile	Val 240
		Leu	Ala	Ile	Phe	Leu 245	Val	Cys	Phe	Val	Pro 250	Tyr	His	Val	Asn	Arg 255	Ser
20		Val	Tyr	Val	Leu 260	His	Tyr	Arg	Ser	His 265	Gly	Ala	Ser	Cys	Ala 270	Thr	Gln
		Arg	Ile	Leu 275	Ala	Leu	Ala	Asn	Arg 280	Ile	Thr	Ser	Cys	Leu 285	Thr	Ser	Leu
25		Asn	Gly 290	Ala	Leu	Asp	Pro	Ile 295	Met	Tyr	Phe	Phe	Val 300	Ala	Glu	Lys	Phe
		Arg 305	His	Ala	Leu	Cys	Asn 310	Leu	Leu	Cys	Gly	Lys 315	Arg	Leu	Lys	Gly	Pro 320
		Pro	Pro	Ser	Phe	Glu 325	Gly	Lys	Thr	Asn	Glu 330	Ser	Ser	Leu	Ser	Ala 335	Lys
30		Ser	Glu	Leu													
	(34)	INFO	RMAT	NOI	FOR	SEQ	ID 1	10:33	3:								
35		(i)	(B)	LEN TYI STI	CE CH NGTH: PE: 1 RANDE	: 29 nucle EDNES	base eic a SS: s	e pai acid singl	irs								
		(;;	i Mc	<b>ነ</b> ፕ.ፔርጥ	ים. דו	rvor.	. יוארו	۱ (مر	nomi	<u>م</u> ا							

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:	
	ATAAGATGAT CACCCTGAAC AATCAAGAT	29
	(35) INFORMATION FOR SEQ ID NO:34:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 33 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
10	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:	
	TCCGAATTCA TAACATTTCA CTGTTTATAT TGC	33
	(36) INFORMATION FOR SEQ ID NO:35:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 996 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:	
20	ATGATCACCC TGAACAATCA AGATCAACCT GTCACTTTTA ACAGCTCACA TCCAGATGAA	60
	FACAAAATTG CAGCCCTTGT CTTCTATAGC TGTATCTTCA TAATTGGATT ATTTGTTAAC	120
	ATCACTGCAT TATGGGTTTT CAGTTGTACC ACCAAGAAGA GAACCACGGT AACCATCTAT	180
	ATGATGAATG TGGCATTAGT GGACTTGATA TTTATAATGA CTTTACCCTT TCGAATGTTT	240
	PATTATGCAA AAGATGCATG GCCATTTGGA GAGTACTTCT GCCAGATTAT TGGAGCTCTC	300
25	ACAGTGTTTT ACCCAAGCAT TGCTTTATGG CTTCTTGCCT TTATTAGTGC TGACAGATAC	360
	ATGGCCATTG TACAGCCGAA GTACGCCAAA GAACTTAAAA ACACGTGCAA AGCCGTGCTG	420
	GCGTGTGTGG GAGTCTGGAT AATGACCCTG ACCACGACCA CCCCTCTGCT ACTGCTCTAT	480
	AAAGACCCAG ATAAAGACTC CACTCCCGCC ACCTGCCTCA AGATTTCTGA CATCATCTAT	540
	CTAAAAGCTG TGAACGTGCT GAACCTCACT CGACTGACAT TTTTTTTCTT GATTCCTTTG	600
30	TTCATCATGA TTGGGTGCTA CTTGGTCATT ATTCATAATC TCCTTCACGG CAGGACGTCT	660
	AAGCTGAAAC CCAAAGTCAA GGAGAAGTCC ATAAGGATCA TCATCACGCT GCTGCTGCA	700

	GTGCTCGT	CT G	CTTI	'ATGC	C CI	TCCA	CATC	TGI	TTC	CTT	TCCI	'GAT	CT G	GGAA	'CGGG	łG	780
	GAGAACAG'	TT A	CAAT	CCCI	G GG	GAGC	CTTI	' ACC	'ACCI	TCC	TCAT	'GAAC	CT C	CAGCA	CGTG	T	840
	CTGGATGT	GA T	TCTC	TACT	A CA	TCGT	TTCA	AAA	CAAT	TTC	AGGC	TCGA	GT C	'ATTA	.GTGT	'C	900
	ATGCTATA	CC G'	TAAT	TACC	T TC	GAAG	CCTG	CGC	AGAA	AAA	GTTT	'CCGA	TC I	'GGTA	GTCT	'A	960
5	AGGTCACT	AA G	CAAT	ATAA	A CA	.GTGA	AATG	TTA	TGA								996
	(37) INF	ORMA'	TION	FOR	SEQ	ID	NO:3	6:									
10		(B)	) LE ) TY ) ST ) TO	NGTH PE: RAND POLO	: 33 amin EDNE GY:	1 am o ac SS: not	ino id rele	acid vant									
	ix)	i) si	EQUE	NCE :	DESC:	RIPT	ION:	SEQ	ID :	NO:3	6 :						
15	Met 1	Ile	Thr	Leu	Asn 5	Asn	Gln	Asp	Gln	Pro 10	Val	Thr	Phe	Asn	Ser 15	Ser	
	His	Pro	Asp	Glu 20	Tyr	Lys	Ile	Ala	Ala 25	Leu	Val	Phe	Tyr	Ser 30	Cys	Ile	
	Phe	Ile	I1e 35	Gly	Leu	Phe	Val	Asn 40	Ile	Thr	Ala	Leu	Trp 45	Val	Phe	Ser	
20	Cys	Thr 50	Thr	Lys	Lys	Arg	Thr 55	Thr	Val	Thr	Ile	Tyr 60	Met	Met	Asn	Val	
	Ala 65	Leu	Val	Asp	Leu	Ile 70	Phe	Ile	Met	Thr	Leu 75	Pro	Phe	Arg	Met	Phe 80	
25	Tyr	Tyr	Ala	Lys	Asp 85	Ala	Trp	Pro	Phe	Gly 90	Glu	Tyr	Phe	Cys	Gln 95	Ile	
	Ile	Gly	Ala	Leu 100	Thr	Val	Phe	Tyr	Pro 105	Ser	Ile	Ala	Leu	Trp 110	Leu	Leu	
	Ala	Phe	Ile 115	Ser	Ala	Asp	Arg	Tyr 120	Met	Ala	Ile	Val	Gln 125	Pro	Lys	Tyr	
30	Ala	Lys 130	Glu	Leu	Lys	Asn	Thr 135	Cys	Lys	Ala	Val	Leu 140	Ala	Cys	Val	Gly	
	Val 145	Trp	Ile	Met	Thr	Leu 150	Thr	Thr	Thr	Thr	Pro 155	Leu	Leu	Leu	Leu	Tyr 160	
35	Lys	Asp	Pro	Asp	Lys 165	Asp	Ser	Thr	Pro	Ala 170	Thr	Cys	Leu	Lys	Ile 175	Ser	

		Asp	Ile	Ile	Tyr 180	Leu	Lys	Ala	Val	Asn 185	Val	Leu	Asn	Leu	Thr 190	Arg	Leu
		Thr	Phe	Phe 195	Phe	Leu	Ile	Pro	Leu 200	Phe	Ile	Met	Ile	Gly 205	Cys	Tyr	Leu
5		Val	Ile 210	Ile	His	Asn	Leu	Leu 215	His	Gly	Arg	Thr	Ser 220	Lys	Leu	Lys	Pro
		Lys 225	Val	Lys	Glu	Lys	Ser 230	Ile	Arg	Ile	Ile	Ile 235	Thr	Leu	Leu	Val	Gln 240
10		Val	Leu	Val	Cys	Phe 245	Met	Pro	Phe	His	Ile 250	Cys	Phe	Ala	Phe	Leu 255	Met
		Leu	Gly	Thr	Gly 260	Glu	Asn	Ser	Tyr	Asn 265	Pro	Trp	Gly	Ala	Phe 270	Thr	Thr
		Phe	Leu	Met 275	Asn	Leu	Ser	Thr	Cys 280	Leu	Asp	Val	Ile	Leu 285	Tyr	Tyr	Ile
15		Val	Ser 290	Lys	Gln	Phe	Gln	Ala 295	Arg	Val	Ile	Ser	Val 300	Met	Leu	Tyr	Arg
		Asn 305	Tyr	Leu	Arg	Ser	Leu 310	Arg	Arg	Lys	Ser	Phe 315	Arg	Ser	Gly	Ser	Leu 320
20		Arg	Ser	Leu	Ser	Asn 325	Ile	Asn	Ser	Glu	Met 330	Leu					
	(38)	INFO	ORMAT	NOIT	FOR	SEQ	ID 1	10:37	<b>7</b> :								
25	٠	(i)	(A) (B) (C)	OUENC LEN TYI STR TOI	IGTH: PE: r RANDE	28 ucle DNES	base ic a SS: s	pai cid ingl	.rs								
		(ii	L) MC	LECU	ILE I	YPE:	DNA	₄ (g∈	nomi	.c)							
		(xi	L) SE	QUEN	ICE I	ESCR	RIPTI	ON:	SEQ	ID N	O:37	· :					
	CCAA	GCTTC	CC AG	GCCI	'GGGG	TGT	GCTG	G									28
30	(39)	INFO	RMAI	CION	FOR	SEQ	ID N	IO:38	:								
35	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 29 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>																
		(ii	.) MC	LECU	LE I	YPE:	DNA	(ge	nomi	c)							
		(xi	.) SE	OUEN	CE D	ESCR	IPTI	ON:	SEO	ID N	0:38						

31

29

# ATGGATCCTG ACCTTCGGCC CCTGGCAGA

#### (40) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1077 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

10	ATGCCCTCTG	TGTCTCCAGC	GGGGCCCTCG	GCCGGGGCAG	TCCCCAATGC	CACCGCAGTG	60
	ACAACAGTGC	GGACCAATGC	CAGCGGGCTG	GAGGTGCCCC	TGTTCCACCT	GTTTGCCCGG	120
	CTGGACGAGG	AGCTGCATGG	CACCTTCCCA	GGCCTGTGCG	TGGCGCTGAT	GGCGGTGCAC	180
	GGAGCCATCT	TCCTGGCAGG	GCTGGTGCTC	AACGGGCTGG	CGCTGTACGT	CTTCTGCTGC	240
	CGCACCCGGG	CCAAGACACC	CTCAGTCATC	TACACCATCA	ACCTGGTGGT	GACCGATCTA	300
15	CTGGTAGGGC	TGTCCCTGCC	CACGCGCTTC	GCTGTGTACT	ACGGCGCCAG	GGGCTGCCTG	360
	CGCTGTGCCT	TCCCGCACGT	CCTCGGTTAC	TTCCTCAACA	TGCACTGCTC	CATCCTCTTC	420
	CTCACCTGCA	TCTGCGTGGA	CCGCTACCTG	GCCATCGTGC	GGCCCGAAGG	CTCCCGCCGC	480
	TGCCGCCAGC	CTGCCTGTGC	CAGGGCCGTG	TGCGCCTTCG	TGTGGCTGGC	CGCCGGTGCC	540
	GTCACCCTGT	CGGTGCTGGG	CGTGACAGGC	AGCCGGCCCT	GCTGCCGTGT	CTTTGCGCTG	600
20	ACTGTCCTGG	AGTTCCTGCT	GCCCCTGCTG	GTCATCAGCG	TGTTTACCGG	CCGCATCATG	660
	TGTGCACTGT	CGCGGCCGGG	TCTGCTCCAC	CAGGGTCGCC	AGCGCCGCGT	GCGGGCCATG	720
	CAGCTCCTGC	TCACGGTGCT	CATCATCTTT	CTCGTCTGCT	TCACGCCCTT	CCACGCCCGC	780
	CAAGTGGCCG	TGGCGCTGTG	GCCCGACATG	CCACACCACA	CGAGCCTCGT	GGTCTACCAC	840
	GTGGCCGTGA	CCCTCAGCAG	CCTCAACAGC	TGCATGGACC	CCATCGTCTA	CTGCTTCGTC	900
25	ACCAGTGGCT	TCCAGGCCAC	CGTCCGAGGC	CTCTTCGGCC	AGCACGGAGA	GCGTGAGCCC	960
	AGCAGCGGTG	ACGTGGTCAG	CATGCACAGG	AGCTCCAAGG	GCTCAGGCCG	TCATCACATC	1020
	CTCAGTGCCG	GCCCTCACGC	CCTCACCCAG	GCCCTGGCTA	ATGGGCCCGA	GGCTTAG	1077
	(41) INFORM	IATTON FOR S	EO ID NO.40				

- (41) INFORMATION FOR SEQ ID NO:40:
  - (i) SEQUENCE CHARACTERISTICS:
    (A) LENGTH: 358 amino acids

32

(B) TYPE: amino acid(C) STRANDEDNESS:

(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Met Pro Ser Val Ser Pro Ala Gly Pro Ser Ala Gly Ala Val Pro Asn 1 5 10 15

Ala Thr Ala Val Thr Thr Val Arg Thr Asn Ala Ser Gly Leu Glu Val 20 25 30

10 Pro Leu Phe His Leu Phe Ala Arg Leu Asp Glu Glu Leu His Gly Thr 35 40 45

Phe Pro Gly Leu Cys Val Ala Leu Met Ala Val His Gly Ala Ile Phe 50 55 60

Leu Ala Gly Leu Val Leu Asn Gly Leu Ala Leu Tyr Val Phe Cys Cys 65 70 75 80

Arg Thr Arg Ala Lys Thr Pro Ser Val Ile Tyr Thr Ile Asn Leu Val 85 90 95

Val Thr Asp Leu Leu Val Gly Leu Ser Leu Pro Thr Arg Phe Ala Val

20 Tyr Tyr Gly Ala Arg Gly Cys Leu Arg Cys Ala Phe Pro His Val Leu 115 120 125

Gly Tyr Phe Leu Asn Met His Cys Ser Ile Leu Phe Leu Thr Cys Ile 130 135 140

Cys Val Asp Arg Tyr Leu Ala Ile Val Arg Pro Glu Ala Pro Ala Ala 145 150 155 160

> Cys Arg Gln Pro Ala Cys Ala Arg Ala Val Cys Ala Phe Val Trp Leu 165 170 175

> Ala Ala Gly Ala Val Thr Leu Ser Val Leu Gly Val Thr Gly Ser Arg
> 180 185 190

Pro Cys Cys Arg Val Phe Ala Leu Thr Val Leu Glu Phe Leu Leu Pro 195 200 205

Leu Leu Val Ile Ser Val Phe Thr Gly Arg Ile Met Cys Ala Leu Ser 210 215 220

Arg Pro Gly Leu Leu His Gln Gly Arg Gln Arg Arg Val Arg Ala Met 225 230 235 240

> Gln Leu Leu Thr Val Leu Ile Ile Phe Leu Val Cys Phe Thr Pro 245 250 255

		Phe	His	Ala	Arg 260	Gln	Val	Ala	Val	Ala 265	Leu	Trp	Pro	Asp	Met 270	Pro	His	
		His	Thr	Ser 275	Leu	Val	Val	Tyr	His 280	Val	Ala	Val	Thr	Leu 285	Ser	Ser	Leu	
5		Asn	Ser 290	Cys	Met	Asp	Pro	Ile 295	Val	Tyr	Cys	Phe	Val 300	Thr	Ser	Gly	Phe	
		Gln 305	Ala	Thr	Val	Arg	Gly 310	Leu	Phe	Gly	Gln	His 315	Gly	Glu	Arg	Glu	Pro 320	
10		Ser	Ser	Gly	Asp	Val 325	Val	Ser	Met	His	Arg 330	Ser	Ser	Lys	Gly	Ser 335	Gly	
		Arg	His	His	Ile 340	Leu	Ser	Ala	Gly	Pro 345	His	Ala	Leu	Thr	Gln 350	Ala	Leu	
		Ala	Asn	Gly 355	Pro	Glu	Ala											
15	(42)	INFO	RMAI	rion	FOR	SEQ	ID 1	JO:41	. <b>:</b>									
20	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>																	
		(ii	.) MC	LECU	LE I	YPE :	DNA	v (ge	nomi	.c)								
		(xi	) SE	QUEN	ICE D	ESCR	IPTI	ON:	SEO	ID N	IO:41							
	GAGA																	30
									:									50
25	(43) INFORMATION FOR SEQ ID NO:42:  (i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 30 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear																	
30	(ii) MOLECULE TYPE: DNA (genomic)																	
		(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:42	:						
	CGGGA	TCCC	C GT	'AAC'I	GAGC	CAC	TTCA	GAT										30
	(44)	INFO	RMAT	'ION	FOR	SEQ	ID N	0:43	:									
35	(44) INFORMATION FOR SEQ ID NO:43:  (i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 1050 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single																	

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:43:

ATGAACTCCA CCTTGGATGG TAATCAGAGC AGCCACCCTT TTTGCCTCTT GGCATTTGGC 60 TATTTGGAAA CTGTCAATTT TTGCCTTTTG GAAGTATTGA TTATTGTCTT TCTAACTGTA 120 TTGATTATTT CTGGCAACAT CATTGTGATT TTTGTATTTC ACTGTGCACC TTTGTTGAAC 180 CATCACACTA CAAGTTATTT TATCCAGACT ATGGCATATG CTGACCTTTT TGTTGGGGTG 240 AGCTGCGTGG TCCCTTCTTT ATCACTCCTC CATCACCCCC TTCCAGTAGA GGAGTCCTTG 300 ACTTGCCAGA TATTTGGTTT TGTAGTATCA GTTCTGAAGA GCGTCTCCAT GGCTTCTCTG 360 GCCTGTATCA GCATTGATAG ATACATTGCC ATTACTAAAC CTTTAACCTA TAATACTCTG 420 GTTACACCCT GGAGACTACG CCTGTGTATT TTCCTGATTT GGCTATACTC GACCCTGGTC 480 TTCCTGCCTT CCTTTTCCA CTGGGGCAAA CCTGGATATC ATGGAGATGT GTTTCAGTGG 540 TGTGCGGAGT CCTGGCACAC CGACTCCTAC TTCACCCTGT TCATCGTGAT GATGTTATAT 600 GCCCCAGCAG CCCTTATTGT CTGCTTCACC TATTTCAACA TCTTCCGCAT CTGCCAACAG 660 CACACAAAGG ATATCAGCGA AAGGCAAGCC CGCTTCAGCA GCCAGAGTGG GGAGACTGGG 720 GAAGTGCAGG CCTGTCCTGA TAAGCGCTAT GCCATGGTCC TGTTTCGAAT CACTAGTGTA 780 TTTTACATCC TCTGGTTGCC ATATATCATC TACTTCTTGT TGGAAAGCTC CACTGGCCAC 840 AGCAACCGCT TCGCATCCTT CTTGACCACC TGGCTTGCTA TTAGTAACAG TTTCTGCAAC 900 TGTGTAATTT ATAGTCTCTC CAACAGTGTA TTCCAAAGAG GACTAAAGCG CCTCTCAGGG 960 GCTATGTGTA CTTCTTGTGC AAGTCAGACT ACAGCCAACG ACCCTTACAC AGTTAGAAGC 20 1020 AAAGGCCCTC TTAATGGATG TCATATCTGA 1050

(45) INFORMATION FOR SEQ ID NO:44:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 349 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:44:
- 30 Met Asn Ser Thr Leu Asp Gly Asn Gln Ser Ser His Pro Phe Cys Leu

WO 00/22129

	1				5					10					15	
	Leu	ı Ala	Phe	Gly 20	Tyr	Leu	Glu	Thr	Val 25	Asn	Phe	Cys	Leu	Leu 30	Glu	.Va.
5	Leu	ılle	Ile 35	Val	Phe	Leu	Thr	Val 40	Leu	Ile	Ile	Ser	Gly 45	Asn	Ile	Ile
	Val	Ile 50	Phe	Val	Phe	His	Cys 55	Ala	Pro	Leu	Leu	Asn 60	His	His	Thr	Thi
	Ser 65	Tyr	Phe	Ile	Gln	Thr 70	Met	Ala	Tyr	Ala	Asp 75	Leu	Phe	Val	Gly	Val 80
10	Ser	Cys	Val	Val	Pro 85	Ser	Leu	Ser	Leu	Leu 90	His	His	Pro	Leu	Pro 95	Val
	Glu	Glu	Ser	Leu 100	Thr	Cys	Gln	Ile	Phe 105	Gly	Phe	Val	Val	Ser 110	Val	Leu
15	Lys	Ser	Val 115	Ser	Met	Ala	Ser	Leu 120	Ala	Cys	Ile	Ser	Ile 125	Asp	Arg	Tyr
	Ile	Ala 130	Ile	Thr	Lys	Pro	Leu 135	Thr	Tyr	Asn	Thr	Leu 140	Val	Thr	Pro	Trp
	Arg 145	Leu	Arg	Leu	Cys	Ile 150	Phe	Leu	Ile	Trp	Leu 155	Tyr	Ser	Thr	Leu	Val 160
20	Phe	Leu	Pro	Ser	Phe 165	Phe	His	Trp	Gly	Lys 170	Pro	Gly	Tyr	His	Gly 175	Asp
	Val	Phe	Gln	Trp 180	Cys	Ala	Glu	Ser	Trp 185	His	Thr	Asp	Ser	Tyr 190	Phe	Thr
25	Leu	Phe	Ile 195	Val	Met	Met	Leu	Tyr 200	Ala	Pro	Ala	Ala	Leu 205	Ile	Val	Cys
	Phe	Thr 210	Tyr	Phe	Asn	Ile	Phe 215	Arg	Ile	Cys	Gln	Gln 220	His	Thr	Lys	Asp
	Ile 225	Ser	Glu	Arg	Gln	Ala 230	Arg	Phe	Ser	Ser	Gln 235	Ser	Gly	Glu	Thr	Gly 240
30	Glu	Val	Gln	Ala	Cys 245	Pro	Asp	Lys	Arg	Tyr 250	Ala	Met	Val	Leu	Phe 255	Arg
	Ile	Thr	Ser	Val 260	Phe	Tyr	Ile	Leu	Trp 265	Leu	Pro	Tyr	Ile	Ile 270	Tyr	Phe
35	Leu	Leu	Glu 275	Ser	Ser	Thr	Gly	His 280	Ser	Asn	Arg	Phe	Ala 285	Ser	Phe	Leu
	Thr	Thr 290	Trp	Leu	Ala	Ile	Ser 295	Asn	Ser	Phe		Asn 300	Cys	Val	Ile	Tyr

Ala Met Cys Thr Ser Cys Ala Ser Gln Thr 325  Thr Val Arg Ser Lys Gly Pro Leu Asn Gly Gado 345  (46) INFORMATION FOR SEQ ID NO:45:  (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) Type: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:  (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) Type: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)  (xi) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) Type: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:	Cys His I	335	Tyr
340 345  (46) INFORMATION FOR SEQ ID NO:45:  (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:  15 TCCCCCGGGA AAAAAACCAA CTGCTCCAAA  (47) INFORMATION FOR SEQ ID NO:46:  (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)		Cle	
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 30 base pairs  (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:  15 TCCCCCGGGA AAAAAACCAA CTGCTCCAAA  (47) INFORMATION FOR SEQ ID NO:46:  (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)	:		
(A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:  15 TCCCCCGGGA AAAAAACCAA CTGCTCCAAA  (47) INFORMATION FOR SEQ ID NO:46:  (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)			
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:45:  15 TCCCCCGGGA AAAAAACCAA CTGCTCCAAA  (47) INFORMATION FOR SEQ ID NO:46:  (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)	:		
15 TCCCCCGGGA AAAAAACCAA CTGCTCCAAA  (47) INFORMATION FOR SEQ ID NO:46:  (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)	:		
(47) INFORMATION FOR SEQ ID NO:46:  (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)			
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 31 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)			30
(A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)			
- -			
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:46:			
	:		
TAGGATCCAT TTGAATGTGG ATTTGGTGAA A			31
25 (48) INFORMATION FOR SEQ ID NO:47:			
(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 1302 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear			
(ii) MOLECULE TYPE: DNA (genomic)			
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:47:	:		
ATGTGTTTTT CTCCCATTCT GGAAATCAAC ATGCAGTCTG AA	ATCTAACAT	TACAGTGCGA	. 60
GATGACATTG ATGACATCAA CACCAATATG TACCAACCAC TA	TCATATCC	GTTAAGCTTT	120
35 CAAGTGTCTC TCACCGGATT TCTTATGTTA GAAATTGTGT TG	IGGI GERRAG	CAGCAACCTC	180

	ACTGTATTGG	TACTTTACTG	CATGAAATCC	AACTTAATCA	ACTCTGTCAG	TAACATTATT	240
	ACAATGAATC	TTCATGTACT	TGATGTAATA	ATTTGTGTGG	GATGTATTCC	TCTAACTATA	300
	GTTATCCTTC	TGCTTTCACT	GGAGAGTAAC	ACTGCTCTCA	TTTGCTGTTT	CCATGAGGCT	360
	TGTGTATCTT	TTGCAAGTGT	CTCAACAGCA	ATCAACGTTT	TTGCTATCAC	TTTGGACAGA	420
5	TATGACATCT	CTGTAAAACC	TGCAAACCGA	ATTCTGACAA	TGGGCAGAGC	TGTAATGTTA	480
	ATGATATCCA	TTTGGATTTT	TTCTTTTTC	TCTTTCCTGA	TTCCTTTTAT	TGAGGTAAAT	540
	TTTTTCAGTC	TTCAAAGTGG	AAATACCTGG	GAAAACAAGA	CACTTTTATG	TGTCAGTACA	600
	AATGAATACT	ACACTGAACT	GGGAATGTAT	TATCACCTGT	TAGTACAGAT	CCCAATATTC	660
	TTTTTCACTG	TTGTAGTAAT	GTTAATCACA	TACACCAAAA	TACTTCAGGC	TCTTAATATT	720
10	CGAATAGGCA	CAAGATTTTC	AACAGGGCAG	AAGAAGAAAG	CAAGAAAGAA	AAAGACAATT	780
	TCTCTAACCA	CACAACATGA	GGCTACAGAC	ATGTCACAAA	GCAGTGGTGG	GAGAAATGTA	840
	GTCTTTGGTG	TAAGAACTTC	AGTTTCTGTA	ATAATTGCCC	TCCGGCGAGC	TGTGAAACGA	900
	CACCGTGAAC	GACGAGAAAG	ACAAAAGAGA	GTCTTCAGGA	TGTCTTTATT	GATTATTTCT	960
	ACATTTCTTC	TCTGCTGGAC	ACCAATTTCT	GTTTTAAATA	CCACCATTTT	ATGTTTAGGC	1020
15	CCAAGTGACC	TTTTAGTAAA	ATTAAGATTG	TGTTTTTTAG	TCATGGCTTA	TGGAACAACT	1080
	ATATTTCACC	CTCTATTATA	TGCATTCACT	AGACAAAAAT	TTCAAAAGGT	CTTGAAAAGT	1140
	AAAATGAAAA	AGCGAGTTGT	TTCTATAGTA	GAAGCTGATC	CCCTGCCTAA	TAATGCTGTA	1200
	ATACACAACT	CTTGGATAGA	TCCCAAAAGA	AACAAAAAA	TTACCTTTGA	AGATAGTGAA	1260
	ATAAGAGAAA	AACGTTTAGT	GCCTCAGGTT	GTCACAGACT	AG		1302

- 20 (49) INFORMATION FOR SEQ ID NO:48:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 433 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
- 25 (D) TOPOLOGY: not relevant
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:48:

30 Ile Thr Val Arg Asp Asp Ile Asp Asp Ile Asn Thr Asn Met Tyr Gln 20 25 30

	Pro	Leu	Ser 35	Tyr	Pro	Leu	Ser	Phe 40	Gln	Val	Ser	Leu	Thr 45	Gly	Phe	Leu
	Met	Leu 50	Glu	Ile	Val	Leu	Gly 55	Leu	Gly	Ser	Asn	Leu 60	Thr	Val	Leu	Val
5	Leu 65	Tyr	Cys	Met	Lys	Ser 70	Asn	Leu	Ile	Asn	Ser 75	Val	Ser	Asn	Ile	Ile 80
	Thr	Met	Asn	Leu	His 85	Val	Leu	Asp	Val	Ile 90	Ile	Cys	Val	Gly	Cys 95	Ile
10	Pro	Leu	Thr	Ile 100	Val	Ile	Leu	Leu	Leu 105	Ser	Leu	Glu	Ser	Asn 110	Thr	Ala
	Leu	Ile	Cys 115	Сув	Phe	His	Glu	Ala 120	Cys	Val	Ser	Phe	Ala 125	Ser	Val	Ser
	Thr	Ala 130	Ile	Asn	Val	Phe	Ala 135	Ile	Thr	Leu	Asp	Arg 140	Tyr	Asp	Ile	Ser
15	Val 145	Lys	Pro	Ala	Asn	Arg 150	Ile	Leu	Thr	Met	Gly 155	Arg	Ala	Val	Met	Leu 160
	Met	Ile	Ser	Ile	Trp 165	Ile	Phe	Ser	Phe	Phe 170	Ser	Phe	Leu	Ile	Pro 175	Phe
20	Ile	Glu	Val	Asn 180	Phe	Phe	Ser	Leu	Gln 185	Ser	Gly	Asn	Thr	Trp 190	Glu	Asn
	Lys	Thr	Leu 195	Leu	Cys	Val	Ser	Thr 200	Asn	Glu	Tyr	Tyr	Thr 205	Glu	Leu	Gly
	Met	Tyr 210	Tyr	His	Leu	Leu	Val 215	Gln	Ile	Pro	Ile	Phe 220	Phe	Phe	Thr	Val
25	Val 225	Val	Met	Leu	Ile	Thr 230	Tyr	Thr	Lys	Ile	Leu 235	Gln	Ala	Leu	Asn	Ile 240
	Arg	Ile	Gly	Thr	Arg 245	Phe	Ser	Thr	Gly	Gln 250	Lys	Lys	Lys	Ala	Arg 255	Lys
30	Lys	Lys	Thr	Ile 260	Ser	Leu	Thr	Thr	Gln 265		Glu	Ala	Thr	Asp 270	Met	Ser
	Gln	Ser	Ser 275	Gly	Gly	Arg	Asn	Val 280	Val	Phe	Gly	Val	Arg 285		Ser	Val
	Ser	Val 290	Ile	Ile	Ala	Leu	Arg 295		Ala	Val	Lys	Arg 300	His	Arg	Glu	Arg
35	Arg 305		Arg	Gln	Lys	Arg 310	Val	Phe	Arg	Met	Ser 315	Leu	Leu	Ile	Ile	Ser 320
	Thr	Phe	Leu	Leu	Cys	Trp	Thr	Pro	Ile	Ser	Val	Leu	Asn	Thr	Thr	Ile

39

325 330 335 Leu Cys Leu Gly Pro Ser Asp Leu Leu Val Lys Leu Arg Leu Cys Phe 340 Leu Val Met Ala Tyr Gly Thr Thr Ile Phe His Pro Leu Leu Tyr Ala 5 Phe Thr Arg Gln Lys Phe Gln Lys Val Leu Lys Ser Lys Met Lys Lys 375 Arg Val Val Ser Ile Val Glu Ala Asp Pro Leu Pro Asn Asn Ala Val 390 10 Ile His Asn Ser Trp Ile Asp Pro Lys Arg Asn Lys Lys Ile Thr Phe 410 Glu Asp Ser Glu Ile Arg Glu Lys Arg Leu Val Pro Gln Val Val Thr 420 425 Asp 15 (50) INFORMATION FOR SEQ ID NO:49: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid 20 (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:49: GTGAAGCTTG CCTCTGGTGC CTGCAGGAGG 30 25 (51) INFORMATION FOR SEQ ID NO:50: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 31 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single 30 (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:50: GCAGAATTCC CGGTGGCGTG TTGTGGTGCC C 31 (52) INFORMATION FOR SEQ ID NO:51: 35 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 1209 base pairs

40

PCT/US99/23938

- (B) TYPE: nucleic acid(C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:51:

				~			
	ATGTTGTGTC	CTTCCAAGAC	AGATGGCTCA	GGGCACTCTG	GTAGGATTCA	CCAGGAAACT	60
	CATGGAGAAG	GGAAAAGGGA	CAAGATTAGC	AACAGTGAAG	GGAGGGAGAA	TGGTGGGAGA	120
	GGATTCCAGA	TGAACGGTGG	GTCGCTGGAG	GCTGAGCATG	CCAGCAGGAT	GTCAGTTCTC	180
	AGAGCAAAGC	CCATGTCAAA	CAGCCAACGC	TTGCTCCTTC	TGTCCCCAGG	ATCACCTCCT	240
10	CGCACGGGGA	GCATCTCCTA	CATCAACATC	ATCATGCCTT	CGGTGTTCGG	CACCATCTGC	300
	CTCCTGGGCA	TCATCGGGAA	CTCCACGGTC	ATCTTCGCGG	TCGTGAAGAA	GTCCAAGCTG	360
	CACTGGTGCA	ACAACGTCCC	CGACATCTTC	ATCATCAACC	TCTCGGTAGT	AGATCTCCTC	420
	TTTCTCCTGG	GCATGCCCTT	CATGATCCAC	CAGCTCATGG	GCAATGGGGT	GTGGCACTTT	480
	GGGGAGACCA	TGTGCACCCT	CATCACGGCC	ATGGATGCCA	ATAGTCAGTT	CACCAGCACC	540
15	TACATCCTGA	CCGCCATGGC	CATTGACCGC	TACCTGGCCA	CTGTCCACCC	CATCTCTTCC	600
	ACGAAGTTCC	GGAAGCCCTC	TGTGGCCACC	CTGGTGATCT	GCCTCCTGTG	GGCCCTCTCC	660
	TTCATCAGCA	TCACCCCTGT	GTGGCTGTAT	GCCAGACTCA	TCCCCTTCCC	AGGAGGTGCA	720
	GTGGGCTGCG	GCATACGCCT	GCCCAACCCA	GACACTGACC	TCTACTGGTT	CACCCTGTAC	780
	CAGTTTTTCC	TGGCCTTTGC	CCTGCCTTTT	GTGGTCATCA	CAGCCGCATA	CGTGAGGATC	840
20	CTGCAGCGCA	TGACGTCCTC	AGTGGCCCCC	GCCTCCCAGC	GCAGCATCCG	GCTGCGGACA	900
	AAGAGGGTGA	CCCGCACAGC	CATCGCCATC	TGTCTGGTCT	TCTTTGTGTG	CTGGGCACCC	960
	TACTATGTGC	TACAGCTGAC	CCAGTTGTCC	ATCAGCCGCC	CGACCCTCAC	CTTTGTCTAC	1020
	TTATACAATG	CGGCCATCAG	CTTGGGCTAT	GCCAACAGCT	GCCTCAACCC	CTTTGTGTAC	1080
	ATCGTGCTCT	GTGAGACGTT	CCGCAAACGC	TTGGTCCTGT	CGGTGAAGCC	TGCAGCCCAG	1140
25	GGGCAGCTTC	GCGCTGTCAG	CAACGCTCAG	ACGGCTGACG	AGGAGAGGAC	AGAAAGCAAA	1200
	GGCACCTGA						1209

# (53) INFORMATION FOR SEQ ID NO:52:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 402 amino acids
- (B) TYPE: amino acid

41

(C) STRANDEDNESS:

(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEO ID NO:52:

5 Met Leu Cys Pro Ser Lys Thr Asp Gly Ser Gly His Ser Gly Arg Ile His Gln Glu Thr His Gly Glu Gly Lys Arg Asp Lys Ile Ser Asn Ser 25 Glu Gly Arg Glu Asn Gly Gly Arg Gly Phe Gln Met Asn Gly Gly Ser 10 40 Leu Glu Ala Glu His Ala Ser Arg Met Ser Val Leu Arg Ala Lys Pro 55 Met Ser Asn Ser Gln Arg Leu Leu Leu Ser Pro Gly Ser Pro Pro 15 Arg Thr Gly Ser Ile Ser Tyr Ile Asn Ile Ile Met Pro Ser Val Phe Gly Thr Ile Cys Leu Leu Gly Ile Ile Gly Asn Ser Thr Val Ile Phe 105 Ala Val Val Lys Lys Ser Lys Leu His Trp Cys Asn Asn Val Pro Asp 20 115 120 Ile Phe Ile Ile Asn Leu Ser Val Val Asp Leu Leu Phe Leu Leu Gly 135 Met Pro Phe Met Ile His Gln Leu Met Gly Asn Gly Val Trp His Phe 145 155 25 Gly Glu Thr Met Cys Thr Leu Ile Thr Ala Met Asp Ala Asn Ser Gln Phe Thr Ser Thr Tyr Ile Leu Thr Ala Met Ala Ile Asp Arg Tyr Leu 185 Ala Thr Val His Pro Ile Ser Ser Thr Lys Phe Arg Lys Pro Ser Val 30 195 200 Ala Thr Leu Val Ile Cys Leu Leu Trp Ala Leu Ser Phe Ile Ser Ile 215 Thr Pro Val Trp Leu Tyr Ala Arg Leu Ile Pro Phe Pro Gly Gly Ala 225 230 35 Val Gly Cys Gly Ile Arg Leu Pro Asn Pro Asp Thr Asp Leu Tyr Trp 245 250

42

		Phe	Thr	Leu	Tyr 260	Gln	Phe	Phe	Leu	Ala 265	Phe	Ala	Leu	Pro	Phe 270	Val	Val	
		Ile	Thr	Ala 275	Ala	Tyr	Val	Arg	Ile 280	Leu	Gln	Arg	Met	Thr 285	Ser	Ser	Val	
5		Ala	Pro 290	Ala	Ser	Gln	Arg	Ser 295	Ile	Arg	Leu	Arg	Thr 300	Lys	Arg	Val	Thr	
		Arg 305	Thr	Ala	Ile	Ala	Ile 310	Cys	Leu	Val	Phe	Phe	Val	Cys	Trp	Ala	Pro 320	
10		Tyr	Tyr	Val	Leu	Gln 325	Leu	Thr	Gln	Leu	Ser 330	Ile	Ser	Arg	Pro	Thr 335	Leu	
		Thr	Phe	Val	Tyr 340	Leu	Tyr	Asn	Ala	Ala 345	Ile	Ser	Leu	Gly	Tyr 350	Ala	Asn	
		Ser	Cys	Leu 355	Asn	Pro	Phe	Val	Tyr 360	Ile	Val	Leu	Cys	Glu 365	Thr	Phe	Arg	
15		Lys	Arg 370	Leu	Val	Leu	Ser	Val 375	Lys	Pro	Ala	Ala	Gln 380	Gly	Gln	Leu	Arg	
		Ala 385	Val	Ser	Asn	Ala	Gln 390	Thr	Ala	Asp	Glu	Glu 395	Arg	Thr	Glu	Ser	Lys 400	
20	(54)	Gly		PT ON	EOD	Q IP ()	ר חד	iO • 5 1	Σ.									
	(54)	(i)			FOR CE CI													
25		(1)	(A) (B) (C)	LEI TYI	NGTH: PE: 1 RANDI	27 nucle	base eic a SS: s	e pai acid singl	irs									
		(ii	L) MO	DLECT	JLE 7	YPE:	: DNA	A (ge	enomi	lc)								
		(xi	i) SI	EQUE	1CE I	ESCI	RIPTI	EON:	SEQ	ID 1	<b>10:</b> 53	3:						
	GGCG	BATCO	CA TO	GAT	STGAC	TTC	CCA	Ą										27
30	(55)	INFO	ORMA:	rion	FOR	SEQ	ID 1	NO:54	<b>l</b> :									
35		(i)	(A) (B) (C)	LEI TYI	CE CH NGTH: PE: r RANDI POLOC	27 nucle	base eic a SS: s	e pai acid singl	irs									
		( <b>i</b> i	i) M	OLEC	JLE 1	TYPE:	: DNA	A (ge	enomi	ic)								

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:54:

PCT/US99/23938

27

43

#### GGCGGATCCC TACACGGCAC TGCTGAA

5

30

## (56) INFORMATION FOR SEQ ID NO:55:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1128 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:55:

10	ATGGATGTGA	CTTCCCAAGC	CCGGGGCGTG	GGCCTGGAGA	TGTACCCAGG	CACCGCGCAC	60
	GCTGCGGCCC	CCAACACCAC	CTCCCCGAG	CTCAACCTGT	CCCACCCGCT	CCTGGGCACC	120
	GCCCTGGCCA	ATGGGACAGG	TGAGCTCTCG	GAGCACCAGC	AGTACGTGAT	CGGCCTGTTC	180
	CTCTCGTGCC	TCTACACCAT	CTTCCTCTTC	CCCATCGGCT	TTGTGGGCAA	CATCCTGATC	240
	CTGGTGGTGA	ACATCAGCTT	CCGCGAGAAG	ATGACCATCC	CCGACCTGTA	CTTCATCAAC	300
15	CTGGCGGTGG	CGGACCTCAT	CCTGGTGGCC	GACTCCCTCA	TTGAGGTGTT	CAACCTGCAC	360
	GAGCGGTACT	ACGACATCGC	CGTCCTGTGC	ACCTTCATGT	CGCTCTTCCT	GCAGGTCAAC	420
	ATGTACAGCA	GCGTCTTCTT	CCTCACCTGG	ATGAGCTTCG	ACCGCTACAT	CGCCCTGGCC	480
	AGGGCCATGC	GCTGCAGCCT	GTTCCGCACC	AAGCACCACG	CCCGGCTGAG	CTGTGGCCTC	540
	ATCTGGATGG	CATCCGTGTC	AGCCACGCTG	GTGCCCTTCA	CCGCCGTGCA	CCTGCAGCAC	600
20	ACCGACGAGG	CCTGCTTCTG	TTTCGCGGAT	GTCCGGGAGG	TGCAGTGGCT	CGAGGTCACG	660
	CTGGGCTTCA	TCGTGCCCTT	CGCCATCATC	GGCCTGTGCT	ACTCCCTCAT	TGTCCGGGTG	720
	CTGGTCAGGG	CGCACCGGCA	CCGTGGGCTG	CGGCCCCGGC	GGCAGAAGGC	GCTCCGCATG	780
	ATCCTCGCGG	TGGTGCTGGT	CTTCTTCGTC	TGCTGGCTGC	CGGAGAACGT	CTTCATCAGC	840
	GTGCACCTCC	TGCAGCGGAC	GCAGCCTGGG	GCCGCTCCCT	GCAAGCAGTC	TTTCCGCCAT	900
25	GCCCACCCC	TCACGGGCCA	CATTGTCAAC	CTCGCCGCCT	TCTCCAACAG	CTGCCTAAAC	960
	CCCCTCATCT	ACAGCTTTCT	CGGGGAGACC	TTCAGGGACA	AGCTGAGGCT	GTACATTGAG	1020
	CAGAAAACAA	ATTTGCCGGC	CCTGAACCGC	TTCTGTCACG	CTGCCCTGAA	GGCCGTCATT	1080
	CCAGACAGCA	CCGAGCAGTC	GGATGTGAGG	TTCAGCAGTG	CCGTGTGA		1128

#### (57) INFORMATION FOR SEQ ID NO:56:

(i) SEQUENCE CHARACTERISTICS:

	<ul><li>(A) LENGTH: 375 amino acids</li><li>(B) TYPE: amino acid</li><li>(C) STRANDEDNESS:</li><li>(D) TOPOLOGY: not relevant</li></ul>															
5	(i:	i) M	OLEC	ULE '	TYPE	: pro	otei	n								
	(x:	i) S	EQUEI	NCE 1	DESC	RIPT:	ION:	SEQ	ID 1	NO:5	6:					
	Met 1	Asp	Val	Thr	Ser 5	Gln	Ala	Arg	Gly	Val 10	Gly	Leu	Glu	Met	Tyr 15	Pro
10	Gly	Thr	Ala	His 20	Ala	Ala	Ala	Pro	Asn 25	Thr	Thr	Ser	Pro	Glu 30	Leu	Asn
	Leu	Ser	His 35	Pro	Leu	Leu	Gly	Thr 40	Ala	Leu	Ala	Asn	Gly 45	Thr	Gly	Glu
	Leu	Ser 50	Glu	His	Gln	Gln	Tyr 55	Val	Ile	Gly	Leu	Phe 60	Leu	Ser	Cys	Leu
15	Tyr 65	Thr	Ile	Phe	Leu	Phe 70	Pro	Ile	Gly	Phe	Val 75	Gly	Asn	Ile	Leu	Ile 80
	Leu	Val	Val	Asn	Ile 85	Ser	Phe	Arg	Glu	Lys 90	Met	Thr	Ile	Pro	Asp 95	Leu
20	Tyr	Phe	Ile	Asn 100	Leu	Ala	Val	Ala	Asp 105	Leu	Ile	Leu	Val	Ala 110	Asp	Ser
	Leu	Ile	Glu 115	Val	Phe	Asn	Leu	His 120	Glu	Arg	Tyr	Tyr	Asp 125	Ile	Ala	Val
	Leu	Cys 130	Thr	Phe	Met	Ser	Leu 135	Phe	Leu	Gln	Val	Asn 140	Met	Tyr	Ser	Ser
25	Val 145	Phe	Phe	Leu	Thr	Trp 150	Met	Ser	Phe	Asp	Arg 155	Tyr	Ile	Ala	Leu	Ala 160
	Arg	Ala	Met	Arg	Cys 165	Ser	Leu	Phe	Arg	Thr 170	Lys	His	His	Ala	Arg 175	Leu
30	Ser	Cys	Gly	Leu 180	Ile	Trp	Met	Ala	Ser 185	Val	Ser	Ala	Thr	Leu 190	Val	Pro
	Phe	Thr	Ala 195	Val	His	Leu	Gln	His 200	Thr	Asp	Glu	Ala	Cys 205	Phe	Cys	Phe
	Ala	Asp 210	Val	Arg	Glu	Val	Gln 215	Trp	Leu	Glu	Val	Thr 220	Leu	Gly	Phe	Ile
35	Val 225	Pro	Phe	Ala	Ile	Ile 230	Gly	Leu	Cys	Tyr	Ser 235	Leu	Ile	Val	Arg	Val 240
	Leu	Val	Ara	Ala	His	Ara	His	Ara	Glv	Leu	Ara	Pro	Ara	Ara	Gln	T.ve

						245					250					255		
		Ala	Leu	Arg	Met 260	Ile	Leu	Ala	Val	Val 265	Leu	Val	Phe	Phe	Val 270	Cys	Trp	
5		Leu	Pro	Glu 275	Asn	Val	Phe	Ile	Ser 280	Val	His	Leu	Leu	Gln 285	Arg	Thr	Gln	
		Pro	Gly 290	Ala	Ala	Pro	Cys	Lys 295	Gln	Ser	Phe	Arg	His 300	Ala	His	Pro	Leu	
		Thr 305	Gly	His	Ile	Val	Asn 310	Leu	Ala	Ala	Phe	Ser 315	Asn	Ser	Cys	Leu	Asn 320	
10		Pro	Leu	Ile	Tyr	Ser 325	Phe	Leu	Gly	Glu	Thr 330	Phe	Arg	Asp	Lys	Leu 335	Arg	
		Leu	Tyr	Ile	Glu 340	Gln	Lys	Thr	Asn	Leu 345	Pro	Ala	Leu	Asn	Arg 350	Phe	Cys	
15		His	Ala	Ala 355	Leu	Lys	Ala	Val	Ile 360	Pro	Asp	Ser	Thr	Glu 365	Gln	Ser	Asp	
		Val	Arg 370	Phe	Ser	Ser	Ala	Val 375										
	(58)	INFO	ORMAT	rion	FOR	SEQ	ID 1	10:57	7:									
20			(B)	LEI TYI STI	NGTH: PE: 1 RANDI POLO(	: 31 nucle EDNES EY: ]	base eic a SS: s Linea	e pai acid sing] ar	irs le	La)								
25		ix)	i) SE	EQUE	CE I	DESCI	RIPT	ON:	SEQ	ID N	10:57	<b>7</b> :						
	AAGG	AATTO	CA CO	GCC(	GGTC	ATC	GCCAT	rtcc	С									31
	(59)	INFO	RMAT	rion	FOR	SEQ	ID 1	10:58	3:									
30		(i)	(B)	LEN TYI STI	IGTH : PE : r RANDE	: 30 nucle	base eic a SS: s	e pai acid singl	irs									
		(ii	L) MC	DLECT	JLE T	TYPE:	DNZ	4 (ge	enomi	.c)								
		(xi	l) se	EQUE	ICE I	DESCF	RIPTI	ON:	SEQ	ID N	10 : 58	3:						
35	GGTG	GATCO	CA TA	AAACA	ACGG(	G CGI	TGAC	GAC										30
	(60)	INFO	RMAT	MOIT	FOR	SEQ	ID 1	10:59	):									

(i)	SEQ	JENCE	CHA	ARAC'	TERIS:	rics:
	(A)	LENGT	Ή:	960	base	pairs

- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

5

- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:59:

	ATGCCATTCC	CAAACTGCTC	AGCCCCCAGC	ACTGTGGTGG	CCACAGCTGT	GGGTGTCTTG	60
	CTGGGGCTGG	AGTGTGGGCT	GGGTCTGCTG	GGCAACGCGG	TGGCGCTGTG	GACCTTCCTG	120
10	TTCCGGGTCA	GGGTGTGGAA	GCCGTACGCT	GTCTACCTGC	TCAACCTGGC	CCTGGCTGAC	180
	CTGCTGTTGG	CTGCGTGCCT	GCCTTTCCTG	GCCGCCTTCT	ACCTGAGCCT	CCAGGCTTGG	240
	CATCTGGGCC	GTGTGGGCTG	CTGGGCCCTG	CGCTTCCTGC	TGGACCTCAG	CCGCAGCGTG	300
	GGGATGGCCT	TCCTGGCCGC	CGTGGCTTTG	GACCGGTACC	TCCGTGTGGT	CCACCCTCGG	360
	CTTAAGGTCA	ACCTGCTGTC	TCCTCAGGCG	GCCCTGGGGG	TCTCGGGCCT	CGTCTGGCTC	420
15	CTGATGGTCG	CCCTCACCTG	CCCGGGCTTG	CTCATCTCTG	AGGCCGCCCA	GAACTCCACC	480
	AGGTGCCACA	GTTTCTACTC	CAGGGCAGAC	GGCTCCTTCA	GCATCATCTG	GCAGGAAGCA	540
	CTCTCCTGCC	TTCAGTTTGT	CCTCCCCTTT	GGCCTCATCG	TGTTCTGCAA	TGCAGGCATC	600
	ATCAGGGCTC	TCCAGAAAAG	ACTCCGGGAG	CCTGAGAAAC	AGCCCAAGCT	TCAGCGGGCC	660
	CAGGCACTGG	TCACCTTGGT	GGTGGTGCTG	TTTGCTCTGT	GCTTTCTGCC	CTGCTTCCTG	720
20	GCCAGAGTCC	TGATGCACAT	CTTCCAGAAT	CTGGGGAGCT	GCAGGGCCCT	TTGTGCAGTG	780
	GCTCATACCT	CGGATGTCAC	GGGCAGCCTC	ACCTACCTGC	ACAGTGTCGT	CAACCCCGTG	840
	GTATACTGCT	TCTCCAGCCC	CACCTTCAGG	AGCTCCTATC	GGAGGGTCTT	CCACACCCTC	900
	CGAGGCAAAG	GGCAGGCAGC	AGAGCCCCCA	GATTTCAACC	CCAGAGACTC	CTATTCCTGA	960

- (61) INFORMATION FOR SEQ ID NO:60:
- 25 (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 319 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: linear
- 30 (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:60:

Met Pro Phe Pro Asn Cys Ser Ala Pro Ser Thr Val Val Ala Thr Ala

	1				5					10					15	
	Val	Gly	Val	Leu 20	Leu	Gly	Leu	Glu	Cys 25	Gly	Leu	Gly	Leu	Leu 30	Gly	Ası
5	Ala	Val	Ala 35	Leu	Trp	Thr	Phe	Leu 40	Phe	Arg	Val	Arg	Val 45	Trp	Lys	Pro
	Tyr	Ala 50	Val	Tyr	Leu	Leu	Asn 55	Leu	Ala	Leu	Ala	Asp 60	Leu	Leu	Leu	Ala
	Ala 65	Cys	Leu	Pro	Phe	Leu 70	Ala	Ala	Phe	Tyr	Leu 75	Ser	Leu	Gln	Ala	Trp 80
10	His	Leu	Gly	Arg	Val 85	Gly	Cys	Trp	Ala	Leu 90	Arg	Phe	Leu	Leu	Asp 95	Leu
	Ser	Arg	Ser	Val 100	Gly	Met	Ala	Phe	Leu 105	Ala	Ala	Val	Ala	Leu 110	Asp	Arg
15	Tyr	Leu	Arg 115	Val	Val	His	Pro	Arg 120	Leu	Lys	Val	Asn	Leu 125	Leu	Ser	Pro
	Gln	Ala 130	Ala	Leu	Gly	Val	Ser 135	Gly	Leu	Val	Trp	Leu 140	Leu	Met	Val	Ala
	Leu 145	Thr	Cys	Pro	Gly	Leu 150	Leu	Ile	Ser	Glu	Ala 155	Ala	Gln	Asn	Ser	Thr 160
20	Arg	Cys	His	Ser	Phe 165	Tyr	Ser	Arg	Ala	Asp 170	Gly	Ser	Phe	Ser	Ile 175	Ile
	Trp	Gln	Glu	Ala 180	Leu	Ser	Cys	Leu	Gln 185	Phe	Val	Leu	Pro	Phe 190	Gly	Leu
25	Ile	Val	Phe 195	Cys	Asn	Ala	Gly	Ile 200	Ile	Arg	Ala	Leu	Gln 205	Lys	Arg	Leu
	Arg	Glu 210	Pro	Glu	Lys	Gln	Pro 215	Lys	Leu	Gln	Arg	Ala 220	Gln	Ala	Leu	Val
	Thr 225	Leu	Val	Val	Val	Leu 230	Phe	Ala	Leu	Cys	Phe 235	Leu	Pro	Cys	Phe	Leu 240
30	Ala	Arg	Val	Leu	Met 245	His	Ile	Phe	Gln	Asn 250	Leu	Gly	Ser	Cys	Arg 255	Ala
	Leu	Cys	Ala	Val 260	Ala	His	Thr	Ser	Asp 265	Val	Thr	Gly	Ser	Leu 270	Thr	Tyr
35	Leu	His	Ser 275	Val	Val	Asn	Pro	Val 280	Val	Tyr	Cys	Phe	Ser 285	Ser	Pro	Thr
	Phe	Arg 290	Ser	Ser	Tyr	Arg	Arg 295	Val	Phe	His	Thr	Leu 300	Arg	Gly	Lys	Gly

48

Gln Ala Ala Glu Pro Pro Asp Phe Asn Pro Arg Asp Ser Tyr Ser 305 310 315

## (62) INFORMATION FOR SEQ ID NO:61:

5

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1143 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- 10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:61:

10	(XT)	SECORNCE DE	DCRIETEON.	DEQ ID NO.	,		
	ATGGAGGAAG	GTGGTGATTT	TGACAACTAC	TATGGGGCAG	ACAACCAGTC	TGAGTGTGAG	60
	TACACAGACT	GGAAATCCTC	GGGGGCCCTC	ATCCCTGCCA	TCTACATGTT	GGTCTTCCTC	120
	CTGGGCACCA	CGGGAAACGG	TCTGGTGCTC	TGGACCGTGT	TTCGGAGCAG	CCGGGAGAAG	180
	AGGCGCTCAG	CTGATATCTT	CATTGCTAGC	CTGGCGGTGG	CTGACCTGAC	CTTCGTGGTG	240
15	ACGCTGCCCC	TGTGGGCTAC	CTACACGTAC	CGGGACTATG	ACTGGCCCTT	TGGGACCTTC	300
	TTCTGCAAGC	TCAGCAGCTA	CCTCATCTTC	GTCAACATGT	ACGCCAGCGT	CTTCTGCCTC	360
	ACCGGCCTCA	GCTTCGACCG	CTACCTGGCC	ATCGTGAGGC	CAGTGGCCAA	TGCTCGGCTG	420
	AGGCTGCGGG	TCAGCGGGGC	CGTGGCCACG	GCAGTTCTTT	GGGTGCTGGC	CGCCCTCCTG	480
	GCCATGCCTG	TCATGGTGTT	ACGCACCACC	GGGGACTTGG	AGAACACCAC	TAAGGTGCAG	540
20	TGCTACATGG	ACTACTCCAT	GGTGGCCACT	GTGAGCTCAG	AGTGGGCCTG	GGAGGTGGGC	600
	CTTGGGGTCT	CGTCCACCAC	CGTGGGCTTT	GTGGTGCCCT	TCACCATCAT	GCTGACCTGT	660
	TACTTCTTCA	TCGCCCAAAC	CATCGCTGGC	CACTTCCGCA	AGGAACGCAT	CGAGGGCCTG	720
	CGGAAGCGGC	GCCGGCTGCT	CAGCATCATC	GTGGTGCTGG	TGGTGACCTT	TGCCCTGTGC	780
	TGGATGCCCT	ACCACCTGGT	GAAGACGCTG	TACATGCTGG	GCAGCCTGCT	GCACTGGCCC	840
25	TGTGACTTTG	ACCTCTTCCT	CATGAACATC	TTCCCCTACT	GCACCTGCAT	CAGCTACGTC	900
	AACAGCTGCC	TCAACCCCTT	CCTCTATGCC	TTTTTCGACC	CCCGCTTCCG	CCAGGCCTGC	960
	ACCTCCATGC	TCTGCTGTGG	CCAGAGCAGG	TGCGCAGGCA	CCTCCCACAG	CAGCAGTGGG	1020
	GAGAAGTCAG	CCAGCTACTC	TTCGGGGCAC	AGCCAGGGGC	CCGGCCCCAA	CATGGGCAAG	1080
	GGTGGAGAAC	AGATGCACGA	GAAATCCATC	CCCTACAGCC	AGGAGACCCT	TGTGGTTGAC	1140
30	TAG						1143

(63)	INFORMATION	FOR	SEQ	ID	NO:62:
------	-------------	-----	-----	----	--------

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 380 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:62:
- - Ser Glu Cys Glu Tyr Thr Asp Trp Lys Ser Ser Gly Ala Leu Ile Pro 20 25 30
  - Ala Ile Tyr Met Leu Val Phe Leu Leu Gly Thr Thr Gly Asn Gly Leu 35 40 45
- Val Leu Trp Thr Val Phe Arg Ser Ser Arg Glu Lys Arg Arg Ser Ala
  50 55 60
  - Asp Ile Phe Ile Ala Ser Leu Ala Val Ala Asp Leu Thr Phe Val Val 65 70 75 80
- Thr Leu Pro Leu Trp Ala Thr Tyr Thr Tyr Arg Asp Tyr Asp Trp Pro 85 90 95
  - Phe Gly Thr Phe Phe Cys Lys Leu Ser Ser Tyr Leu Ile Phe Val Asn 100 105 110
  - Met Tyr Ala Ser Val Phe Cys Leu Thr Gly Leu Ser Phe Asp Arg Tyr 115 120 125
- Leu Ala Ile Val Arg Pro Val Ala Asn Ala Arg Leu Arg Leu Arg Val
  130 135 140
  - Ser Gly Ala Val Ala Thr Ala Val Leu Trp Val Leu Ala Ala Leu Leu 145 5 150 160
- Ala Met Pro Val Met Val Leu Arg Thr Thr Gly Asp Leu Glu Asn Thr 165 170 175
  - Thr Lys Val Gln Cys Tyr Met Asp Tyr Ser Met Val Ala Thr Val Ser 180 185 190
  - Ser Glu Trp Ala Trp Glu Val Gly Leu Gly Val Ser Ser Thr Thr Val 195 200 205
- Gly Phe Val Val Pro Phe Thr Ile Met Leu Thr Cys Tyr Phe Phe Ile 210 215 220
  - Ala Gln Thr Ile Ala Gly His Phe Arg Lys Glu Arg Ile Glu Gly Leu

		225					230					235					240
		Arg	Lys	Arg	Arg	Arg 245	Leu	Leu	Ser	Ile	Ile 250	Val	Val	Leu	Val	Val 255	Thr
5		Phe	Ala	Leu	Cys 260	Trp	Met	Pro	Tyr	His 265	Leu	Val	Lys	Thr	Leu 270	Tyr	Met
		Leu	Gly	Ser 275	Leu	Leu	His	Trp	Pro 280	Cys	Asp	Phe	Asp	Leu 285	Phe	Leu	Met
		Asn	Ile 290	Phe	Pro	Tyr	Cys	Thr 295	Cys	Ile	Ser	Tyr	Val 300	Asn	Ser	Cys	Leu
10		Asn 305	Pro	Phe	Leu	Tyr	Ala 310	Phe	Phe	Asp	Pro	Arg 315	Phe	Arg	Gln	Ala	Cys 320
		Thr	Ser	Met	Leu	Cys 325	Cys	Gly	Gln	Ser	Arg 330	Cys	Ala	Gly	Thr	Ser 335	His
15		Ser	Ser	Ser	Gly 340	Glu	Lys	Ser	Ala	Ser 345	Tyr	Ser	Ser	Gly	His 350	Ser	Gln
		Gly	Pro	Gly 355	Pro	Asn	Met	Gly	Lys 360	Gly	Gly	Glu	Gln	Met 365	His	Glu	Lys
		Ser	Ile 370	Pro	Tyr	Ser	Gln	Glu 375	Thr	Leu	Val	Val	Asp 380				
20	(64)	INFO	ORMA!	rion	FOR	SEQ	ID 1	NO:63	3:								
25		(i)	(A) (B) (C)	LEN TYP STR	IGTH: PE: r	: 31 nucle	base eic a SS: s	singl	irs								
		(ii	L) MO	LECU	JLE 1	YPE:	DNA	A (ge	enomi	.c)	÷						
		(xi	i) SI	EQUEN	ICE I	ESCI	RIPT	ON:	SEQ	ID N	<b>10:6</b> 3	·:					
	TGAG	ATTC	CT GO	GTGAC	CTCAC	C AGO	CCGGC	CACA	G								3:
	(65)	INFO	ORMAT	TION	FOR	SEQ	ID N	10:64	<u>.</u> :								
30		(i)	(A) (B) (C)	LEN TYE STE	NGTH: PE: r	31 nucle EDNES	base ic a SS: s	singl	.rs								
35		(ii	L) MC	DLECU	JLE I	YPE:	DNZ	4 (ge	enomi	.c)							
		(xi	l) si	QUEN	ICE I	ESCF	RIPTI	ON:	SEQ	ID N	10:64	:					

51

## GCCGGATCCA AGGAAAAGCA GCAATAAAAG G

31

#### (66) INFORMATION FOR SEQ ID NO:65:

5

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1119 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:65:

10 ATGAACTACC CGCTAACGCT GGAAATGGAC CTCGAGAACC TGGAGGACCT GTTCTGGGAA 60 120 ACAGAGGGTC CCCTCATGGC CTCCTTCAAG GCCGTGTTCG TGCCCGTGGC CTACAGCCTC ATCTTCCTCC TGGGCGTGAT CGGCAACGTC CTGGTGCTGG TGATCCTGGA GCGGCACCGG 240 CAGACACGCA GTTCCACGGA GACCTTCCTG TTCCACCTGG CCGTGGCCGA CCTCCTGCTG 15 GTCTTCATCT TGCCCTTTGC CGTGGCCGAG GGCTCTGTGG GCTGGGTCCT GGGGACCTTC 360 CTCTGCAAAA CTGTGATTGC CCTGCACAAA GTCAACTTCT ACTGCAGCAG CCTGCTCCTG GCCTGCATCG CCGTGGACCG CTACCTGGCC ATTGTCCACG CCGTCCATGC CTACCGCCAC 480 CGCCGCCTCC TCTCCATCCA CATCACCTGT GGGACCATCT GGCTGGTGGG CTTCCTCCTT 540 GCCTTGCCAG AGATTCTCTT CGCCAAAGTC AGCCAAGGCC ATCACAACAA CTCCCTGCCA 600 20 CGTTGCACCT TCTCCCAAGA GAACCAAGCA GAAACGCATG CCTGGTTCAC CTCCCGATTC CTCTACCATG TGGCGGGATT CCTGCTGCCC ATGCTGGTGA TGGGCTGGTG CTACGTGGGG 720 GTAGTGCACA GGTTGCGCCA GGCCCAGCGG CGCCCTCAGC GGCAGAAGGC AGTCAGGGTG 780 GCCATCCTGG TGACAAGCAT CTTCTTCCTC TGCTGGTCAC CCTACCACAT CGTCATCTTC 840 CTGGACACCC TGGCGAGGCT GAAGGCCGTG GACAATACCT GCAAGCTGAA TGGCTCTCTC 900 25 CCCGTGGCCA TCACCATGTG TGAGTTCCTG GGCCTGGCCC ACTGCTGCCT CAACCCCATG 960 CTCTACACTT TCGCCGGCGT GAAGTTCCGC AGTGACCTGT CGCGGCTCCT GACCAAGCTG 1020 GGCTGTACCG GCCCTGCCTC CCTGTGCCAG CTCTTCCCTA GCTGGCGCAG GAGCAGTCTC TCTGAGTCAG AGAATGCCAC CTCTCTCACC ACGTTCTAG 1119

(67) INFORMATION FOR SEQ ID NO:66:

30 (i) SEQUENCE CHARACTERISTICS:

52

(A) LENGTH: 372 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant 5 (ii) MOLECULE TYPE: protein (xi) SEQUENCE DESCRIPTION: SEQ ID NO:66: Met Asn Tyr Pro Leu Thr Leu Glu Met Asp Leu Glu Asn Leu Glu Asp 10 Leu Phe Trp Glu Leu Asp Arg Leu Asp Asn Tyr Asn Asp Thr Ser Leu 10 25 Val Glu Asn His Leu Cys Pro Ala Thr Glu Gly Pro Leu Met Ala Ser Phe Lys Ala Val Phe Val Pro Val Ala Tyr Ser Leu Ile Phe Leu Leu 15 Gly Val Ile Gly Asn Val Leu Val Leu Val Ile Leu Glu Arg His Arg 70 75 Gln Thr Arg Ser Ser Thr Glu Thr Phe Leu Phe His Leu Ala Val Ala Asp Leu Leu Val Phe Ile Leu Pro Phe Ala Val Ala Glu Gly Ser 20 105 Val Gly Trp Val Leu Gly Thr Phe Leu Cys Lys Thr Val Ile Ala Leu 115 120 His Lys Val Asn Phe Tyr Cys Ser Ser Leu Leu Leu Ala Cys Ile Ala 135 25 Val Asp Arg Tyr Leu Ala Ile Val His Ala Val His Ala Tyr Arg His 145 150 155 Arg Arg Leu Leu Ser Ile His Ile Thr Cys Gly Thr Ile Trp Leu Val 170 Gly Phe Leu Leu Ala Leu Pro Glu Ile Leu Phe Ala Lys Val Ser Gln 30 185 Gly His His Asn Asn Ser Leu Pro Arg Cys Thr Phe Ser Gln Glu Asn 195 200 Gln Ala Glu Thr His Ala Trp Phe Thr Ser Arg Phe Leu Tyr His Val

215

230

Ala Gly Phe Leu Leu Pro Met Leu Val Met Gly Trp Cys Tyr Val Gly

Val Val His Arg Leu Arg Gln Ala Gln Arg Arg Pro Gln Arg Gln Lys

235

35

						245					250					255		
		Ala	Val	Arg	Val 260	Ala	Ile	Leu	Val	Thr 265	Ser	Ile	Phe	Phe	Leu 270	Cys	Trp	
5		Ser	Pro	Tyr 275	His	Ile	Val	Ile	Phe 280	Leu	Asp	Thr	Leu	Ala 285	Arg	Leu	Lys	
		Ala	Val 290	Asp	Asn	Thr	Cys	Lys 295	Leu	Asn	Gly	Ser	Leu 300	Pro	Val	Ala	Ile	
		Thr 305	Met	Cys	Glu	Phe	Leu 310	Gly	Leu	Ala	His	Cys 315	Cys	Leu	Asn	Pro	Met 320	
10		Leu	Tyr	Thr	Phe	Ala 325	Gly	Val	Lys	Phe	Arg 330	Ser	Asp	Leu	Ser	Arg 335	Leu	
		Leu	Thr	Lys	Leu 340	Gly	Cys	Thr	Gly	Pro 345	Ala	Ser	Leu	Cys	Gln 350	Leu	Phe	
15		Pro	Ser	Trp 355	Arg	Arg	Ser	Ser	Leu 360	Ser	Glu	Ser	Glu	Asn 365	Ala	Thr	Ser	
		Leu	Thr 370	Thr	Phe													
	(68)	INFO	ORMA'	rion	FOR	SEQ	ID 1	10:67	7:									
20		(i)	(A) (B) (C)	LEI TYI	NGTH: PE: r RANDE	: 30 nucle EDNES	base eic a SS: s	singl	irs									
		(ii	_) MC	DLECT	JLE T	TYPE:	: DNZ	4 (ge	enomi	.c)								
25		(xi	.) SI	EQUE1	CE I	DESCF	RIPTI	ON:	SEQ	ID N	10:67	7:						
	CAAA	3CTT0	BA AZ	AGCTO	CAC	GTO	CAG	AGAC										30
	(69)	INFO	RMAT	rion	FOR	SEQ	ID 1	10:68	B:									
30		(i)	(A) (B) (C)	LEN TYP	GTH: PE: r RANDE	30 nucle	base ic a SS: s	ingl	rs									
		(ii	.) MC	LECU	JLE T	YPE:	DNA	A (ge	nomi	.c)								
		(xi	.) SE	EQUE1	ICE I	ESCF	RIPTI	ON:	SEQ	ID N	10:68	3:						
35	GCGGZ	ATCCC	G AG	STCAC	CACCO	TGG	CTGG	GCC										30
	(70)	INFO	RMAT	TON	FOR	SEQ	ID N	10:69	):									

54

	<b>~</b> '
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1128 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>
	(ii) MOLECULE TYPE: DNA (genomic)
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:69:
	ATGGATGTGA CTTCCCAAGC CCGGGGCGTG GGCCTGGAGA TG

CTGGAGA TGTACCCAGG CACCGCGCAG 60 CCTGCGGCCC CCAACACCAC CTCCCCCGAG CTCAACCTGT CCCACCCGCT CCTGGGCACC 10 GCCCTGGCCA ATGGGACAGG TGAGCTCTCG GAGCACCAGC AGTACGTGAT CGGCCTGTTC CTCTCGTGCC TCTACACCAT CTTCCTCTTC CCCATCGGCT TTGTGGGCAA CATCCTGATC CTGGTGGTGA ACATCAGCTT CCGCGAGAAG ATGACCATCC CCGACCTGTA CTTCATCAAC 300 CTGGCGGTGG CGGACCTCAT CCTGGTGGCC GACTCCCTCA TTGAGGTGTT CAACCTGCAC GAGCGGTACT ACGACATCGC CGTCCTGTGC ACCTTCATGT CGCTCTTCCT GCAGGTCAAC ATGTACAGCA GCGTCTTCTT CCTCACCTGG ATGAGCTTCG ACCGCTACAT CGCCCTGGCC 15 AGGGCCATGC GCTGCAGCCT GTTCCGCACC AAGCACCACG CCCGGCTGAG CTGTGGCCTC 540 ATCTGGATGG CATCCGTGTC AGCCACGCTG GTGCCCTTCA CCGCCGTGCA CCTGCAGCAC ACCGACGAGG CCTGCTTCTG TTTCGCGGAT GTCCGGGAGG TGCAGTGGCT CGAGGTCACG 660 CTGGGCTTCA TCGTGCCCTT CGCCATCATC GGCCTGTGCT ACTCCCTCAT TGTCCGGGTG 720 CTGGTCAGGG CGCACCGGCA CCGTGGGCTG CGGCCCCGGC GGCAGAAGGC GCTCCGCATG 780 840 GTGCACCTCC TGCAGCGGAC GCAGCCTGGG GCCGCTCCCT GCAAGCAGTC TTTCCGCCAT GCCCACCCC TCACGGGCCA CATTGTCAAC CTCACCGCCT TCTCCAACAG CTGCCTAAAC 960 CCCCTCATCT ACAGCTTTCT CGGGGAGACC TTCAGGGACA AGCTGAGGCT GTACATTGAG 1020 25 CAGAAAACAA ATTTGCCGGC CCTGAACCGC TTCTGTCACG CTGCCCTGAA GGCCGTCATT 1080 CCAGACAGCA CCGAGCAGTC GGATGTGAGG TTCAGCAGTG CCGTGTAG 1128

(71) INFORMATION FOR SEQ ID NO:70:

30

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 375 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:70:													
	(xi) 8	SEQUENCE	DESCRI	PTION:	SEQ	ID	NO:7	0:					
	Met Asp 1	Val Th	Ser G 5	ln Ala	Arg	Gly	Val	Gly	Leu	Glu	Met	Tyr 15	Pro
5	Gly Thi	Ala Gli 20	n Pro A	la Ala	Pro	Asn 25	Thr	Thr	Ser	Pro	Glu 30	Leu	Asn
	Leu Ser	His Pro	Leu L	eu Gly	Thr 40	Ala	Leu	Ala	Asn	Gly 45	Thr	Gly	Glu
10	Leu Ser 50	Glu His	Gln G	ln Tyr 55	Val	Ile	Gly	Leu	Phe 60	Leu	Ser	Cys	Leu
	Tyr Thr 65	: Ile Phe	e Leu Pl 70		Ile	Gly	Phe	Val 75	Gly	Asn	Ile	Leu	Ile 80
	Leu Val	. Val Asr	Ile Se 85	er Phe	Arg	Glu	Lys 90	Met	Thr	Ile	Pro	Asp 95	Leu
15	Tyr Phe	lle Asr		la Val	Ala	Asp 105	Leu	Ile	Leu	Val	Ala 110	Asp	Ser
	Leu Ile	Glu Val	Phe As	sn Leu	His 120	Glu	Arg	Tyr	Tyr	Asp 125	Ile	Ala	Val
20	Leu Cys 130	Thr Phe	Met Se	er Leu 135	Phe	Leu	Gln	Val	Asn 140	Met	Tyr	Ser	Ser
	Val Phe 145	Phe Leu	Thr Ti		Ser	Phe	Asp	Arg 155	Tyr	Ile	Ala	Leu	Ala 160
	Arg Ala	Met Arg	Cys Se 165	er Leu	Phe	Arg	Thr 170	Lys	His	His	Ala	Arg 175	Leu
25	Ser Cys	Gly Leu 180	Ile Tr	p Met	Ala	Ser 185	Val	Ser	Ala	Thr	Leu 190	Val	Pro
	Phe Thr	Ala Val 195	His Le	eu Gln	His 200	Thr	Asp	Glu	Ala	Cys 205	Phe	Cys	Phe
30	Ala Asp 210	Val Arg	Glu Va	l Gln 215	Trp	Leu	Glu	Val	Thr 220	Leu	Gly	Phe	Ile
	Val Pro 225	Phe Ala	Ile Il 23		Leu	Cys	Tyr	Ser 235	Leu	Ile	Val	Arg	Val 240
	Leu Val	Arg Ala	His Ar 245	g His	Arg	Gly	Leu 250	Arg	Pro	Arg	Arg	Gln <b>25</b> 5	Lys
35	Ala Leu	Arg Met 260	Ile Le	u Ala	Val	Val 265	Leu	Val	Phe	Phe	Val 270	Cys	Trp

		Leu	Pro	Glu 275	Asn	Val	Phe	Ile	Ser 280	Val	His	Leu	Leu	Gln 285	Arg	Thr	Gln
		Pro	Gly 290	Ala	Ala	Pro	Cys	Lys 295	Gln	Ser	Phe	Arg	His 300	Ala	His	Pro	Leu
5		Thr 305	Gly	His	Ile	Val	Asn 310	Leu	Thr	Ala	Phe	Ser 315	Asn	Ser	Cys	Leu	Asn 320
		Pro	Leu	Ile	Tyr	Ser 325	Phe	Leu	Gly	Glu	Thr 330	Phe	Arg	Asp	Lys	Leu 335	Arg
10		Leu	Tyr	Ile	Glu 340	Gln	Lys	Thr	Asn	Leu 345	Pro	Ala	Leu	Asn	Arg 350	Phe	Cys
		His	Ala	Ala 355	Leu	Lys	Ala	Val	Ile 360	Pro	Asp	Ser	Thr	Glu 365	Gln	Ser	Asp
		Val	Arg 370	Phe	Ser	Ser	Ala	Val 375									
15	(72)	INFO	RMAI	CION	FOR	SEQ	ID 1	10:73	. <b>:</b>								
20	(72) INFORMATION FOR SEQ ID NO:71:  (i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 30 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:71:																
	ACAGA								SEQ	ע מד	IO:71	. <b>:</b>					30
	(73)	INFO	RMAT	NOI	FOR	SEQ	ID N	iO:72	:								
25		(i)	(A) (B) (C)	LEN TYP	GTH: E: n ANDE	30 ucle DNES	base ic a S: s	ingl	rs								
30		(ii	) MO	LECU	LE T	YPE:	DNA	(ge	nomi	c)							
		(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:72	:					
	CTCGG	ATCC	A GG	CAGA	AGAG	TCG	CCTA	TGG									30
	(74)	INFO	RMAT	NOI	FOR	SEQ	ID N	0:73	:								
35		(i)	(A) (B)	LEN TYP	GTH: E: n	113 ucle	7 ba ic a	STIC se p cid ingl	airs								

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:73:

	ATGGACCTGG	GGAAACCAAT	GAAAAGCGTG	CTGGTGGTGG	CTCTCCTTGT	CATTTTCCAG	60
5	GTATGCCTGT	GTCAAGATGA	GGTCACGGAC	GATTACATCG	GAGACAACAC	CACAGTGGAC	120
	TACACTTTGT	TCGAGTCTTT	GTGCTCCAAG	AAGGACGTGC	GGAACTTTAA	AGCCTGGTTC	180
	CTCCCTATCA	TGTACTCCAT	CATTTGTTTC	GTGGGCCTAC	TGGGCAATGG	GCTGGTCGTG	240
	TTGACCTATA	TCTATTTCAA	GAGGCTCAAG	ACCATGACCG	ATACCTACCT	GCTCAACCTG	300
	GCGGTGGCAG	ACATCCTCTT	CCTCCTGACC	CTTCCCTTCT	GGGCCTACAG	CGCGGCCAAG	360
10	TCCTGGGTCT	TCGGTGTCCA	CTTTTGCAAG	CTCATCTTTG	CCATCTACAA	GATGAGCTTC	420
	TTCAGTGGCA	TGCTCCTACT	TCTTTGCATC	AGCATTGACC	GCTACGTGGC	CATCGTCCAG	480
	GCTGTCTCAG	CTCACCGCCA	CCGTGCCCGC	GTCCTTCTCA	TCAGCAAGCT	GTCCTGTGTG	540
	GGCATCTGGA	TACTAGCCAC	AGTGCTCTCC	ATCCCAGAGC	TCCTGTACAG	TGACCTCCAG	600
	AGGAGCAGCA	GTGAGCAAGC	GATGCGATGC	TCTCTCATCA	CAGAGCATGT	GGAGGCCTTT	660
15	ATCACCATCC	AGGTGGCCCA	GATGGTGATC	GGCTTTCTGG	TCCCCCTGCT	GGCCATGAGC	720
	TTCTGTTACC	TTGTCATCAT	CCGCACCCTG	CTCCAGGCAC	GCAACTTTGA	GCGCAACAAG	780
	GCCATCAAGG	TGATCATCGC	TGTGGTCGTG	GTCTTCATAG	TCTTCCAGCT	GCCCTACAAT	840
	GGGGTGGTCC	TGGCCCAGAC	GGTGGCCAAC	TTCAACATCA	CCAGTAGCAC	CTGTGAGCTC	900
	AGTAAGCAAC	TCAACATCGC	CTACGACGTC	ACCTACAGCC	TGGCCTGCGT	CCGCTGCTGC	960
20	GTCAACCCTT	TCTTGTACGC	CTTCATCGGC	GTCAAGTTCC	GCAACGATCT	CTTCAAGCTC	1020
	TTCAAGGACC	TGGGCTGCCT	CAGCCAGGAG	CAGCTCCGGC	AGTGGTCTTC	CTGTCGGCAC	1080
	ATCCGGCGCT	CCTCCATGAG	TGTGGAGGCC	GAGACCACCA	CCACCTTCTC	CCCATAG	1137

(75) INFORMATION FOR SEQ ID NO:74:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 378 amino acids(B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant
  - (ii) MOLECULE TYPE: protein
- 30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:74:

	1	Asp	Leu	GIĀ	ьys 5	Pro	мес	гÀз	ser	val 10	Leu	Val	Val	Ala	Leu 15	Le
	Val	Ile	Phe	Gln 20	Val	Cys	Leu	Cys	Cln 25	Asp	Glu	Val	Thr	Asp 30	Asp	Туз
5	Ile	Gly	Asp 35	Asn	Thr	Thr	Val	Asp 40	Tyr	Thr	Leu	Phe	Glu 45	Ser	Leu	Суя
	Ser	Lys 50	Lys	Asp	Val	Arg	Asn 55	Phe	Lys	Ala	Trp	Phe 60	Leu	Pro	Ile	Met
10	Tyr 65	Ser	Ile	Ile	Cys	Phe 70	Val	Gly	Leu	Leu	Gly 75	Asn	Gly	Leu	Val	Val 80
	Leu	Thr	Tyr	Ile	Tyr 85	Phe	Lys	Arg	Leu	Lys 90	Thr	Met	Thr	Asp	Thr 95	Туг
	. Leu	Leu	Asn	Leu 100	Ala	Val	Ala	Asp	Ile 105	Leu	Phe	Leu	Leu	Thr 110	Leu	Pro
15	Phe	Trp	Ala 115	Tyr	Ser	Ala	Ala	Lys 120	Ser	Trp	Val	Phe	Gly 125	Val	His	Phe
	Cys	Lys 130	Leu	Ile	Phe	Ala	Ile 135	Tyr	Lys	Met	Ser	Phe 140	Phe	Ser	Gly	Met
20	Leu 145	Leu	Leu	Leu	Cys	Ile 150	Ser	Ile	Asp	Arg	Tyr 155	Val	Ala	Ile	Val	Gln 160
	Ala	Val	Ser	Ala	His 165	Arg	His	Arg	Ala	Arg 170	Val	Leu	Leu	Ile	Ser 175	Lys
	Leu	Ser	Cys	Val 180	Gly	Ile	Trp	Ile	Leu 185	Ala	Thr	Val	Leu	Ser 190	Ile	Pro
25	Glu	Leu	Leu 195	Tyr	Ser	Asp	Leu	Gln 200	Arg	Ser	Ser	Ser	Glu 205	Gln	Ala	Met
	Arg	Cys 210	Ser	Leu	Ile	Thr	Glu 215	His	Val	Glu	Ala	Phe 220	Ile	Thr	Ile	Gln
30	Val 225	Ala	Gln	Met	Val	Ile 230	Gly	Phe	Leu	Val	Pro 235	Leu	Leu	Ala	Met	Ser 240
	Phe	Cys	Tyr	Leu	Val 245	Ile	Ile	Arg	Thr	Leu 250	Leu	Gln	Ala	Arg	Asn 255	Phe
	Glu	Arg	Asn	Lys 260	Ala	Ile	Lys	Val	Ile 265	Ile	Ala	Val	Val	Val 270	Val	Phe
35	Ile	Val	Phe 275	Gln	Leu	Pro	Tyr	Asn 280	Gly	Val	Val	Leu	Ala 285	Gln	Thr	Val

	Ala Asn Phe Asn Ile Thr Ser Ser Thr Cys Glu Leu Ser Lys Gln Leu 290 295 300	
	Asn Ile Ala Tyr Asp Val Thr Tyr Ser Leu Ala Cys Val Arg Cys Cys 305 310 315 320	
5	Val Asn Pro Phe Leu Tyr Ala Phe Ile Gly Val Lys Phe Arg Asn Asp 325 330 335	
	Leu Phe Lys Leu Phe Lys Asp Leu Gly Cys Leu Ser Gln Glu Gln Leu 340 345 350	
10	Arg Gln Trp Ser Ser Cys Arg His Ile Arg Arg Ser Ser Met Ser Val 355 360 365	
	Glu Ala Glu Thr Thr Thr Phe Ser Pro 370 375	
	(76) INFORMATION FOR SEQ ID NO:75:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 32 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:75:	
	CTGGAATTCA CCTGGACCAC CACCAATGGA TA 32	
	(77) INFORMATION FOR SEQ ID NO:76:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:76:	
30	CTCGGATCCT GCAAAGTTTG TCATACAGTT 30	
	(78) INFORMATION FOR SEQ ID NO:77:	
35	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 1085 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear  (ii) MOLECULE TYPE: DNA (genomic)	

60

	(xi)	SEQUENCE DI	ESCRIPTION:	SEQ ID NO:	77:		
	ATGGATATAC	AAATGGCAAA	CAATTTTACT	CCGCCCTCTG	CAACTCCTCA	GGGAAATGAC	60
	TGTGACCTCT	ATGCACATCA	CAGCACGGCC	AGGATAGTAA	TGCCTCTGCA	TTACAGCCTC	120
	GTCTTCATCA	TTGGGCTCGT	GGGAAACTTA	CTAGCCTTGG	TCGTCATTGT	TCAAAACAGG	180
5	AAAAAAATCA	ACTCTACCAC	CCTCTATTCA	ACAAATTTGG	TGATTTCTGA	TATACTTTTT	240
	ACCACGGCTT	TGCCTACACG	AATAGCCTAC	TATGCAATGG	GCTTTGACTG	GAGAATCGGA	300
	GATGCCTTGT	GTAGGATAAC	TGCGCTAGTG	TTTTACATCA	ACACATATGC	AGGTGTGAAC	360
	TTTATGACCT	GCCTGAGTAT	TGACCGCTTC	ATTGCTGTGG	TGCACCCTCT	ACGCTACAAC	420
	AAGATAAAA	GGATTGAACA	TGCAAAAGGC	GTGTGCATAT	TTGTCTGGAT	TCTAGTATTT	480
10	GCTCAGACAC	TCCCACTCCT	CATCAACCCT	ATGTCAAAGC	AGGAGGCTGA	AAGGATTACA	540
	TGCATGGAGT	ATCCAAACTT	TGAAGAAACT	AAATCTCTTC	CCTGGATTCT	GCTTGGGGCA	600
	TGTTTCATAG	GATATGTACT	TCCACTTATA	ATCATTCTCA	TCTGCTATTC	TCAGATCTGC	660
	TGCAAACTCT	TCAGAACTGC	CAAACAAAAC	CCACTCACTG	AGAAATCTGG	TGTAAACAAA	720
	AAGGCTCTCA	ACACAATTAT	TCTTATTATT	GTTGTGTTTG	TTCTCTGTTT	CACACCTTAC	780
15	CATGTTGCAA	TTATTCAACA	TATGATTAAG	AAGCTTCGTT	TCTCTAATTT	CCTGGAATGT	840
	AGCCAAAGAC	ATTCGTTCCA	GATTTCTCTG	CACTTTACAG	TATGCCTGAT	GAACTTCAAT	900
	TGCTGCATGG	ACCCTTTTAT	CTACTTCTTT	GCATGTAAAG	GGTATAAGAG	AAAGGTTATG	960
	AGGATGCTGA	AACGGCAAGT	CAGTGTATCG	ATTTCTAGTG	CTGTGAAGTC	AGCCCCTGAA	1020
	GAAAATTCAC	GTGAAATGAC	AGAAACGCAG	ATGATGATAC	ATTCCAAGTC	TTCAAATGGA	1080
20	AAGTGA						1086
	(79) INFORM	MATION FOR S	SEQ ID NO:78	3:			
	(i) S	EQUENCE CHA	RACTERISTIC	CS:			

- - (A) LENGTH: 361 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:

25

- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:78:

Met Asp Ile Gln Met Ala Asn Asn Phe Thr Pro Pro Ser Ala Thr Pro 30 10

								6	1							
	Gln	Gly	Asn	Asp 20	Cys	Asp	Leu	Tyr	Ala 25	His	His	Ser	Thr	Ala 30	Arg	Ile
	Val	Met	Pro 35	Leu	His	Tyr	Ser	Leu 40	Val	Phe	Ile	Ile	Gly 45	Leu	Val	Gly
5	Asn	Leu 50	Leu	Ala	Leu	Val	Val 55	Ile	Val	Gln	Asn	Arg 60	Lys	Lys	Ile	Asn
	Ser 65	Thr	Thr	Leu	Tyr	Ser 70	Thr	Asn	Leu	Val	Ile 75	Ser	Asp	Ile	Leu	Phe 80
10	Thr	Thr	Ala	Leu	Pro 85	Thr	Arg	Ile	Ala	Tyr 90	Tyr	Ala	Met	Gly	Phe 95	Asp
	Trp	Arg	Ile	Gly 100	Asp	Ala	Leu	Cys	Arg 105	Ile	Thr	Ala	Leu	Val 110	Phe	Tyr
	Ile	Asn	Thr 115	Tyr	Ala	Gly	Val	Asn 120	Phe	Met	Thr	Cys	Leu 125	Ser	Ile	Asp
15	Arg	Phe 130	Ile	Ala	Val	Val	His 135	Pro	Leu	Arg	Tyr	Asn 140	Lys	Ile	Lys	Arg
	Ile 145	Glu	His	Ala	Lys	Gly 150	Val	Cys	Ile	Phe	Val 155	Trp	Ile	Leu	Val	Phe 160
20	Ala	Gln	Thr	Leu	Pro 165	Leu	Leu	Ile	Asn	Pro 170	Met	Ser	Lys	Gln	Glu 175	Ala
	Glu	Arg	Ile	Thr 180	Cys	Met	Glu	Tyr	Pro 185	Asn	Phe	Glu	Glu	Thr 190	Lys	Ser
	Leu	Pro	Trp 195	Ile	Leu	Leu	Gly	Ala 200	Cys	Phe	Ile	Gly	Tyr 205	Val	Leu	Pro
25	Leu	Ile 210	Ile	Ile	Leu	Ile	Cys 215		Ser	Gln	Ile	Cys 220	Cys	Lys	Leu	Phe
	Arg 225	Thr	Ala	Lys	Gln	Asn 230	Pro	Leu	Thr	Glu	Lys 235	Ser	Gly	Val	Asn	Lys 240
30	Lys	Ala	Leu	Asn	Thr 245	Ile	Ile	Leu	Ile	Ile 250	Val	Val	Phe	Val	Leu 255	Cys
	Phe	Thr	Pro	Tyr 260	His	Val	Ala	Ile	Ile 265	Gln	His	Met	Ile	Lys 270	Lys	Leu
	Arg	Phe	Ser 275	Asn	Phe	Leu	Glu	Cys 280	Ser	Gln	Arg	His	Ser 285	Phe	Gln	Ile
35	Ser	Leu 290	His	Phe	Thr	Val	Cys 295	Leu	Met	Asn	Phe	Asn 300	Cys	Cys	Met	Asp
	Pro	Phe	Ile	Tyr	Phe	Phe	Ala	Cys	Lys	Gly	Tyr	Lys	Arg	Lys	Val	Met

	305 310 315 3.	20
	Arg Met Leu Lys Arg Gln Val Ser Val Ser Ile Ser Ser Ala Val Ly 325 330 335	/S
5	Ser Ala Pro Glu Glu Asn Ser Arg Glu Met Thr Glu Thr Gln Met Me 340 345 350	et
	Ile His Ser Lys Ser Ser Asn Gly Lys 355 360	
	(80) INFORMATION FOR SEQ ID NO:79:	
10	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 31 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
15	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:79:	
	CTGGAATTCT CCTGCTCATC CAGCCATGCG G	3:
	(81) INFORMATION FOR SEQ ID NO:80:	
20	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:80:	
25	CCTGGATCCC CACCCCTACT GGGGCCTCAG	30
	(82) INFORMATION FOR SEQ ID NO:81:	
30	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1446 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:81:	
	ATGCGGTGGC TGTGGCCCCT GGCTGTCTCT CTTGCTGTGA TTTTGGCTGT GGGGCTAAGC	60
35	AGGGTCTCTG GGGGTGCCCC CCTGCACCTG GGCAGGCACA GAGCCGAGAC CCAGGAGCAC	120

	CAGAGCCGAT	CCAAGAGGGG	CACCGAGGAT	GAGGAGGCCA	AGGGCGTGCA	GCAGTATGTG	180
	CCTGAGGAGT	GGGCGGAGTA	CCCCCGGCCC	ATTCACCCTG	CTGGCCTGCA	GCCAACCAAG	240
	CCCTTGGTGG	CCACCAGCCC	TAACCCCGAC	AAGGATGGGG	GCACCCCAGA	CAGTGGGCAG	300
	GAACTGAGGG	GCAATCTGAC	AGGGGCACCA	GGGCAGAGGC	TACAGATCCA	GAACCCCCTG	360
5	TATCCGGTGA	CCGAGAGCTC	CTACAGTGCC	TATGCCATCA	TGCTTCTGGC	GCTGGTGGTG	420
	TTTGCGGTGG	GCATTGTGGG	CAACCTGTCG	GTCATGTGCA	TCGTGTGGCA	CAGCTACTAC	480
	CTGAAGAGCG	CCTGGAACTC	CATCCTTGCC	AGCCTGGCCC	TCTGGGATTT	TCTGGTCCTC	540
	TTTTTCTGCC	TCCCTATTGT	CATCTTCAAC	GAGATCACCA	AGCAGAGGCT	ACTGGGTGAC	600
	GTTTCTTGTC	GTGCCGTGCC	CTTCATGGAG	GTCTCCTCTC	TGGGAGTCAC	GACTTTCAGC	660
10	CTCTGTGCCC	TGGGCATTGA	CCGCTTCCAC	GTGGCCACCA	GCACCCTGCC	CAAGGTGAGG	720
	CCCATCGAGC	GGTGCCAATC	CATCCTGGCC	AAGTTGGCTG	TCATCTGGGT	GGGCTCCATG	780
	ACGCTGGCTG	TGCCTGAGCT	CCTGCTGTGG	CAGCTGGCAC	AGGAGCCTGC	CCCCACCATG	840
	GGCACCCTGG	ACTCATGCAT	CATGAAACCC	TCAGCCAGCC	TGCCCGAGTC	CCTGTATTCA	900
	CTGGTGATGA	CCTACCAGAA	CGCCCGCATG	TGGTGGTACT	TTGGCTGCTA	CTTCTGCCTG	960
15	CCCATCCTCT	TCACAGTCAC	CTGCCAGCTG	GTGACATGGC	GGGTGCGAGG	CCCTCCAGGG	1020
	AGGAAGTCAG	AGTGCAGGGC	CAGCAAGCAC	GAGCAGTGTG	AGAGCCAGCT	CAACAGCACC	1080
	GTGGTGGCC	TGACCGTGGT	CTACGCCTTC	TGCACCCTCC	CAGAGAACGT	CTGCAACATC	1140
	GTGGTGGCCT	ACCTCTCCAC	CGAGCTGACC	CGCCAGACCC	TGGACCTCCT	GGGCCTCATC	1200
	AACCAGTTCT	CCACCTTCTT	CAAGGGCGCC	ATCACCCCAG	TGCTGCTCCT	TTGCATCTGC	1260
20	AGGCCGCTGG	GCCAGGCCTT	CCTGGACTGC	TGCTGCTGCT	GCTGCTGTGA	GGAGTGCGGC	1320
	GGGGCTTCGG	AGGCCTCTGC	TGCCAATGGG	TCGGACAACA	AGCTCAAGAC	CGAGGTGTCC	1380
	TCTTCCATCT	ACTTCCACAA	GCCCAGGGAG	TCACCCCCAC	TCCTGCCCCT	GGGCACACCT	1440
	TGCTGA						7446

# (83) INFORMATION FOR SEQ ID NO:82:

25 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 481 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- 30 (ii) MOLECULE TYPE: protein

WO 00/22129

4	(xi	SECHENCE	DESCRIPTION:	SEO.	TD	NO . 97	ο.
- 1	<u>^</u>	) DECORNCE	DESCRIBITON:	SEU	$_{\rm LL}$	11(1):82	4:

	Met 1	Arg	Trp	Leu	Trp 5	Pro	Leu	Ala	Val	Ser 10	Leu	Ala	Val	Ile	Leu 15	Ala
5	Val	Gly	Leu	Ser 20	Arg	Val	Ser	Gly	Gly 25	Ala	Pro	Leu	His	Leu 30	Gly	Arg
	His	Arg	Ala 35	Glu	Thr	Gln	Glu	Gln 40	Gln	Ser	Arg	Ser	Lys 45	Arg	Gly	Thr
	Glu	Asp 50	Glu	Glu	Ala	Lys	Gly 55	Val	Gln	Gln	Tyr	Val 60	Pro	Glu	Glu	Trp
10	Ala 65	Glu	Tyr	Pro	Arg	Pro 70	Ile	His	Pro	Ala	Gly 75	Leu	Gln	Pro	Thr	80 Lys
	Pro	Leu	Val	Ala	Thr 85	Ser	Pro	Asn	Pro	Asp 90	Lys	Asp	Gly	Gly	Thr 95	Pro
15	Asp	Ser	Gly	Gln 100	Glu	Leu	Arg	Gly	Asn 105	Leu	Thr	Gly	Ala	Pro 110	Gly	Gln
	Arg	Leu	Gln 115	Ile	Gln	Asn	Pro	Leu 120	Tyr	Pro	Val	Thr	Glu 125	Ser	Ser	Tyr
	Ser	Ala 130	Tyr	Ala	Ile	Met	Leu 135	Leu	Ala	Leu	Val	Val 140	Phe	Ala	Val	Gly
20	Ile 145	Val	Gly	Asn	Leu	Ser 150	Val	Met	Сув	Ile	Val 155	Trp	His	Ser	Tyr	Tyr 160
	Leu	Lys	Ser	Ala	Trp 165	Asn	Ser	Ile	Leu	Ala 170	Ser	Leu	Ala	Leu	Trp 175	Asp
25	Phe	Leu	Val	Leu 180	Phe	Phe	Cys	Leu	Pro 185	Ile	Val	Ile	Phe	Asn 190	Glu	Ile
	Thr	Lys	Gln 195	Arg	Leu	Leu	Gly	Asp 200	Val	Ser	Cys	Arg	Ala 205	Val	Pro	Phe
	Met	Glu 210	Val	Ser	Ser	Leu	Gly 215	Val	Thr	Thr	Phe	Ser 220	Leu	Cys	Ala	Leu
30	Gly 225	Ile	Asp	Arg	Phe	His 230	Val	Ala	Thr	Ser	Thr 235	Leu	Pro	Lys	Val	Arg 240
	Pro	Ile	Glu	Arg	Cys 245	Gln	Ser	Ile	Leu	Ala 250	Lys	Leu	Ala	Val	Ile 255	Trp
35	Val	Gly	Ser	Met 260	Thr	Leu	Ala	Val	Pro 265	Glu	Leu	Leu	Leu	Trp 270	Gln	Leu
	Ala	Gln	Glu	Pro	Ala	Pro	Thr	Met	Gly	Thr	Leu	Asp	Ser	Cys	Ile	Met

PCT/US99/23938

				275					280					285			
		Lys	Pro 290	Ser	Ala	Ser	Leu	Pro 295	Glu	Ser	Leu	Tyr	Ser 300	Leu	Val	Met	Thr
5		Tyr 305	Gln	Asn	Ala	Arg	Met 310	Trp	Trp	Tyr	Phe	Gly 315	Cys	Tyr	Phe	Cys	Leu 320
		Pro	Ile	Leu	Phe	Thr 325	Val	Thr	Cys	Gln	Leu 330	Val	Thr	Trp	Arg	Val 335	Arg
		Gly	Pro	Pro	Gly 340	Arg	Lys	Ser	Glu	Cys 345	Arg	Ala	Ser	Lys	His 350	Glu	Gln
10		Cys	Glu	Ser 355	Gln	Leu	Asn	Ser	Thr 360	Val	Val	Gly	Leu	Thr 365	Val	Val	Tyr
		Ala	Phe 370	Cys	Thr	Leu	Pro	Glu 375	Asn	Val	Cys	Asn	Ile 380	Val	Val	Ala	Tyr
15		Leu 385	Ser	Thr	Glu	Leu	Thr 390	Arg	Gln	Thr	Leu	Asp 395	Leu	Leu	Gly	Leu	Ile 400
		Asn	Gln	Phe	Ser	Thr 405	Phe	Phe	Lys	Gly	Ala 410	Ile	Thr	Pro	Val	Leu 415	Leu
		Leu	Cys	Ile	Cys 420	Arg	Pro	Leu	Gly	Gln 425	Ala	Phe	Leu	Asp	Cys 430	Cys	Cys
20		Cys	Cys	Cys 435	Cys	Glu	Glu	Cys	Gly 440	Gly	Ala	Ser	Glu	Ala 445	Ser	Ala	Ala
		Asn	Gly 450	Ser	Asp	Asn	Lys	Leu 455	Lys	Thr	Glu	Val	Ser 460	Ser	Ser	Ile	Tyr
25		Phe 465	His	Lys	Pro	Arg	Glu 470	Ser	Pro	Pro	Leu	Leu 475	Pro	Leu	Gly	Thr	Pro 480
		Cys															
	(84)	INF	ORMA	TION	FOR	SEQ	ID :	ио : 8	3:								
30		(i		QUEN													
			(C	) TY ) ST ) TO	RAND	EDNE	SS:	sing									
		(i		OLEC					enom	ic)							
35		(x	i) S	EQUE	NCE	DESC	RIPT	ION:	SEQ	ID	NO:8	3:					

	(85) INFORMATION FOR SEQ ID NO:84:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 22 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:84:	
	TCATGTATTA ATACTAGATT CT	22
10	(86) INFORMATION FOR SEQ ID NO:85:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 38 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:85:	
	TACCATGTGG AACGCGACGC CCAGCGAAGA GCCGGGGT	38
	(87) INFORMATION FOR SEQ ID NO:86:	
20	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 39 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
25	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:86:	
	CGGAATTCAT GTATTAATAC TAGATTCTGT CCAGGCCCG	39
	(88) INFORMATION FOR SEQ ID NO:87:	
30	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1101 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
35	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:87:	

67

	ATGTGGAACG	CGACGCCCAG	CGAAGAGCCG	GGGTTCAACC	TCACACTGGC	CGACCTGGAC	60
	TGGGATGCTT	CCCCCGGCAA	CGACTCGCTG	GGCGACGAGC	TGCTGCAGCT	CTTCCCCGCG	120
	CCGCTGCTGG	CGGGCGTCAC	AGCCACCTGC	GTGGCACTCT	TCGTGGTGGG	TATCGCTGGC	180
	AACCTGCTCA	CCATGCTGGT	GGTGTCGCGC	TTCCGCGAGC	TGCGCACCAC	CACCAACCTC	240
5	TACCTGTCCA	GCATGGCCTT	CTCCGATCTG	CTCATCTTCC	TCTGCATGCC	CCTGGACCTC	300
	GTTCGCCTCT	GGCAGTACCG	GCCCTGGAAC	TTCGGCGACC	TCCTCTGCAA	ACTCTTCCAA	360
	TTCGTCAGTG	AGAGCTGCAC	CTACGCCACG	GTGCTCACCA	TCACAGCGCT	GAGCGTCGAG	420
	CGCTACTTCG	CCATCTGCTT	CCCACTCCGG	GCCAAGGTGG	TGGTCACCAA	GGGGCGGTG	480
	AAGCTGGTCA	TCTTCGTCAT	CTGGGCCGTG	GCCTTCTGCA	GCGCCGGGCC	CATCTTCGTG	540
10	CTAGTCGGGG	TGGAGCACGA	GAACGGCACC	GACCCTTGGG	ACACCAACGA	GTGCCGCCCC	600
	ACCGAGTTTG	CGGTGCGCTC	TGGACTGCTC	ACGGTCATGG	TGTGGGTGTC	CAGCATCTTC	660
	TTCTTCCTTC	CTGTCTTCTG	TCTCACGGTC	CTCTACAGTC	TCATCGGCAG	GAAGCTGTGG	720
	CGGAGGAGGC	GCGGCGATGC	TGTCGTGGGT	GCCTCGCTCA	GGGACCAGAA	CCACAAGCAA	780
	ACCGTGAAAA	TGCTGGCTGT	AGTGGTGTTT	GCCTTCATCC	TCTGCTGGCT	CCCCTTCCAC	840
15	GTAGGGCGAT	ATTTATTTTC	CAAATCCTTT	GAGCCTGGCT	CCTTGGAGAT	TGCTCAGATC	900
	AGCCAGTACT	GCAACCTCGT	GTCCTTTGTC	CTCTTCTACC	TCAGTGCTGC	CATCAACCCC	960
	ATTCTGTACA	ACATCATGTC	CAAGAAGTAC	CGGGTGGCAG	TGTTCAGACT	TCTGGGATTC	1020
	GAACCCTTCT	CCCAGAGAAA	GCTCTCCACT	CTGAAAGATG	AAAGTTCTCG	GGCCTGGACA	1080
	GAATCTAGTA	TTAATACATG	A				1101

 $20\,$  (89) Information for SEQ ID NO:88:

25

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 366 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:88:

Met Trp Asn Ala Thr Pro Ser Glu Glu Pro Gly Phe Asn Leu Thr Leu 1 5 10 15

Ala Asp Leu Asp Trp Asp Ala Ser Pro Gly Asn Asp Ser Leu Gly Asp 20 25 30

	Glu	Leu	Leu 35	Gln	Leu	Phe	Pro	Ala 40	Pro	Leu	Leu	Ala	Gly 45	Val	Thr	Ala
	Thr	Cys 50	Val	Ala	Leu	Phe	Val 55	Val	Gly	Ile	Ala	Gly 60	Asn	Leu	Leu	Thr
5	Met 65	Leu	Val	Val	Ser	Arg 70	Phe	Arg	Glu	Leu	Arg 75	Thr	Thr	Thr	Asn	Leu 80
	Tyr	Leu	Ser	Ser	Met 85	Ala	Phe	Ser	Asp	Leu 90	Leu	Ile	Phe	Leu	Cys 95	Met
10	Pro	Leu	Asp	Leu 100	Val	Arg	Leu	Trp	Gln 105	Tyr	Arg	Pro	Trp	Asn 110	Phe	Gly
	Asp	Leu	Leu 115	Cys	Lys	Leu	Phe	Gln 120	Phe	Val	Ser	Glu	Ser 125	Cys	Thr	Tyr
	Ala	Thr 130	Val	Leu	Thr	Ile	Thr 135	Ala	Leu	Ser	Val	Glu 140	Arg	Tyr	Phe	Ala
15	Ile 145	Cys	Phe	Pro	Leu	Arg 150	Ala	Lys	Val	Val	Val 155	Thr	Lys	Gly	Arg	Val 160
	Lys	Leu	Val	Ile	Phe 165	Val	Ile	Trp	Ala	Val 170	Ala	Phe	Cys	Ser	Ala 175	Gly
20	Pro	Ile	Phe	Val 180	Leu	Val	Gly	Val	Glu 185	His	Glu	Asn	Gly	Thr 190	Asp	Pro
	Trp	Asp	Thr 195	Asn	Glu	Cys	Arg	Pro 200	Thr	Glu	Phe	Ala	Val 205	Arg	Ser	Gly
	Leu	Leu 210	Thr	Val	Met	Val	Trp 215	Val	Ser	Ser	Ile	Phe 220	Phe	Phe	Leu	Pro
25	Val 225	Phe	Cys	Leu	Thr	Val 230	Leu	Tyr	Ser	Leu	Ile 235	Gly	Arg	Lys	Leu	Trp 240
	Arg	Arg	Arg	Arg	Gly 245	Asp	Ala	Val	Val	Gly 250	Ala	Ser	Leu	Arg	Asp 255	Gln
30	Asn	His	Lys	Gln 260	Thr	Val	Lys	Met	Leu 265	Ala	Val	Val	Val	Phe 270	Ala	Phe
	Ile	Leu	Cys 275	Trp	Leu	Pro	Phe	His 280	Val	Gly	Arg	Tyr	Leu 285	Phe	Ser	Lys
	Ser	Phe 290	Glu	Pro	Gly	Ser	Leu 295	Glu	Ile	Ala	Gln	Ile 300	Ser	Gln	Tyr	Cys
35	Asn 305	Leu	Val	Ser	Phe	Val 310	Leu	Phe	Tyr	Leu	Ser 315	Ala	Ala	Ile	Asn	Pro 320
	Ile	Leu	Tyr	Asn	Ile	Met	Ser	Lys	Lys	Tyr	Arg	Val	Ala	Val	Phe	Arg

	325 330 335	
	Leu Leu Gly Phe Glu Pro Phe Ser Gln Arg Lys Leu Ser Thr Leu Ly 340 345 350	3
5	Asp Glu Ser Ser Arg Ala Trp Thr Glu Ser Ser Ile Asn Thr 355 360 365	
	(90) INFORMATION FOR SEQ ID NO:89:	
10	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 33 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:89:	
	GCAAGCTTGT GCCCTCACCA AGCCATGCGA GCC	33
15	(91) INFORMATION FOR SEQ ID NO:90:	
20	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 30 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:90:	
	CGGAATTCAG CAATGAGTTC CGACAGAAGC	30
	(92) INFORMATION FOR SEQ ID NO:91:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1842 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
30	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:91:	
	ATGCGAGCCC CGGGCGCGCT TCTCGCCCGC ATGTCGCGGC TACTGCTTCT GCTACTGCTC	60
	AAGGTGTCTG CCTCTTCTGC CCTCGGGGTC GCCCCTGCGT CCAGAAACGA AACTTGTCTG	120
	GGGGAGAGCT GTGCACCTAC AGTGATCCAG CGCCGCGGCA GGGACGCCTG GGGACCGGGA	180
35	AATTCTGCAA GAGACGTTCT GCGAGCCCGA GCACCCAGGG AGGAGCAGGG GGCAGCGTTT	240

	CTTGCGGGAC	CCTCCTGGGA	CCTGCCGGCG	GCCCCGGGCC	GTGACCCGGC	TGCAGGCAGA	300
	GGGGCGGAGG	CGTCGGCAGC	CGGACCCCCG	GGACCTCCAA	CCAGGCCACC	TGGCCCCTGG	360
	AGGTGGAAAG	GTGCTCGGGG	TCAGGAGCCT	TCTGAAACTT	TGGGGAGAGG	GAACCCCACG	420
	GCCCTCCAGC	TCTTCCTTCA	GATCTCAGAG	GAGGAAGAGA	AGGGTCCCAG	AGGCGCTGGC	480
5	ATTTCCGGGC	GTAGCCAGGA	GCAGAGTGTG	AAGACAGTCC	CCGGAGCCAG	CGATCTTTTT	540
	TACTGGCCAA	GGAGAGCCGG	GAAACTCCAG	GGTTCCCACC	ACAAGCCCCT	GTCCAAGACG	600
	GCCAATGGAC	TGGCGGGGCA	CGAAGGGTGG	ACAATTGCAC	TCCCGGGCCG	GGCGCTGGCC	660
	CAGAATGGAT	CCTTGGGTGA	AGGAATCCAT	GAGCCTGGGG	GTCCCCGCCG	GGGAAACAGC	720
	ACGAACCGGC	GTGTGAGACT	GAAGAACCCC	TTCTACCCGC	TGACCCAGGA	GTCCTATGGA	780
10	GCCTACGCGG	TCATGTGTCT	GTCCGTGGTG	ATCTTCGGGA	CCGGCATCAT	TGGCAACCTG	840
	GCGGTGATGA	GCATCGTGTG	CCACAACTAC	TACATGCGGA	GCATCTCCAA	CTCCCTCTTG	900
	GCCAACCTGG	CCTTCTGGGA	CTTTCTCATC	ATCTTCTTCT	GCCTTCCGCT	GGTCATCTTC	960
	CACGAGCTGA	CCAAGAAGTG	GCTGCTGGAG	GACTTCTCCT	GCAAGATCGT	GCCCTATATA	1020
	GAGGTCGCTT	CTCTGGGAGT	CACCACTTTC	ACCTTATGTG	CTCTGTGCAT	AGACCGCTTC	1080
15	CGTGCTGCCA	CCAACGTACA	GATGTACTAC	GAAATGATCG	AAAACTGTTC	CTCAACAACT	1140
	GCCAAACTTG	CTGTTATATG	GGTGGGAGCT	CTATTGTTAG	CACTTCCAGA	AGTTGTTCTC	1200
	CGCCAGCTGA	GCAAGGAGGA	TTTGGGGTTT	AGTGGCCGAG	CTCCGGCAGA	AAGGTGCATT	1260
	ATTAAGATCT	CTCCTGATTT	ACCAGACACC	ATCTATGTTC	TAGCCCTCAC	CTACGACAGT	1320
	GCGAGACTGT	GGTGGTATTT	TGGCTGTTAC	TTTTGTTTGC	CCACGCTTTT	CACCATCACC	1380
20	TGCTCTCTAG	TGACTGCGAG	GAAAATCCGC	AAAGCAGAGA	AAGCCTGTAC	CCGAGGGAAT	1440
	AAACGGCAGA	TTCAACTAGA	GAGTCAGATG	AACTGTACAG	TAGTGGCACT	GACCATTTTA	1500
	TATGGATTTT	GCATTATTCC	TGAAAATATC	TGCAACATTG	TTACTGCCTA	CATGGCTACA	1560
	GGGGTTTCAC	AGCAGACAAT	GGACCTCCTT	AATATCATCA	GCCAGTTCCT	TTTGTTCTTT	1620
	AAGTCCTGTG	TCACCCCAGT	CCTCCTTTTC	TGTCTCTGCA	AACCCTTCAG	TCGGGCCTTC	1680
25	ATGGAGTGCT	GCTGCTGTTG	CTGTGAGGAA	TGCATTCAGA	AGTCTTCAAC	GGTGACCAGT	1740
	GATGACAATG	ACAACGAGTA	CACCACGGAA	CTCGAACTCT	CGCCTTTCAG	TACCATACGC	1800
	CGTGAAATGT	CCACTTTTGC	TTCTGTCGGA	ACTCATTGCT	GA		1842
	(93) INFORM	ATION FOR S	EQ ID NO:92	1:			

5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 613 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS:</li> <li>(D) TOPCLOGY: not relevant</li> </ul>															
	(i	.i) M	OLEC	ULE	TYPE	: pr	otei	n								
	(x	i) S	EQUE	NCE	DESC	RIPT	ION:	SEQ	ID	NO : 9	2:					
	Met 1	Arg	Ala	Pro	Gly 5	Ala	Leu	Leu	Ala	Arg 10	Met	Ser	Arg	Leu	Leu 15	Leu
10	Leu	Leu	Leu	Leu 20	Lys	Val	Ser	Ala	Ser 25	Ser	Ala	Leu	Gly	Val 30	Ala	Pro
	Ala	Ser	Arg 35	Asn	Glu	Thr	Cys	Leu 40	Gly	Glu	Ser	Cys	Ala 45	Pro	Thr	Val
15	Ile	Gln 50	Arg	Arg	Gly	Arg	Asp 55	Ala	Trp	Gly	Pro	Gly 60	Asn	Ser	Ala	Arg
	Asp 65	Val	Leu	Arg	Ala	Arg 70	Ala	Pro	Arg	Glu	Glu 75	Gln	Gly	Ala	Ala	Phe 80
	Leu	Ala	Gly	Pro	Ser 85	Trp	Asp	Leu	Pro	Ala 90	Ala	Pro	Gly	Arg	Asp 95	Pro
20	Ala	Ala	Gly	Arg 100	Gly	Ala	Glu	Ala	Ser 105	Ala	Ala	Gly	Pro	Pro 110	Gly	Pro
	Pro	Thr	Arg 115	Pro	Pro	Gly	Pro	Trp 120	Arg	Trp	Lys	Gly	Ala 125	Arg	Gly	Gln
25	Glu	Pro 130	Ser	Glu	Thr	Leu	Gly 135	Arg	Gly	Asn	Pro	Thr 140	Ala	Leu	Gln	Leu
	Phe 145	Leu	Gln	Ile	Ser	Glu 150	Glu	Glu	Glu	Lys	Gly 155	Pro	Arg	Gly	Ala	Gly 160
	Ile	Ser	Gly	Arg	Ser 165	Gln	Glu	Gln	Ser	Val 170	Lys	Thr	Val	Pro	Gly 175	Ala
30	Ser	Asp	Leu	Phe 180	Tyr	Trp	Pro	Arg	Arg 185	Ala	Gly	Lys	Leu	Gln 190	Gly	Ser
	His	His	Lys 195	Pro	Leu	Ser	Lys	Thr 200	Ala	Asn	Gly	Leu	Ala 205	Gly	His	Glu
35	Gly	Trp 210	Thr	Ile	Ala	Leu	Pro 215	Gly	Arg	Ala	Leu	Ala 220	${ t Gln}$	Asn	Gly	Ser
	Leu 225	Gly	Glu	Gly	Ile	His 230	Glu	Pro	Gly	Gly	Pro 235	Arg	Arg	Gly	Asn	Ser 240

	Thr	Asn	. Arg	Arg	Val 245		Leu	Lys	Asn	250	Phe	Tyr	Pro	Leu	Thr 255	Gln
	Glu	Ser	Tyr	Gly 260	Ala	Tyr	Ala	Val	Met 265		Leu	Ser	Val	Val 270		Phe
5	Gly	Thr	Gly 275		Ile	Gly	Asn	Leu 280		Val	Met	Ser	Ile 285	Val	Cys	His
	Asn	Tyr 290	Tyr	Met	Arg	Ser	Ile 295	Ser	Asn	Ser	Leu	Leu 300	Ala	Asn	Leu	Ala
10	Phe 305	Trp	Asp	Phe	Leu	Ile 310	Ile	Phe	Phe	Cys	Leu 315	Pro	Leu	Val	Ile	Phe 320
	His	Glu	Leu	Thr	Lys 325	Lys	Trp	Leu	Leu	Glu 330	Asp	Phe	Ser	Cys	Lys 335	Ile
	Val	Pro	Tyr	Ile 340	Glu	Val	Ala	Ser	Leu 345	Gly	Val	Thr	Thr	Phe 350	Thr	Leu
15	Cys	Ala	Leu 355	Cys	Ile	Asp	Arg	Phe 360	Arg	Ala	Ala	Thr	Asn 365	Val	Gln	Met
	Tyr	Tyr 370	Glu	Met	Ile	Glu	Asn 375	Cys	Ser	Ser	Thr	Thr 380	Ala	Lys	Leu	Ala
20	Val 385	Ile	Trp	Val	Gly	Ala 390	Leu	Leu	Leu	Ala	Leu 395	Pro	Glu	Val	Val	Leu 400
	Arg	Gln	Leu	Ser	Lys 405	Glu	Asp	Leu	Gly	Phe 410	Ser	Gly	Arg	Ala	Pro 415	Ala
	Glu	Arg	Cys	Ile 420	Ile	Lys	Ile	Ser	Pro 425	Asp	Leu	Pro	Asp	Thr 430	Ile	Tyr
25	Val	Leu	Ala 435	Leu	Thr	Tyr	Asp	Ser 440	Ala	Arg	Leu	Trp	Trp 445	Tyr	Phe	Gly
	Cys	Tyr 450	Phe	Cys	Leu	Pro	Thr 455	Leu	Phe	Thr	Ile	Thr 460	Cys	Ser	Leu	Val
30	Thr 465	Ala	Arg	Lys	Ile	Arg 470	Lys	Ala	Glu	Lys	Ala 475	Cys	Thr	Arg	Gly	Asn 480
	Lys	Arg	Gln	Ile	Gln 485	Leu	Glu	Ser	Gln	Met 490	Asn	Cys	Thr	Val	Val 495	Ala
	Leu	Thr	Ile	Leu 500	Tyr	Gly	Phe	Cys	Ile 505	Ile	Pro	Glu	Asn	Ile 510	Cys	Asn
35	Ile	Val	Thr 515	Ala	Tyr	Met	Ala	Thr 520	Gly	Val	Ser	Gln	Gln 525	Thr	Met	Asp
	Leu	Leu	Asn	Ile	Ile	Ser	Gln	Phe	Leu	Leu	Phe	Phe	Lys	Ser	Cys	Val

73

530 535 540 Thr Pro Val Leu Leu Phe Cys Leu Cys Lys Pro Phe Ser Arg Ala Phe 555 Met Glu Cys Cys Cys Cys Cys Glu Glu Cys Ile Gln Lys Ser Ser 5 570 Thr Val Thr Ser Asp Asp Asn Asp Asn Glu Tyr Thr Thr Glu Leu Glu 580 Leu Ser Pro Phe Ser Thr Ile Arg Arg Glu Met Ser Thr Phe Ala Ser 600 605 10 Val Gly Thr His Cys 610 (94) INFORMATION FOR SEQ ID NO:93: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 34 base pairs 15 (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEO ID NO:93: 20 CAGAATTCAG AGAAAAAAG TGAATATGGT TTTT 34 (95) INFORMATION FOR SEQ ID NO:94: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 32 base pairs (B) TYPE: nucleic acid 25 (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:94: TTGGATCCCT GGTGCATAAC AATTGAAAGA AT 32 30 (96) INFORMATION FOR SEQ ID NO:95: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1248 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single 35 (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic)

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:95:

	ATGGTTTTTG	CTCACAGAAT	GGATAACAGC	AAGCCACATT	TGATTATTCC	TACACTTCTG	60
	GTGCCCTCC	AAAACCGCAG	CTGCACTGAA	ACAGCCACAC	CTCTGCCAAG	CCAATACCTG	120
	ATGGAATTAA	GTGAGGAGCA	CAGTTGGATG	AGCAACCAAA	CAGACCTTCA	CTATGTGCTG	180
5	AAACCCGGGG	AAGTGGCCAC	AGCCAGCATC	TTCTTTGGGA	TTCTGTGGTT	GTTTTCTATC	240
	TTCGGCAATT	CCCTGGTTTG	TTTGGTCATC	CATAGGAGTA	GGAGGACTCA	GTCTACCACC	300
	AACTACTTTG	TGGTCTCCAT	GGCATGTGCT	GACCTTCTCA	TCAGCGTTGC	CAGCACGCCT	360
	TTCGTCCTGC	TCCAGTTCAC	CACTGGAAGG	TGGACGCTGG	GTAGTGCAAC	GTGCAAGGTT	420
	GTGCGATATT	TTCAATATCT	CACTCCAGGT	GTCCAGATCT	ACGTTCTCCT	CTCCATCTGC	480
10	ATAGACCGGT	TCTACACCAT	CGTCTATCCT	CTGAGCTTCA	AGGTGTCCAG	AGAAAAAGCC	540
	AAGAAAATGA	TTGCGGCATC	GTGGATCTTT	GATGCAGGCT	TTGTGACCCC	TGTGCTCTTT	600
	TTCTATGGCT	CCAACTGGGA	CAGTCATTGT	AACTATTTCC	TCCCCTCCTC	TTGGGAAGGC	660
	ACTGCCTACA	CTGTCATCCA	CTTCTTGGTG	GGCTTTGTGA	TTCCATCTGT	CCTCATAATT	720
	TTATTTTACC	AAAAGGTCAT	AAAATATATT	TGGAGAATAG	GCACAGATGG	CCGAACGGTG	780
15	AGGAGGACAA	TGAACATTGT	CCCTCGGACA	AAAGTGAAAA	CTATCAAGAT	GTTCCTCATT	840
	TTAAATCTGT	TGTTTTTGCT	CTCCTGGCTG	CCTTTTCATG	TAGCTCAGCT	ATGGCACCCC	900
	CATGAACAAG	ACTATAAGAA	AAGTTCCCTT	GTTTTCACAG	CTATCACATG	GATATCCTTT	960
	AGTTCTTCAG	CCTCTAAACC	TACTCTGTAT	TCAATTTATA	ATGCCAATTT	TCGGAGAGGG	1020
	ATGAAAGAGA	CTTTTTGCAT	GTCCTCTATG	AAATGTTACC	GAAGCAATGC	CTATACTATC	1080
20	ACAACAAGTT	CAAGGATGGC	CAAAAAAAAC	TACGTTGGCA	TTTCAGAAAT	CCCTTCCATG	1140
	GCCAAAACTA	TTACCAAAGA	CTCGATCTAT	GACTCATTTG	ACAGAGAAGC	CAAGGAAAAA	1200
	AAGCTTGCTT	GGCCCATTAA	CTCAAATCCA	CCAAATACTT	TTGTCTAA		1248

## (97) INFORMATION FOR SEQ ID NO:96:

- (i) SEQUENCE CHARACTERISTICS: 25
  - (A) LENGTH: 415 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant
  - (ii) MOLECULE TYPE: protein
- 30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:96:

	Met 1	Val	Phe	Ala	His 5	Arg	Met	Asp	Asn	Ser 10	Lys	Pro	His	Leu	Ile 15	Ile
	Pro	Thr	Leu	Leu 20	Val	Pro	Leu	Gln	Asn 25	Arg	Ser	Cys	Thr	Glu 30	Thr	Ala
5	Thr	Pro	Leu 35	Pro	Ser	Gln	Tyr	Leu 40	Met	Glu	Leu	Ser	Glu 45	Glu	His	Ser
	Trp	Met 50	Ser	Asn	Gln	Thr	Asp 55	Leu	His	Tyr	Val	Leu 60	Lys	Pro	Gly	Glu
10	Val 65	Ala	Thr	Ala	Ser	Ile 70	Phe	Phe	Gly	Ile	Leu 75	Trp	Leu	Phe	Ser	Ile 80
	Phe	Gly	Asn	Ser	Leu 85	Val	Cys	Leu	Val	Ile 90	His	Arg	Ser	Arg	Arg 95	Thr
	Gln	Ser	Thr	Thr 100	Asn	Tyr	Phe	Val	Val 105	Ser	Met	Ala	Cys	Ala 110	Asp	Leu
15	Leu	Ile	Ser 115	Val	Ala	Ser	Thr	Pro 120	Phe	Val	Leu	Leu	Gln 125	Phe	Thr	Thr
	Gly	Arg 130	Trp	Thr	Leu	Gly	Ser 135	Ala	Thr	Cys	Lys	Val 140	Val	Arg	Tyr	Phe
20	Gln 145	Tyr	Leu	Thr	Pro	Gly 150	Val	Gln	Ile	Tyr	Val 155	Leu	Leu	Ser	Ile	Cys 160
	Ile	Asp	Arg	Phe	Tyr 165	Thr	Ile	Val	Tyr	Pro 170	Leu	Ser	Phe	Lys	Val 175	Ser
,	Arg	Glu	Lys	Ala 180	Lys	Lys	Met	Ile	Ala 185	Ala	Ser	Trp	Ile	Phe 190	Asp	Ala
25	Gly	Phe	Val 195	Thr	Pro	Val	Leu	Phe 200	Phe	Tyr	Gly	Ser	Asn 205	Trp	Asp	Ser
	His	Cys 210	Asn	Tyr	Phe	Leu	Pro 215	Ser	Ser	Trp	Glu	Gly 220	Thr	Ala	Tyr	Thr
30	Val 225	Ile	His	Phe	Leu	Val 230	Gly	Phe	Val	Ile	Pro 235	Ser	Val	Leu	Ile	Ile 240
	Leu	Phe	Tyr	Gln	Lys 245	Val	Ile	Lys	Tyr	Ile 250	Trp	Arg	Ile	Gly	Thr 255	Asp
	Gly	Arg	Thr	Val 260	Arg	Arg	Thr	Met	Asn 265	Ile	Val.	Pro	Arg	Thr 270	Lys	Val
35	Lys	Thr	Ile 275	Lys	Met	Phe	Leu	Ile 280	Leu	Asn	Leu	Leu	Phe 285	Leu	Leu	Ser

		Trp	Leu 290	Pro	Phe	His	Val	Ala 295	Gln	Leu	Trp	His	Pro 300	His	Glu	Gln	Asp	
		Tyr 305	Lys	Lys	Ser	Ser	Leu 310	Val	Phe	Thr	Ala	Ile 315	Thr	Trp	Ile	Ser	Phe 320	
5		Ser	Ser	Ser	Ala	Ser 325	Lys	Pro	Thr	Leu	Tyr 330	Ser	Ile	Tyr	Asn	Ala 335	Asn	
		Phe	Arg	Arg	Gly 340	Met	Lys	Glu	Thr	Phe 345	Cys	Met	Ser	Ser	Met 350	Lys	Cys	
10		Tyr	Arg	Ser 355	Asn	Ala	Tyr	Thr	Ile 360	Thr	Thr	Ser	Ser	Arg 365	Met	Ala	Lys	
		Lys	Asn 370	Tyr	Val	Gly	Ile	Ser 375	Glu	Ile	Pro	Ser	Met 380	Ala	Lys	Thr	Ile	
		Thr 385	Lys	Asp	Ser	Ile	Tyr 390	Asp	Ser	Phe	Asp	Arg 395	Glu	Ala	Lys	Glu	Lys 400	
15		Lys	Leu	Ala	Trp	Pro 405	Ile	Asn	Ser	Asn	Pro 410	Pro	Asn	Thr	Phe	Val 415		
	(98)	INFO	RMAT	NOI.	FOR	SEQ	ID N	<b>10:</b> 97	<b>'</b> :									
20		(i)	(A) (B) (C)	UENC LEN TYE STR TOE	IGTH: PE: r RANDE	30 nucle	base ic a S: s	e pai cid ingl	rs.									
		(ii	) MO	LECU	LE I	YPE:	DNA	(ge	nomi	c)								
		(x	i) s	EQUE	NCE	DESC	RIPI	'ION:	SEQ	ID	NO:9	7:						
25	GGAAA	GCTT.	A AC	GATC	CCCA	GGA	.GCAA	CAT										30
	(99)	INFO	RMAT	'ION	FOR	SEQ	ID N	rO:98	:									
30	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 31 base pairs  (B) TYPE: nucleic acid																	
		(ii	) MO	LECU	LE T	YPE:	DNA	. (ge	nomi	c)								
		(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:98	:						
	CTGGG.	ATCC'	T AC	GAGA	GCAT	TTT	TCAC	ACA	G								:	31
35	(100)	INF	ORMA	TION	FOR	SEQ	ID	NO:9	9:									
		(i)	SEQ	UENC	E CH	ARAC	TERI	STIC	S:									

77

(A) LENGTH: 1842 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

5 (ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:99:

	ATGGGGCCCA	CCCTAGCGGT	TCCCACCCC	TATGGCTGTA	TTGGCTGTAA	GCTACCCCAG	60
	CCAGAATACC	CACCGGCTCT	AATCATCTTT	ATGTTCTGCG	CGATGGTTAT	CACCATCGTT	120
	GTAGACCTAA	TCGGCAACTC	CATGGTCATT	TTGGCTGTGA	CGAAGAACAA	GAAGCTCCGG	180
10	AATTCTGGCA	ACATCTTCGT	GGTCAGTCTC	TCTGTGGCCG	ATATGCTGGT	GGCCATCTAC	240
	CCATACCCTT	TGATGCTGCA	TGCCATGTCC	ATTGGGGGCT	GGGATCTGAG	CCAGTTACAG	300
	TGCCAGATGG	TCGGGTTCAT	CACAGGGCTG	AGTGTGGTCG	GCTCCATCTT	CAACATCGTG	360
	GCAATCGCTA	TCAACCGTTA	CTGCTACATC	TGCCACAGCC	TCCAGTACGA	ACGGATCTTC	420
	AGTGTGCGCA	ATACCTGCAT	CTACCTGGTC	ATCACCTGGA	TCATGACCGT	CCTGGCTGTC	480
15	CTGCCCAACA	TGTACATTGG	CACCATCGAG	TACGATCCTC	GCACCTACAC	CTGCATCTTC	540
	AACTATCTGA	ACAACCCTGT	CTTCACTGTT	ACCATCGTCT	GCATCCACTT	CGTCCTCCCT	600
	CTCCTCATCG	TGGGTTTCTG	CTACGTGAGG	ATCTGGACCA	AAGTGCTGGC	GGCCCGTGAC	660
	CCTGCAGGGC	AGAATCCTGA	CAACCAACTT	GCTGAGGTTC	GCAATTTTCT	AACCATGTTT	720
	GTGATCTTCC	TCCTCTTTGC	AGTGTGCTGG	TGCCCTATCA	ACGTGCTCAC	TGTCTTGGTG	780
20	GCTGTCAGTC	CGAAGGAGAT	GGCAGGCAAG	ATCCCCAACT	GGCTTTATCT	TGCAGCCTAC	840
	TTCATAGCCT	ACTTCAACAG	CTGCCTCAAC	GCTGTGATCT	ACGGGCTCCT	CAATGAGAAT	900
	TTCCGAAGAG	AATACTGGAC	CATCTTCCAT	GCTATGCGGC	ACCCTATCAT	ATTCTTCCCT	960
	GGCCTCATCA	GTGATATTCG	TGAGATGCAG	GAGGCCCGTA	CCCTGGCCCG	CGCCCGTGCC	1020
	CATGCTCGCG	ACCAAGCTCG	TGAACAAGAC	CGTGCCCATG	CCTGTCCTGC	TGTGGAGGAA	1080
25	ACCCCGATGA	ATGTCCGGAA	TGTTCCATTA	CCTGGTGATG	CTGCAGCTGG	CCACCCGAC	1140
	CGTGCCTCTG	GCCACCCTAA	GCCCCATTCC	AGATCCTCCT	CTGCCTATCG	CAAATCTGCC	1200
	TCTACCCACC	ACAAGTCTGT	CTTTAGCCAC	TCCAAGGCTG	CCTCTGGTCA	CCTCAAGCCT	1260
	GTCTCTGGCC	ACTCCAAGCC	TGCCTCTGGT	CACCCCAAGT	CTGCCACTGT	CTACCCTAAG	1320
	CCTGCCTCTG	TCCATTTCAA	GGGTGACTCT	GTCCATTTCA	AGGGTGACTC	TGTCCATTTC	1380

				· -			
	AAGCCTGACT	CTGTTCATTT	CAAGCCTGCT	TCCAGCAACC	CCAAGCCCAT	CACTGGCCAC	1440
	CATGTCTCTG	CTGGCAGCCA	CTCCAAGTCT	GCCTTCAGTG	CTGCCACCAG	CCACCCTAAA	1500
	CCCATCAAGC	CAGCTACCAG	CCATGCTGAG	CCCACCACTG	CTGACTATCC	CAAGCCTGCC	1560
	ACTACCAGCC	ACCCTAAGCC	CGCTGCTGCT	GACAACCCTG	AGCTCTCTGC	CTCCCATTGC	1620
5	CCCGAGATCC	CTGCCATTGC	CCACCCTGTG	TCTGACGACA	GTGACCTCCC	TGAGTCGGCC	1680
	TCTAGCCCTG	CCGCTGGGCC	CACCAAGCCT	GCTGCCAGCC	AGCTGGAGTC	TGACACCATC	1740
	GCTGACCTTC	CTGACCCTAC	TGTAGTCACT	ACCAGTACCA	ATGATTACCA	TGATGTCGTG	1800
	GTTGTTGATG	TTGAAGATGA	TCCTGATGAA	ATGGCTGTGT	GA		1842
	(101) INFOR	RMATION FOR	SEQ ID NO:	100:			
0	(	SEQUENCE CHA (A) LENGTH: (B) TYPE: an (C) STRANDEL	613 amino a nino acid				

- 10
  - (D) TOPOLOGY: not relevant
- 15 (ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:100:

Met Gly Pro Thr Leu Ala Val Pro Thr Pro Tyr Gly Cys Ile Gly Cys

Lys Leu Pro Gln Pro Glu Tyr Pro Pro Ala Leu Ile Ile Phe Met Phe 20 25

> Cys Ala Met Val Ile Thr Ile Val Val Asp Leu Ile Gly Asn Ser Met 45

> Val Ile Leu Ala Val Thr Lys Asn Lys Lys Leu Arg Asn Ser Gly Asn

25 Ile Phe Val Val Ser Leu Ser Val Ala Asp Met Leu Val Ala Ile Tyr 75

> Pro Tyr Pro Leu Met Leu His Ala Met Ser Ile Gly Gly Trp Asp Leu 85

Ser Gln Leu Gln Cys Gln Met Val Gly Phe Ile Thr Gly Leu Ser Val 105

Val Gly Ser Ile Phe Asn Ile Val Ala Ile Ala Ile Asn Arg Tyr Cys

Tyr Ile Cys His Ser Leu Gln Tyr Glu Arg Ile Phe Ser Val Arg Asn 130 135

WO 00/22129

	Thr 145	Cys	Ile	Tyr	Leu	Val 150	Ile	Thr	Trp	Ile	Met 155		Val	Leu	Ala	Val
	Leu	Pro	Asn	Met	Туг 165	Ile	Gly	Thr	Ile	Glu 170	Tyr	Asp	Pro	Arg	Thr 175	Tyr
5	Thr	Cys	Ile	Phe 180	Asn	Tyr	Leu	Asn	Asn 185	Pro	Val	Phe	Thr	Val 190	Thr	Il∈
	Val	Cys	Ile 195	His	Phe	Val	Leu	Pro 200	Leu	Leu	Ile	Val	Gly 205	Phe	Cys	Туг
10	Val	Arg 210	Ile	Trp	Thr	Lys	Val 215	Leu	Ala	Ala	Arg	Asp 220	Pro	Ala	Gly	Gln
	Asn 225	Pro	Asp	Asn	Gln	Leu 230	Ala	Glu	Val	Arg	Asn 235	Phe	Leu	Thr	Met	Phe 240
	Val	Ile	Phe	Leu	Leu 245	Phe	Ala	Val	Cys	Trp 250	Cys	Pro	Ile	Asn	Val 255	Leu
15	Thr	Val	Leu	Val 260	Ala	Val	Ser	Pro	Lys 265	Glu	Met	Ala	Gly	Lys 270	Ile	Pro
	Asn	Trp	<b>Le</b> u 275	Tyr	Leu	Ala	Ala	Tyr 280	Phe	Ile	Ala	Tyr	Phe 285	Asn	Ser	Cys
20	Leu	Asn 290	Ala	Val	Ile	Tyr	Gly 295	Leu	Leu	Asn	Glu	Asn 300	Phe	Arg	Arg	Glu
	Tyr 305	Trp	Thr	Ile	Phe	His 310	Ala	Met	Arg	His	Pro 315	Ile	Ile	Phe	Phe	Pro 320
	Gly	Leu	Ile	Ser	Asp 325	Ile	Arg	Glu	Met	Gln 330	Glu	Ala	Arg	Thr	Leu 335	Ala
25	Arg	Ala	Arg	Ala 340	His	Ala	Arg	Asp	Gln 345	Ala	Arg	Glu	Gln	Asp 350	Arg	Ala
	His	Ala	Cys 355	Pro	Ala	Val	Glu	Glu 360	Thr	Pro	Met	Asn	Val 365	Arg	Asn	Val
30	Pro	Leu 370	Pro	Gly	Asp	Ala	Ala 375	Ala	Gly	His	Pro	Asp 380	Arg	Ala	Ser	Gly
	His 385	Pro	Lys	Pro	His	Ser 390	Arg	Ser	Ser	Ser	Ala 395	Tyr	Arg	Lys	Ser	Ala 400
	Ser	Thr	His	His	Lys 405	Ser	Val	Phe	Ser	His 410	Ser	Lys	Ala	Ala	Ser 415	Gly
35	His	Leu	Lys	Pro 420	Val	Ser	Gly	His	Ser 425	Lys	Pro	Ala	Ser	Gly 430	His	Pro
	Lys	Ser	Ala	Thr	Val	Tyr	Pro	Lys	Pro	Ala	Ser	Val	His	Phe	Lys	Gly

	435							440					445				
	Asp	Ser 450		His	Phe	Lys	Gly <b>45</b> 5	Asp	Ser	Val	His	Phe 460	Lys	Pro	Asp	Ser	•
5	Val 465	His	Phe	Lys	Pro	Ala 470	Ser	Ser	Asn	Pro	Lys 475	Pro	Ile	Thr	Gly	His 480	
	His	Val	Ser	Ala	Gly 485	Ser	His	Ser	Lys	Ser 490	Ala	Phe	Ser	Ala	Ala 495	Thr	
	Ser	His	Pro	Lys 500	Pro	Ile	Lys	Pro	Ala 505	Thr	Ser	His	Ala	Glu 510	Pro	Thr	
10	Thr	Ala	Asp 515	Tyr	Pro	Lys	Pro	Ala 520	Thr	Thr	Ser	His	Pro 525	Lys	Pro	Ala	
	Ala	Ala 530	Asp	Asn	Pro	Glu	Leu 535	Ser	Ala	Ser	His	Cys 540	Pro	Glu	Ile	Pro	
15	Ala 545	Ile	Ala	His	Pro	Val 550	Ser	Asp	Asp	Ser	Asp 555	Leu	Pro	Glu	Ser	Ala 560	
	Ser	Ser	Pro	Ala	Ala 565	Gly	Pro	Thr	Lys	Pro 570	Ala	Ala	Ser	Gln	Leu 575	Glu	
	Ser	Asp	Thr	Ile 580	Ala	Asp	Leu	Pro	Asp 585	Pro	Thr	Val	Val	Thr 590	Thr	Ser	
20	Thr	Asn	Asp 595	Tyr	His	Asp	Val	Val 600	Val	Val	Asp	Val	Glu 605	Asp	Asp	Pro	
	Asp	Glu 610	Met	Ala	Val												
	(102) INI	FORM	1OIT	1 FOF	SEÇ	ID	NO:1	.01:									
25	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 32 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear																
30	(ii	L) MC	LECU	LE I	YPE:	DNA	. (ge	nomi	.c)								
	(xi	.) SE	QUEN	ICE D	ESCR	IPTI	ON:	SEQ	ID N	0:10	1:						
	TCCAAGCTT	C GC	CATO	GGAC	ATA	ACGG	GAG	CT									32
	(103) INE	ORMA	TION	I FOR	SEQ	ID	NO:1	02:									
35	(i)	(A) (B)	LEN TYP	E CH IGTH: E: n	30 ucle	base ic a	pai cid	rs									

81

		(D) TOPOLO	GY: linear				
	(ii	) MOLECULE	TYPE: DNA (	genomic)			
	(xi	) SEQUENCE	DESCRIPTION	: SEQ ID NO	:102:		
	CGTGAATTC	C AAGAATTTA	C AATCCTTGC	T			30
5	(104) INF	ORMATION FOR	R SEQ ID NO	:103:			
10		(B) TYPE: 1	: 1548 base nucleic acid EDNESS: sind EY: linear	pairs 1 Jle			
	(xi)	SEQUENCE I	DESCRIPTION:	SEQ ID NO:	103:		
	ATGGGACATA	ACGGGAGCT	GATCTCTCC	AATGCCAGCG	AGCCGCACAA	CGCGTCCGGC	60
	GCCGAGGCTG	CGGGTGTGAA	CCGCAGCGC	CTCGGGGAGT	TCGGCGAGGC	GCAGCTGTAC	120
15	CGCCAGTTCA	CCACCACCGT	GCAGGTCGTC	ATCTTCATAG	GCTCGCTGCT	CGGAAACTTC	180
	ATGGTGTTAT	GGTCAACTTG	CCGCACAACC	GTGTTCAAAT	CTGTCACCAA	CAGGTTCATT	240
	AAAAACCTGG	CCTGCTCGGG	GATTTGTGCC	AGCCTGGTCT	GTGTGCCCTT	CGACATCATC	300
	CTCAGCACCA	GTCCTCACTG	TTGCTGGTGG	ATCTACACCA	TGCTCTTCTG	CAAGGTCGTC	360
	AAATTTTTGC	ACAAAGTATT	CTGCTCTGTG	ACCATCCTCA	GCTTCCCTGC	TATTGCTTTG	420
20	GACAGGTACT	ACTCAGTCCT	CTATCCACTG	GAGAGGAAAA	TATCTGATGC	CAAGTCCCGT	480
	GAACTGGTGA	TGTACATCTG	GGCCCATGCA	GTGGTGGCCA	GTGTCCCTGT	GTTTGCAGTA	540
	ACCAATGTGG	CTGACATCTA	TGCCACGTCC	ACCTGCACGG	AAGTCTGGAG	CAACTCCTTG	600
	GGCCACCTGG	TGTACGTTCT	GGTGTATAAC	ATCACCACGG	TCATTGTGCC	TGTGGTGGTG	660
	GTGTTCCTCT	TCTTGATACT	GATCCGACGG	GCCCTGAGTG	CCAGCCAGAA	GAAGAAGGTC	720
25	ATCATAGCAG	CGCTCCGGAC	CCCACAGAAC	ACCATCTCTA	TTCCCTATGC	CTCCCAGCGG	780
	GAGGCCGAGC	TGCACGCCAC	CCTGCTCTCC	ATGGTGATGG	TCTTCATCTT	GTGTAGCGTG	840
	CCCTATGCCA	CCCTGGTCGT	CTACCAGACT	GTGCTCAATG	TCCCTGACAC	TTCCGTCTTC	900
	TTGCTGCTCA	CTGCTGTTTG	GCTGCCCAAA	GTCTCCCTGC	TGGCAAACCC	TGTTCTCTTT	960
	CTTACTGTGA	ACAAATCTGT	CCGCAAGTGC	TTGATAGGGA	CCCTGGTGCA	ACTACACCAC	1020

30 CGGTACAGTC GCCGTAATGT GGTCAGTACA GGGAGTGGCA TGGCTGAGGC CAGCCTGGAA 1080

	CCCAGCATAC GCTCGGGTAG CCAGCTCCTG GAGATGTTCC ACATTGGGCA GCAGCAGATC 114	40
	TTTAAGCCCA CAGAGGATGA GGAAGAGAGT GAGGCCAAGT ACATTGGCTC AGCTGACTTC 12	00
	CAGGCCAAGG AGATATTTAG CACCTGCCTC GAGGGAGAGC AGGGGCCACA GTTTGCGCCC 126	50
	TCTGCCCCAC CCCTGAGCAC AGTGGACTCT GTATCCCAGG TGGCACCGGC AGCCCCTGTG 132	20
5	GAACCTGAAA CATTCCCTGA TAAGTATTCC CTGCAGTTTG GCTTTGGGCC TTTTGAGTTG 138	30
	CCTCCTCAGT GGCTCTCAGA GACCCGAAAC AGCAAGAAGC GGCTGCTTCC CCCCTTGGGC 144	ŧ 0
	AACACCCCAG AAGAGCTGAT CCAGACAAAG GTGCCCAAGG TAGGCAGGGT GGAGCGGAAG 150	00
	ATGAGCAGAA ACAATAAAGT GAGCATTTTT CCAAAGGTGG ATTCCTAG 154	8
	(105) INFORMATION FOR SEQ ID NO:104:	
10	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 515 amino acids	
	(B) TYPE: amino acid (C) STRANDEDNESS:	
	(D) TOPOLOGY: not relevant	
15	(ii) MOLECULE TYPE: protein	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:104:	
	Met Gly His Asn Gly Ser Trp Ile Ser Pro Asn Ala Ser Glu Pro His  1 10 15	
20	Asn Ala Ser Gly Ala Glu Ala Ala Gly Val Asn Arg Ser Ala Leu Gly 20 25 30	
	Glu Phe Gly Glu Ala Gln Leu Tyr Arg Gln Phe Thr Thr Val Gln 35 40 45	
	Val Val Ile Phe Ile Gly Ser Leu Leu Gly Asn Phe Met Val Leu Trp 50 55 60	
25	Ser Thr Cys Arg Thr Thr Val Phe Lys Ser Val Thr Asn Arg Phe Ile 65 70 75 80	
	Lys Asn Leu Ala Cys Ser Gly Ile Cys Ala Ser Leu Val Cys Val Pro 85 90 95	
30	Phe Asp Ile Ile Leu Ser Thr Ser Pro His Cys Cys Trp Trp Ile Tyr 100 105 110	
	Thr Met Leu Phe Cys Lys Val Val Lys Phe Leu His Lys Val Phe Cys 115 120 125	
	Ser Val Thr Ile Leu Ser Phe Pro Ala Ile Ala Leu Asp Arg Tyr Tyr 130 135 140	

	Ser 145	Val	Leu	Tyr	Pro	Leu 150	Glu	Arg	Lys	Ile	Ser 155		Ala	Lys	Ser	Arg 160
	Glu	Leu	Val	Met	Tyr 165	Ile	Trp	Ala	His	Ala 170		Val	Ala	Ser	Val 175	Pro
5	Val	Phe	Ala	Val 180	Thr	Asn	Val	Ala	Asp 185		Tyr	Ala	Thr	Ser 190		Cys
	Thr	Glu	Val 195	Trp	Ser	Asn	Ser	Leu 200	Gly	His	Leu	Val	Tyr 205	Val	Leu	Val
10	Tyr	Asn 210	Ile	Thr	Thr	Val	Ile 215	Val	Pro	Val	Val	Val 220	Val	Phe	Leu	Phe
	Leu 225	Ile	Leu	Ile	Arg	Arg 230	Ala	Leu	Ser	Ala	Ser 235	Gln	Lys	Lys	Lys	Val 240
	Ile	Ile	Ala	Ala	Leu 245	Arg	Thr	Pro	Gln	Asn 250	Thr	Ile	Ser	Ile	Pro 255	Tyr
15	Ala	Ser	Gln	Arg 260	Glu	Ala	Glu	Leu	His 265	Ala	Thr	Leu	Leu	Ser 270	Met	Val
	Met	Val	Phe 275	Ile	Leu	Cys	Ser	Val 280	Pro	Tyr	Ala	Thr	Leu 285	Val	Val	Tyr
20	Gln	Thr 290	Val	Leu	Asn	Val	Pro 295	Asp	Thr	Ser	Val	Phe 300	Leu	Leu	Leu	Thr
	Ala 305	Val	Trp	Leu	Pro	Lys 310	Val	Ser	Leu	Leu	Ala 315	Asn	Pro	Val	Leu	Phe 320
	Leu	Thr	Val	Asn	Lys 325	Ser	Val	Arg	Lys	Cys 330	Leu	Ile	Gly	Thr	Leu 335	Val
25				340					345				Ser	350		
	Gly	Met	Ala 355	Glu	Ala	Ser	Leu	Glu 360	Pro	Ser	Ile	Arg	Ser 365	Gly	Ser	Gln
30	Leu	Leu 370	Glu	Met	Phe	His	Ile 375	Gly	Gln	Gln	Gln	Ile 380	Phe	Lys	Pro	Thr
	Glu 385	Asp	Glu	Glu	Glu	Ser 390	Glu	Ala	Lys	Tyr	Ile 395	Gly	Ser	Ala	Asp	Phe 400
	Gln	Ala	Lys	Glu	Ile 405	Phe	Ser	Thr	Cys	Leu 410	Glu	Gly	Glu	Gln	Gly 415	Pro
35	Gln			420					425					430		
	Gln	Val	Ala	Pro	Ala	Ala	Pro	Val	Glu	Pro	Glu	Thr	Phe	Pro	Asp	Lys

				435					440					445				
		Tyr	Ser 450	Leu	Gln	Phe	Gly	Phe 455	Gly	Pro	Phe	Glu	Leu 460	Pro	Pro	Gln	Trp	
5		Leu 465	Ser	Glu	Thr	Arg	Asn 470	Ser	Lys	Lys	Arg	Leu 475	Leu	Pro	Pro	Leu	Gly 480	
		Asn	Thr	Pro	Glu	Glu 485	Leu	Ile	Gln	Thr	Lys 490	Val	Pro	Lys	Val	Gly 495	Arg	
		Val	Glu	Arg	Lys 500	Met	Ser	Arg	Asn	Asn 505	Lys	Val	Ser	Ile	Phe 510	Pro	Lys	
10		Val	Asp	Ser 515														
	(106)	INF	ORMA	MOITA	FOF	SEÇ	] ID	NO:1	.05:									
15		(i)	(A) (B) (C)	LEN TYP STR	GTH: E: r ANDE	IARAC 29 ucle DNES	base ic a	pai cid ingl	rs.									
	(ii) MOLECULE TYPE: DNA (genomic)																	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:105:																	
20	GGAGA										0.20	٠.						
	(107)								0.5									29
	(107)																	
25		(1)	(A) (B) (C)	LEN TYP STR	GTH: E: n ANDE	ARAC 30 ucle DNES Y: 1	base ic a S: s	pai cid ingl	rs									
		(ii	) MO	LECU	LE T	YPE:	DNA	(ge	nomi	c)								
		(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:10	6:						
	GGAGG	ATCC	A GG	AAAC	CTTA	GGC	CGAG	TCC									:	30
30	(108)	INF	ORMA	TION	FOR	SEQ	ID :	NO:1	07:									
		(i)	(A) (B)	LENO TYP:	GTH: E: n	ARAC 116 ucle DNES	4 ba ic a	se pa	airs									
35						Y: 1			_									
		(ii)	) MO:	LECU	LE T	YPE:	DNA	(ge	nomi	<b>c</b> )								

(xi)	SEQUENCE	DESCRIPTION:	SEQ	ID	NO:107:
------	----------	--------------	-----	----	---------

	ATGAATCGGC	ACCATCTGCA	GGATCACTTT	CTGGAAATAG	ACAAGAAGAA	CTGCTGTGTG	60
	TTCCGAGATG	ACTTCATTGC	CAAGGTGTTG	CCGCCGGTGT	TGGGGCTGGA	GTTTATCTTT	120
	GGGCTTCTGG	GCAATGGCCT	TGCCCTGTGG	ATTTTCTGTT	TCCACCTCAA	GTCCTGGAAA	180
5	TCCAGCCGGA	TTTTCCTGTT	CAACCTGGCA	GTAGCTGACT	TTCTACTGAT	CATCTGCCTG	240
	CCGTTCGTGA	TGGACTACTA	TGTGCGGCGT	TCAGACTGGA	ACTTTGGGGA	CATCCCTTGC	300
	CGGCTGGTGC	TCTTCATGTT	TGCCATGAAC	CGCCAGGGCA	GCATCATCTT	CCTCACGGTG	360
	GTGGCGGTAG	ACAGGTATTT	CCGGGTGGTC	CATCCCCACC	ACGCCCTGAA	CAAGATCTCC	420
	AATTGGACAG	CAGCCATCAT	CTCTTGCCTT	CTGTGGGGCA	TCACTGTTGG	CCTAACAGTC	480
10	CACCTCCTGA	AGAAGAAGTT	GCTGATCCAG	AATGGCCCTG	CAAATGTGTG	CATCAGCTTC	540
	AGCATCTGCC	ATACCTTCCG	GTGGCACGAA	GCTATGTTCC	TCCTGGAGTT	CCTCCTGCCC	600
	CTGGGCATCA	TCCTGTTCTG	CTCAGCCAGA	ATTATCTGGA	GCCTGCGGCA	GAGACAAATG	660
	GACCGGCATG	CCAAGATCAA	GAGAGCCATC	ACCTTCATCA	TGGTGGTGGC	CATCGTCTTT	720
	GTCATCTGCT	TCCTTCCCAG	CGTGGTTGTG	CGGATCCGCA	TCTTCTGGCT	CCTGCACACT	780
15	TCGGGCACGC	AGAATTGTGA	AGTGTACCGC	TCGGTGGACC	TGGCGTTCTT	TATCACTCTC	840
	AGCTTCACCT	ACATGAACAG	CATGCTGGAC	CCCGTGGTGT	ACTACTTCTC	CAGCCCATCC	900
	TTTCCCAACT	TCTTCTCCAC	TTTGATCAAC	CGCTGCCTCC	AGAGGAAGAT	GACAGGTGAG	960
	CCAGATAATA	ACCGCAGCAC	GAGCGTCGAG	CTCACAGGGG	ACCCCAACAA	AACCAGAGGC	1020
	GCTCCAGAGG	CGTTAATGGC	CAACTCCGGT	GAGCCATGGA	GCCCCTCTTA	TCTGGGCCCA	1080
20	ACCTCAAATA	ACCATTCCAA	GAAGGGACAT	TGTCACCAAG	AACCAGCATC	TCTGGAGAAA	1140
	CAGTTGGGCT	GTTGCATCGA	GTAA				1164

## (109) INFORMATION FOR SEQ ID NO:108:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 387 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:

- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:108:
- 30 Met Asn Arg His His Leu Gln Asp His Phe Leu Glu Ile Asp Lys Lys

	1				5					10					15	
	Asn	Cys	Cys	Val 20	Phe	Arg	Asp	Asp	Phe 25	Ile	Ala	Lys	Val	Leu 30	Pro	Pro
5	Val	Leu	Gly 35	Leu	Glu	Phe	Ile	Phe 40	Gly	Leu	Leu	Gly	Asn 45	Gly	Leu	Ala
	Leu	Trp 50	Ile	Phe	Cys	Phe	His 55	Leu	Lys	Ser	Trp	Lys 60	Ser	Ser	Arg	Ile
	Phe 65	Leu	Phe	Asn	Leu	Ala 70	Val	Ala	Asp	Phe	Leu 75	Leu	Ile	Ile	Cys	Leu 80
10	Pro	Phe	Val	Met	Asp 85	Tyr	Tyr	Val	Arg	Arg 90	Ser	Asp	Trp	Asn	Phe 95	Gly
	Asp	Ile	Pro	Cys 100	Arg	Leu	Val	Leu	Phe 105	Met	Phe	Ala	Met	Asn 110	Arg	Gln
15	Gly	Ser	Ile 115	Ile	Phe	Leu	Thr	Val 120	Val	Ala	Val	Asp	Arg 125	Tyr	Phe	Arg
	Val	Val 130	His	Pro	His	His	Ala 135	Leu	Asn	Lys	Ile	Ser 140	Asn	Trp	Thr	Ala
	Ala 145	Ile	Ile	Ser	Cys	Leu 150	Leu	Trp	Gly	Ile	Thr 155	Val	Gly	Leu	Thr	Val 160
20	His	Leu	Leu	Lys	Lys 165	Lys	Leu	Leu	Ile	Gln 170	Asn	Gly	Pro	Ala	Asn 175	Val
	Cys	Ile	Ser	Phe 180	Ser	Ile	Cys	His	Thr 185	Phe	Arg	Trp	His	Glu 190	Ala	Met
25	Phe	Leu	Leu 195	Glu	Phe	Leu	Leu	Pro 200	Leu	Gly	Ile	Ile	Leu 205	Phe	Cys	Ser
	Ala	Arg 210	Ile	Ile	Trp	Ser	Leu 215	Arg	Gln	Arg	Gln	Met 220	Asp	Arg	His	Ala
	Lys 225	Ile	Lys	Arg	Ala	Ile 230	Thr	Phe	Ile	Met	Val 235	Val	Ala	Ile	Val	Phe 240
30	Val	Ile	Cys	Phe	Leu 245	Pro	Ser	Val	Val	Val 250	Arg	Ile	Arg	Ile	Phe 255	Trp
	Leu	Leu	His	Thr 260	Ser	Gly	Thr	Gln	Asn 265	Cys	Glu	Val	Tyr	Arg 270	Ser	Val
35	Asp	Leu	Ala 275	Phe	Phe	Ile	Thr	Leu 280	Ser	Phe	Thr	Tyr	Met 285	Asn	Ser	Met
	Leu	Asp 290	Pro	Val	Val	Tyr	Tyr 295	Phe	Ser	Ser	Pro	Ser 300	Phe	Pro	Asn	Phe

		Phe 305	Ser	Thr	Leu	Ile	Asn 310	Arg	Cys	Leu	Gln	Arg 315	Lys	Met	Thr	Gly	Glu 320	
		Pro	Asp	Asn	Asn	Arg 325	Ser	Thr	Ser	Val	Glu 330	Leu	Thr	Gly	Asp	Pro 335	Asn	
5	:	Lys	Thr	Arg	Gly 340	Ala	Pro	Glu	Ala	Leu 345	Met	Ala	Asn	Ser	Gly 350	Glu	Pro	
	•	Trp	Ser	Pro 355	Ser	Tyr	Leu	Gly	Pro 360	Thr	Ser	Asn	Asn	His 365	Ser	Lys	Lys	
10	(	Gly	His 370	Cys	His	Gln	Glu	Pro 375	Ala	Ser	Leu	Glu	Lys 380	Gln	Leu	Gly	Cys	
		Cys 385	Ile	Glu														
	(110)	INF	ORMA	MOIT	FOR	SEÇ	) ID	NO:1	.09:									
15		(i)	(A) (B) (C)	LEN TYF STR	CE CHIGTH: PE: H	37 ucle DNES	base ic a SS: s	pai cid ingl	rs.									
		(ii	) мо	LECU	LE I	YPE :	DNA	. (ge	nomi	.c)								
20		(iv	) AN	TI-S	ENSE	: NC	)											
		(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	iO:10	9:						
	ACCATO	GCT	T GC	AATG	GCAG	TGC	:GGCC	AGG	GGGC	ACT								37
	(111)	INF	ORMA	TION	FOR	. SEQ	ID	NO:1	10:									
25		(i)	(A) (B) (C)	LEN TYP STR	E CH GTH: E: n ANDE OLOG	39 ucle D <b>NE</b> S	base ic a S: s	pai cid ingl	rs									
		(ii	) MO	LECU	LE T	YPE:	DNA	(ge	nomi	c)								
30		(iv	) AN	TI-S	ENSE	: YE	s											
		(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:11	0:						
	CGACCA	AGGA	C AA	ACAG	CATC	TTG	GTCA	CTT	GTCT	CCGG	C							39
	(112)	INF	ORMA	TION	FOR	SEQ	ID	NO:1	11:									
35		(i)	(A)	LEN	E CH GTH: E: n	39	base	pai										

	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
5	(iv) ANTI-SENSE: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:111:	
	GACCAAGATG CTGTTTGTCC TGGTCGTGGT GTTTGGCAT	39
	(113) INFORMATION FOR SEQ ID NO:112:	
10	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 35 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
15	(iv) ANTI-SENSE: YES	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:112:	
	CGGAATTCAG GATGGATCGG TCTCTTGCTG CGCCT	35
	(114) INFORMATION FOR SEQ ID NO:113:	
20	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1212 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:113:	
	ATGGCTTGCA ATGGCAGTGC GGCCAGGGGG CACTTTGACC CTGAGGACTT GAACCTGACT	60
	GACGAGGCAC TGAGACTCAA GTACCTGGGG CCCCAGCAGA CAGAGCTGTT CATGCCCATC	120
	TGTGCCACAT ACCTGCTGAT CTTCGTGGTG GGCGCTGTGG GCAATGGGCT GACCTGTCTG	180
	GTCATCCTGC GCCACAAGGC CATGCGCACG CCTACCAACT ACTACCTCTT CAGCCTGGCC	240
30	GTGTCGGACC TGCTGGTGCT GCTGGTGGGC CTGCCCCTGG AGCTCTATGA GATGTGGCAC	300
	AACTACCCCT TCCTGCTGGG CGTTGGTGGC TGCTATTTCC GCACGCTACT GTTTGAGATG	360
	GTCTGCCTGG CCTCAGTGCT CAACGTCACT GCCCTGAGCG TGGAACGCTA TGTGGCCGTG	420
	GTGCACCCAC TCCAGGCCAG GTCCATGGTG ACGCGGGCCC ATGTGCGCCG AGTGCTTGGG	480

	GCCGT	CTGGG	GT	'CTT	GCCA'	T GC	TCTG	CTCC	CTG	CCCA	ACA	CCAG	CCTG	CA C	CGGC	TCCG	iG	540
	CAGCT	GCAC	TG	CCC	TGCC	G GG	GCCC	'AGTG	CCA	GACI	'CAG	CTGT	'TTGC	AT G	CTGG	TCCG	ŀC	600
	CCACG	GGCC	TC	TAC.	AACA'	T GG	TAGT	'GCAG	ACC	ACCG	CGC	TGCT	'CTTC	TT C	TGCC	TGCC	C.	660
	ATGGC	CATCA	TG.	AGC	GTGC'	r c'i	ACCI	GCTC	ATI	GGGC	TGC	GACT	GCGG	CG G	GAGA	.GGCT	G	720
5	CTGCT	CATGO	AG	GAG(	GCCA	A GG	GCAG	GGGC	TCT	GCAG	CAG	CCAG	GTCC	AG A	TACA	.CCTG	C	780
	AGGCT	CCAGC	'AG	CAC	GATC	G GG	GCCG	GAGA	CAA	GTGA	.CCA	AGAT	GCTG	TT T	GTCC	TGGT	С	840
	GTGGT	STTTG	GC	ATC'	rgcT(	G GG	CCCC	GTTC	CAC	GCCG	ACC	GCGT	CATG	TG G	AGCG	TCGT	G	900
	TCACAC	<b>3</b> TGGA	CA	GAT(	GCC.	r GC	ACCT	GGCC	TTC	CAGC	ACG	TGCA	CGTC	AT C	TCCG	GCAT	С	960
	TTCTT	CTACC	TG	GGC'	rcgg	C GG	CCAA	CCCC	GTG	CTCT.	ATA	GCCT	CATG	TC C	AGCC	GCTT	C 1	020
10	CGAGA	ACCT	TC	CAG	GAGG	C CC	TGTG	CCTC	GGG	GCCT	GCT	GCCA'	TCGC	CT C	AGAC	CCCG	С 1	080
	CACAGO	CTCCC	AC	AGC	CTCAC	G CA	GGAT	GACC	ACA	GGCA	GCA	CCCT	GTGT	GA T	GTGG	GCTC	C 1	140
	CTGGGC	CAGCT	GGG	GTC	CACCO	C CC	TGGC	TGGG	AAC	GATG	GCC	CAGA	GGCG	CA G	CAAG	AGAC	C 1	200
	GATCC	ATCCT	GA														1	212
	(115)	INFO	RMA'	rioi	I FOF	SE(	Q ID	NO:	114:									
15			(A) (B) (C)	LEN TYI STI	CE CHIGTH: PE: a RANDE	40: mino DNE:	3 am: cac: SS:	ino a id	acid	5								
20		(ii)	MOI	LECU	ILE I	YPE	: pro	oteir	n									
		(xi)	SEÇ	QUEN	ICE D	ESCI	RIP <b>T</b> :	ION:	SEQ	ID 1	NO:1	14:						
	M 1	let A	la C	Cys	Asn	Gly 5	Ser	Ala	Ala	Arg	Gly 10	His	Phe	Asp	Pro	Glu 15	Asp	
25	L	eu A	sn I	∟eu	Thr 20	Asp	Glu	Ala	Leu	Arg 25	Leu	Lys	Tyr	Leu	Gly 30	Pro	Gln	
	G	ln T		lu 55	Leu	Phe	Met	Pro	Ile 40	Cys	Ala	Thr	Tyr	Leu 45	Leu	Ile	Phe	
	V	al Va		ly	Ala	Val	Gly	Asn 55	Gly	Leu	Thr	Cys	Leu 60	Val	Ile	Leu	Arg	
30		is Ly 5	ys A	la	Met	Arg	Thr 70	Pro	Thr	Asn	Tyr	Tyr 75	Leu	Phe	Ser	Leu	Ala 80	
	V	al Se	er A	qa		Leu 85	Val	Leu	Leu	Val	Gly 90	Leu	Pro	Leu	Glu	Leu 95	Tyr	

	Glu	Met	Trp	His 100	Asn	Tyr	Pro	Phe	Leu 105		ı Gly	Val	Gly	Gly		Tyr
	Phe	Arg	Thr 115	Leu	Leu	Phe	Glu	Met 120		Cys	Leu	. Ala	Ser 125		Leu	Asn
5	Val	Thr 130	Ala	Leu	Ser	Val	Glu 135		Tyr	Val	Ala	Val		His	Pro	Leu
	Gln 145	Ala	Arg	Ser	Met	Val 150	Thr	Arg	Ala	His	Val 155		Arg	Val	Leu	Gly 160
10	Ala	Val	Trp	Gly	Leu 165	Ala	Met	Leu	Cys	Ser 170	Leu	Pro	Asn	Thr	Ser 175	Leu
	His	Gly	Ile	Arg 180	Gln	Leu	His	Val	Pro 185	Cys	Arg	Gly	Pro	Val 190	Pro	Asp
	Ser	Ala	Val 195	Cys	Met	Leu	Val	Arg 200	Pro	Arg	Ala	Leu	Tyr 205	Asn	Met	Val
15	Val	Gln 210	Thr	Thr	Ala	Leu	Leu 215	Phe	Phe	Cys	Leu	Pro 220	Met	Ala	Ile	Met
	Ser 225	Val	Leu	Tyr	Leu	Leu 230	Ile	Gly	Leu	Arg	Leu 235	Arg	Arg	Glu	Arg	Leu 240
20	Leu	Leu	Met	Gln	Glu 245	Ala	Lys	Gly	Arg	Gly 250	Ser	Ala	Ala	Ala	Arg 255	Ser
	Arg	Tyr	Thr	Cys 260	Arg	Leu	Gln	Gln	His 265	Asp	Arg	Gly	Arg	Arg 270	Gln	Val
	Thr	Lys	Met 275	Leu	Phe	Val	Leu	Val 280	Val	Val	Phe	Gly	Ile 285	Cys	Trp	Ala
25	Pro	Phe 290	His	Ala	Asp	Arg	Val 295	Met	Trp	Ser	Val	Val 300	Ser	Gln	Trp	Thr
	Asp 305	Gly	Leu	His	Leu	Ala 310	Phe	Gln	His	Val	His 315	Val	Ile	Ser	Gly	Ile 320
30	Phe	Phe	Tyr	Leu	Gly 325	Ser	Ala	Ala	Asn	Pro 330	Val	Leu	Tyr	Ser	Leu 335	Met
	Ser	Ser	Arg	Phe 340	Arg	Glu	Thr	Phe	Gln 345	Glu	Ala	Leu	Cys	Leu 350	Gly	Ala
	Cys	Cys	His 355	Arg	Leu	Arg	Pro	Arg 360	His	Ser	Ser	His	Ser 365	Leu	Ser	Arg
35	Met	Thr 370	Thr	Gly	Ser	Thr	Leu 375	Cys	qaA	Val	Gly	Ser 380	Leu	Gly	Ser	Trp
	Val	His	Pro	Leu	Ala	Gly	Asn	Asp	Gly	Pro	Glu	Ala	Gln	Gln	Glu	Thr

	385		390		395				
	asp	Pro Ser					400		
		ORMATION FO	R SEO ID NO:	115.					
5		SEQUENCE CI (A) LENGTH (B) TYPE: 1	HARACTERISTI : 30 base pa nucleic ació EDNESS: sing	CCS: airs					
10	(ii	) MOLECULE 1	TYPE: DNA (g	genomic)					
	(x	i) SEQUENCE	DESCRIPTION	I: SEQ ID NO	:115:				
	GGAAGCTTC	a ggcccaaag <i>i</i>	TGGGGAACAT	•			30		
	(117) INF	ORMATION FOR	SEQ ID NO:	116:					
15	(i)	(B) TYPE: r	30 base pa nucleic acid DNESS: sing	irs					
	(ii)	MOLECULE I	YPE: DNA (g	enomic)					
20	(xi)	SEQUENCE D	ESCRIPTION:	SEQ ID NO:	116:				
	GTGGATCCAC	C CCGCGGAGGA	CCCAGGCTAG				30		
	(118) INFO	DRMATION FOR	SEQ ID NO:	117:					
25	(i)	(B) TYPE: n	1098 base ucleic acid	pairs					
	(ii)	MOLECULE T	YPE: DNA (g	enomic)					
	(xi)	SEQUENCE D	ESCRIPTION:	SEQ ID NO:	117:				
30	ATGGGGAACA	TCACTGCAGA	CAACTCCTCG	ATGAGCTGTA	CCATCGACCA	TACCATCCAC	60		
	CAGACGCTGG	CCCCGGTGGT	CTATGTTACC	GTGCTGGTGG	TGGGCTTCCC	GGCCAACTGC	120		
	CTGTCCCTCT	ACTTCGGCTA	CCTGCAGATC	AAGGCCCGGA	ACGAGCTGGG	CGTGTACCTG	180		
	TGCAACCTGA	CGGTGGCCGA	CCTCTTCTAC	ATCTGCTCGC	TGCCCTTCTG	GCTGCAGTAC	240		
	GTGCTGCAGC	: ACGACAACTG	GTCTCACGGC	GACCTGTCCT	GCCAGGTGTG	CGGCATCCTC	300		
35	CTGTACGAGA	ACATCTACAT	CAGCGTGGGC	TTCCTCTGCT	GCATCTCCGT	GGACCGCTAC	360		

	CTGGCTG	TGG (	CCCAT	CCCT	T CC	GCTI	CCAC	CAG	TTCC	GGA	CCCI	GAAG	GC C	GCCG	TCGG	IC 420
	GTCAGCG	TGG :	CATC	CTGGG	C CA	AGGA	GCTG	CTG	ACCA	GCA	TCTA	CTTC	CT C	SATGO	ACGA	.G 480
	GAGGTCA	TCG A	AGGAC	GAGA	A CC	AGCA	CCGC	GTG	TGCT	TTG	AGCA	CTAC	cc c	CATCO	'AGGC	A 540
	TGGCAGC	GCG (	CCATC	AACT.	A CI	'ACCG	CTTC	CTG	GTGG	GCT	TCCI	CTTC	CC C	CATCI	'GCCT	G 600
5	CTGCTGG	CGT (	CTAC	CAGG	G CA	TCCT	'GCGC	GCC	GTGC	GCC	GGAG	CCAC	:GG C	ACCC	'AGAA	.G 660
	AGCCGCA	AGG I	ACCAG	ATCC.	A GC	GGCT	GGTG	CTC	AGCA	.CCG	TGGT	'CATC	TT C	CTGG	CCTG	C 720
	TTCCTGC	CCT F	CCAC	GTGT	T GC	TGCT	GGTG	CGC	AGCG	TCT	GGGA	.GGCC	'AG C	TGCG	ACTT	C 780
	GCCAAGG	GCG I	TTTC	'AACG	C CT	'ACCA	CTTC	TCC	CTCC	TGC	TCAC	CAGC	TT C	AACT	GCGT	C 840
	GCCGACC	CCG I	GCTC	TACT	G CT	TCGT	CAGC	GAG	ACCA	.CCC	ACCG	GGAC	CT G	GCCC	GCCT	C 900
10	CGCGGGG	CCT G	CCTG	GCCT'	r cc	TCAC	CTGC	TCC	AGGA	CCG	GCCG	GGCC.	AG G	GAGG	CCTA	C 960
	CCGCTGG	GTG C	cccc	GAGG	C CT	CCGG	GAAA	AGC	GGGG	CCC	AGGG	TGAG	GA G	CCCG	AGCT	G 1020
	TTGACCA	AGC I	'CCAC	CCGG	C CT	TCCA	GACC	CCT	AACT	CGC	CAGG	GTCG	GG C	GGGT	TCCC	C 1080
	ACGGGCA	GT I	'GGCC	TAG												1098
	(119) II	1FORM	OITA	N FOI	R SE	Q ID	NO:	118:								
15	(:	(B (C	) LE ) TY	CE CI NGTH: PE: a RANDI POLOC	: 36 amin EDNE	5 am. o ac: SS:	ino a	acid	s							
20	( )	.i) M	OLEC	ULE 7	TYPE	: pro	otei	n								
	(2	ci) S	EQUE:	NCE I	DESC:	RIPT	ION:	SEQ	ID 1	NO:1	18:					
	Met 1	Gly	Asn	Ile	Thr 5	Ala	Asp	Asn	Ser	Ser 10	Met	Ser	Cys	Thr	Ile 15	Asp
25	His	Thr	Ile	His 20	Gln	Thr	Leu	Ala	Pro 25	Val	Val	Tyr	Val	Thr 30	Val	Leu
	Val	. Val	Gly 35	Phe	Pro	Ala	Asn	Cys 40	Leu	Ser	Leu	Tyr	Phe 45	Gly	Tyr	Leu
	Glr	Ile 50	Lys	Ala	Arg	Asn	Glu 55	Leu	Gly	Val	Tyr	Leu 60	Cys	Asn	Leu	Thr
30	Va] 65	Ala	Asp	Leu	Phe	Tyr 70	Ile	Cys	Ser	Leu	Pro 75	Phe	Trp	Leu	Gln	Tyr 80
	Val	Leu	Gln	His	Asp 85	Asn	Trp	Ser	His	Gly 90	Asp	Leu	Ser	Cys	Gln 95	Val

	Cys	Gly	Ile	Leu 100	Leu	Tyr	Glu	Asn	Ile 105		Ile	Ser	Val	Gly 110		Leu
	Cys	Cys	Ile 115	Ser	Val	Asp	Arg	Tyr 120		Ala	Val	Ala	His 125		Phe	Arg
5	Phe	His 130	Gln	Phe	Arg	Thr	Leu 135	Lys	Ala	Ala	Val	Gly 140		Ser	Val	Val
	Ile 145	Trp	Ala	Lys	Glu	Leu 150	Leu	Thr	Ser	Ile	Tyr 155	Phe	Leu	Met	His	Glu 160
10	Glu	Val	Ile	Glu	Asp 165	Glu	Asn	Gln	His	Arg 170	Val	Cys	Phe	Glu	His 175	Tyr
	Pro	Ile	Gln	Ala 180	Trp	Gln	Arg	Ala	Ile 185	Asn	Tyr	Tyr	Arg	Phe 190	Leu	Val
	Gly	Phe	Leu 195		Pro	Ile	Cys	Leu 200	Leu	Leu	Ala	Ser	Tyr 205	Gln	Gly	Ile
15	Leu	Arg 210	Ala	Val	Arg	Arg	Ser 215	His	Gly	Thr	Gln	Lys 220	Ser	Arg	Lys	Asp
	Gln 225	Ile	Gln	Arg	Leu	Val 230	Leu	Ser	Thr	Val	Val 235	Ile	Phe	Leu	Ala	Cys 240
20	Phe	Leu	Pro	Tyr	His 245	Val	Leu	Leu	Leu	Val 250	Arg	Ser	Val	Trp	Glu 255	Ala
	Ser	Cys	Asp	Phe 260	Ala	Lys	Gly	Val	Phe 265	Asn	Ala	Tyr	His	Phe 270	Ser	Leu
	Leu	Leu	Thr 275	Ser	Phe	Asn	Cys	Val 280	Ala	Asp	Pro	Val	Leu 285	Tyr	Cys	Phe
25	Val	Ser 290	Glu	Thr	Thr	His	Arg 295	Asp	Leu	Ala	Arg	Leu 300	Arg	Gly	Ala	Cys
	Leu 305	Ala	Phe	Leu	Thr	Cys 310	Ser	Arg	Thr	Gly	Arg 315	Ala	Arg	Glu	Ala	Tyr 320
30	Pro	Leu	Gly	Ala	Pro 325	Glu	Ala	Ser	Gly	Lys 330	Ser	Gly	Ala	Gln	Gly 335	Glu
	Glu	Pro	Glu	Leu 340	Leu	Thr	Lys	Leu	His 345	Pro	Ala	Phe	Gln	Thr 350	Pro	Asn
	Ser	Pro	Gly 355	Ser	Gly	Gly	Phe	Pro 360	Thr	Gly	Arg	Leu	Ala 365			
35	(120) INF	'ORMA	TION	FOR	SEQ	ID	NO:1	19:								

- - (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 26 base pairs

	<ul><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
5	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:119:	
	GACCTCGAGT CCTTCTACAC CTCATC	26
	(121) INFORMATION FOR SEQ ID NO:120:	
10	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:120:	
15	TGCTCTAGAT TCCAGATAGG TGAAAACTTG	30
	(122) INFORMATION FOR SEQ ID NO:121:	
20	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1416 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:121:	
	ATGGATATTC TTTGTGAAGA AAATACTTCT TTGAGCTCAA CTACGAACTC CCTAATGCAA	60
25	TTAAATGATG ACAACAGGCT CTACAGTAAT GACTTTAACT CCGGAGAAGC TAACACTTCT	120
	GATGCATTTA ACTGGACAGT CGACTCTGAA AATCGAACCA ACCTTTCCTG TGAAGGGTGC	180
	CTCTCACCGT CGTGTCTCTC CTTACTTCAT CTCCAGGAAA AAAACTGGTC TGCTTTACTG	240
	ACAGCCGTAG TGATTATTCT AACTATTGCT GGAAACATAC TCGTCATCAT GGCAGTGTCC	300
	CTAGAGAAAA AGCTGCAGAA TGCCACCAAC TATTTCCTGA TGTCACTTGC CATAGCTGAT	360
30	ATGCTGCTGG GTTTCCTTGT CATGCCCGTG TCCATGTTAA CCATCCTGTA TGGGTACCGG	420
	TGGCCTCTGC CGAGCAAGCT TTGTGCAGTC TGGATTTACC TGGACGTGCT CTTCTCCACG	480
	GCCTCCATCA TGCACCTCTG CGCCATCTCG CTGGACCGCT ACGTCGCCAT CCAGAATCCC	540
	ATCCACCACA GCCGCTTCAA CTCCAGAACT AAGGCATTTC TGAAAATCAT TGCTGTTTGG	600

	ACCATATCAG TAGGTATATC CATGCCAATA CCAGTCTTTG GGCTACAGGA CGATTCGAAG	660
	GTCTTTAAGG AGGGGAGTTG CTTACTCGCC GATGATAACT TTGTCCTGAT CGGCTCTTTT	720
	GTGTCATTTT TCATTCCCTT AACCATCATG GTGATCACCT ACTTTCTAAC TATCAAGTCA	780
	CTCCAGAAAG AAGCTACTTT GTGTGTAAGT GATCTTGGCA CACGGGCCAA ATTAGCTTCT	840
5	TTCAGCTTCC TCCCTCAGAG TTCTTTGTCT TCAGAAAAGC TCTTCCAGCG GTCGATCCAT	900
	AGGGAGCCAG GGTCCTACAC AGGCAGGAGG ACTATGCAGT CCATCAGCAA TGAGCAAAAG	960
	GCATGCAAGG TGCTGGGCAT CGTCTTCTTC CTGTTTGTGG TGATGTGGTG CCCTTTCTTC	1020
	ATCACAAACA TCATGGCCGT CATCTGCAAA GAGTCCTGCA ATGAGGATGT CATTGGGGCC	1080
	CTGCTCAATG TGTTTGTTTG GATCGGTTAT CTCTCTTCAG CAGTCAACCC ACTAGTCTAC	1140
10	ACACTGTTCA ACAAGACCTA TAGGTCAGCC TTTTCACGGT ATATTCAGTG TCAGTACAAG	1200
	GAAAACAAAA AACCATTGCA GTTAATTTTA GTGAACACAA TACCGGCTTT GGCCTACAAG	1260
	TCTAGCCAAC TTCAAATGGG ACAAAAAAA AATTCAAAGC AAGATGCCAA GACAACAGAT	1320
	AATGACTGCT CAATGGTTGC TCTAGGAAAG CAGTATTCTG AAGAGGCTTC TAAAGACAAT	1380
	AGCGACGGAG TGAATGAAAA GGTGAGCTGT GTGTGA	1416
15	(123) INFORMATION FOR SEQ ID NO:122:	
20	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 471 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS:</li> <li>(D) TOPOLOGY: not relevant</li> </ul>	
	(ii) MOLECULE TYPE: protein	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:122:	
	Met Asp Ile Leu Cys Glu Glu Asn Thr Ser Leu Ser Ser Thr Thr As	ın
25	Ser Leu Met Gln Leu Asn Asp Asp Asn Arg Leu Tyr Ser Asn Asp Ph 20 25 30	ıe
	Asn Ser Gly Glu Ala Asn Thr Ser Asp Ala Phe Asn Trp Thr Val As 35 40 45	p
30	Ser Glu Asn Arg Thr Asn Leu Ser Cys Glu Gly Cys Leu Ser Pro Se 50 55 60	ır

Cys Leu Ser Leu Leu His Leu Gln Glu Lys Asn Trp Ser Ala Leu Leu

75

70

	Thr	Ala	a Val	. Val	. Ile 85	Ile	Leu	Thr	: Ile	90	Gly	⁄ Asr	ı Ile	e Lev	Val 95	. Ile
	Met	: Ala	ı Val	. Ser 100	Leu	. Glu	Lys	Lys	Leu 105		Asn	Ala	Thr	Asn 110		Phe
5	Leu	. Met	Ser		Ala	Ile	Ala	Asp 120		Leu	. Leu	Gly	Phe 125		Val	Met
	Pro	Val 130	Ser	Met	Leu	Thr	Ile 135		Tyr	Gly	Tyr	Arg		Pro	Leu	Pro
10	Ser 145		Leu	. Cys	Ala	Val 150		Ile	Tyr	Leu	Asp		Leu	Phe	Ser	Thr 160
	Ala	Ser	Ile	Met	His 165	Leu	Cys	Ala	Ile	Ser 170		Asp	Arg	Tyr	Val 175	Ala
	Ile	Gln	Asn	Pro 180	Ile	His	His	Ser	Arg 185	Phe	Asn	Ser	Arg	Thr 190	Lys	Ala
15	Phe	Leu	Lys 195	Ile	Ile	Ala	Val	Trp 200	Thr	Ile	Ser	Val	Gly 205	Ile	Ser	Met
	Pro	Ile 210	Pro	Val	Phe	Gly	Leu 215	Gln	Asp	Asp	Ser	Lys 220	Val	Phe	Lys	Glu
20	Gly 225	Ser	Cys	Leu	Leu	Ala 230	Asp	Asp	Asn	Phe	Val 235	Leu	Ile	Gly	Ser	Phe 240
	Val	Ser	Phe	Phe	Ile 245	Pro	Leu	Thr	Ile	Met 250	Val	Ile	Thr	Tyr	Phe 255	Leu
	Thr	Ile	Lys	Ser 260	Leu	Gln	Lys	Glu	Ala 265	Thr	Leu	Cys	Val	Ser 270	Asp	Leu
25	Gly	Thr	Arg 275	Ala	Lys	Leu	Ala	Ser 280	Phe	Ser	Phe	Leu	Pro 285	Gln	Ser	Ser
	Leu	Ser 290	Ser	Glu	Lys	Leu	Phe 295	Gln	Arg	Ser	Ile	His 300	Arg	Glu	Pro	Gly
30	Ser 305	Tyr	Thr	Gly	Arg	Arg 310	Thr	Met	Gln	Ser	Ile 315	Ser	Asn	Glu	Gln	Lys 320
	Ala	Cys	Lys	Val	Leu 325	Gly	Ile	Val	Phe	Phe 330	Leu	Phe	Val	Val	Met 335	Trp
	Cys	Pro	Phe	Phe 340	Ile	Thr	Asn	Ile	Met 345	Ala	Val	Ile	Cys	Lys 350	Glu	Ser
35	Cys	Asn	Glu 355	Asp	Val	Ile	Gly	Ala 360	Leu	Leu	Asn	Val	Phe 365	Val	Trp	Ile
	Gly	Tyr	Leu	Ser	Ser	Ala	Val	Asn	Pro	Leu	Val	Tyr	Thr	Leu	Phe	Asn

97

370 375 380 Lys Thr Tyr Arg Ser Ala Phe Ser Arg Tyr Ile Gln Cys Gln Tyr Lys 385 395 Glu Asn Lys Lys Pro Leu Gln Leu Ile Leu Val Asn Thr Ile Pro Ala 5 410 Leu Ala Tyr Lys Ser Ser Gln Leu Gln Met Gly Gln Lys Lys Asn Ser 420 Lys Gln Asp Ala Lys Thr Thr Asp Asn Asp Cys Ser Met Val Ala Leu 440 10 Gly Lys Gln Tyr Ser Glu Glu Ala Ser Lys Asp Asn Ser Asp Gly Val 455 Asn Glu Lys Val Ser Cys Val 465 (124) INFORMATION FOR SEQ ID NO:123: 15 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 27 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 20 (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:123: GACCTCGAGG TTGCTTAAGA CTGAAGC 27 (125) INFORMATION FOR SEQ ID NO:124: (i) SEQUENCE CHARACTERISTICS: 25 (A) LENGTH: 27 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) 30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:124: ATTTCTAGAC ATATGTAGCT TGTACCG 27 (126) INFORMATION FOR SEQ ID NO:125: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1377 base pairs 35 (B) TYPE: nucleic acid (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

98

## (ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:125:

	ATGGTGAACC	TGAGGAATGC	GGTGCATTCA	TTCCTTGTGC	ACCTAATTGG	CCTATTGGTT	60
	TGGCAATGTG	ATATTTCTGT	GAGCCCAGTA	GCAGCTATAG	TAACTGACAT	TTTCAATACC	120
5	TCCGATGGTG	GACGCTTCAA	ATTCCCAGAC	GGGGTACAAA	ACTGGCCAGC	ACTTTCAATC	180
	GTCATCATAA	TAATCATGAC	AATAGGTGGC	AACATCCTTG	TGATCATGGC	AGTAAGCATG	240
	GAAAAGAAAC	TGCACAATGC	CACCAATTAC	TTCTTAATGT	CCCTAGCCAT	TGCTGATATG	300
	CTAGTGGGAC	TACTTGTCAT	GCCCCTGTCT	CTCCTGGCAA	TCCTTTATGA	TTATGTCTGG	360
	CCACTACCTA	GATATTTGTG	CCCCGTCTGG	ATTTCTTTAG	ATGTTTTATT	TTCAACAGCG	420
10	TCCATCATGC	ACCTCTGCGC	TATATCGCTG	GATCGGTATG	TAGCAATACG	TAATCCTATT	480
	GAGCATAGCC	GTTTCAATTC	GCGGACTAAG	GCCATCATGA	AGATTGCTAT	TGTTTGGGCA	540
	ATTTCTATAG	GTGTATCAGT	TCCTATCCCT	GTGATTGGAC	TGAGGGACGA	AGAAAAGGTG	600
	TTCGTGAACA	ACACGACGTG	CGTGCTCAAC	GACCCAAATT	TCGTTCTTAT	TGGGTCCTTC	660
	GTAGCTTTCT	TCATACCGCT	GACGATTATG	GTGATTACGT	ATTGCCTGAC	CATCTACGTT	720
15	CTGCGCCGAC	AAGCTTTGAT	GTTACTGCAC	GGCCACACCG	AGGAACCGCC	TGGACTAAGT	780
	CTGGATTTCC	TGAAGTGCTG	CAAGAGGAAT	ACGGCCGAGG	AAGAGAACTC	TGCAAACCCT	840
	AACCAAGACC	AGAACGCACG	CCGAAGAAAG	AAGAAGGAGA	GACGTCCTAG	GGGCACCATG	900
	CAGGCTATCA	ACAATGAAAG	AAAAGCTTCG	AAAGTCCTTG	GGATTGTTTT	CTTTGTGTTT	960
	CTGATCATGT	GGTGCCCATT	TTTCATTACC	AATATTCTGT	CTGTTCTTTG	TGAGAAGTCC	1020
20	TGTAACCAAA	AGCTCATGGA	AAAGCTTCTG	AATGTGTTTG	TTTGGATTGG	CTATGTTTGT	1080
	TCAGGAATCA	ATCCTCTGGT	GTATACTCTG	TTCAACAAAA	TTTACCGAAG	GGCATTCTCC	1140
	AACTATTTGC	GTTGCAATTA	TAAGGTAGAG	AAAAAGCCTC	CTGTCAGGCA	GATTCCAAGA	1200
	GTTGCCGCCA	CTGCTTTGTC	TGGGAGGGAG	CTTAATGTTA	ACATTTATCG	GCATACCAAT	1260
	GAACCGGTGA	TCGAGAAAGC	CAGTGACAAT	GAGCCCGGTA	TAGAGATGCA	AGTTGAGAAT	1320
25	TTAGAGTTAC	CAGTAAATCC	CTCCAGTGTG	GTTAGCGAAA	GGATTAGCAG	TGTGTGA	1377
	(127) INFOR	MATION FOR	SEO ID NO:1	.26 :			

## (127) INFORMATION FOR SEQ ID NO:126:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 458 amino acids
  - (B) TYPE: amino acid

99

(C) STRANDEDNESS:

(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:126:

5 Met Val Asn Leu Arg Asn Ala Val His Ser Phe Leu Val His Leu Ile 1.0 Gly Leu Leu Val Trp Gln Cys Asp Ile Ser Val Ser Pro Val Ala Ala Ile Val Thr Asp Ile Phe Asn Thr Ser Asp Gly Gly Arg Phe Lys Phe 10 Pro Asp Gly Val Gln Asn Trp Pro Ala Leu Ser Ile Val Ile Ile Ile 55 Ile Met Thr Ile Gly Gly Asn Ile Leu Val Ile Met Ala Val Ser Met 75 15 Glu Lys Lys Leu His Asn Ala Thr Asn Tyr Phe Leu Met Ser Leu Ala 90 Ile Ala Asp Met Leu Val Gly Leu Leu Val Met Pro Leu Ser Leu Leu 100 Ala Ile Leu Tyr Asp Tyr Val Trp Pro Leu Pro Arg Tyr Leu Cys Pro 20 120 Val Trp Ile Ser Leu Asp Val Leu Phe Ser Thr Ala Ser Ile Met His 135 Leu Cys Ala Ile Ser Leu Asp Arg Tyr Val Ala Ile Arg Asn Pro Ile 155 25 Glu His Ser Arg Phe Asn Ser Arg Thr Lys Ala Ile Met Lys Ile Ala 170 Ile Val Trp Ala Ile Ser Ile Gly Val Ser Val Pro Ile Pro Val Ile 180 185 Gly Leu Arg Asp Glu Glu Lys Val Phe Val Asn Asn Thr Thr Cys Val 30 Leu Asn Asp Pro Asn Phe Val Leu Ile Gly Ser Phe Val Ala Phe Phe 215 Ile Pro Leu Thr Ile Met Val Ile Thr Tyr Cys Leu Thr Ile Tyr Val 225 230 235 35 Leu Arg Arg Gln Ala Leu Met Leu Leu His Gly His Thr Glu Glu Pro

245

100

		Pro	Gly	Leu	Ser 260	Leu	Asp	Phe	Leu	Lys 265	Cys	Cys	Lys	Arg	Asn 270	Thr	Ala	ı
		Glu	Glu	Glu 275	Asn	Ser	Ala	Asn	Pro 280	Asn	Gln	Asp	Gln	Asn 285	Ala	Arg	Arg	Г
5		Arg	Lys 290	Lys	Lys	Glu	Arg	Arg 295	Pro	Arg	Gly	Thr	Met 300	Gln	Ala	Ile	Asn	ı
		Asn 305	Glu	Arg	Lys	Ala	Ser 310	Lys	Val	Leu	Gly	Ile 315	Val	Phe	Phe	Val	Phe 320	
10		Leu	Ile	Met	Trp	Cys 325	Pro	Phe	Phe	Ile	Thr 330	Asn	Ile	Leu	Ser	Val 335	Leu	
		Cys	Glu	Lys	Ser 340	Cys	Asn	Gln	Lys	Leu 345	Met	Glu	Lys	Leu	Leu 350	Asn	Val	
		Phe	Val	Trp 355	Ile	Gly	Tyr	Val	Cys 360	Ser	Gly	Ile	Asn	Pro 365	Leu	Val	Tyr	
15		Thr	Leu 370	Phe	Asn	Lys	Ile	Tyr 375	Arg	Arg	Ala	Phe	Ser 380	Asn	Tyr	Leu	Arg	
		385	Asn	Tyr	Lys	Val	Glu 390	Lys	Lys	Pro	Pro	Val 395	Arg	Gln	Ile	Pro	Arg 400	
20		Val	Ala	Ala	Thr	Ala 405	Leu	Ser	Gly	Arg	Glu 410	Leu	Asn	Val	Asn	Ile 415	Tyr	
		Arg	His	Thr	Asn 420	Glu	Pro	Val	Ile	Glu 425	Lys	Ala	Ser	Asp	Asn 430	Glu	Pro	
		Gly	Ile	Glu 435	Met	Gln	Val	Glu	Asn 440	Leu	Glu	Leu	Pro	Val 445	Asn	Pro	Ser	
25		Ser	Val 450	Val	Ser	Glu		Ile 455	Ser	Ser	Val							
	(128)				FOR													
30		(1)	(A) (B) (C)	LEN TYP STR	E CH GTH: E: n ANDE OLOG	30 ucle DNES	base ic a S: s	pai cid ingl	rs									
		(ii	) MO	LECU	LE T	YPE:	DNA	(ge	nomi	c)								
					CE D				SEQ	ID N	0:12	7:						
35	GGTAA	GCTT	G GC	AGTC	CACG	CCA	GGCC	TTC										30

(129) INFORMATION FOR SEQ ID NO:128:

5		SEQUENCE CHA (A) LENGTH: (B) TYPE: nu (C) STRANDEI (D) TOPOLOGY	30 base pa ucleic acid DNESS: sing Y: linear	irs le			
		MOLECULE TY	_				
	(xi)	SEQUENCE DE	ESCRIPTION:	SEQ ID NO:	128:		
	TCCGAATTCT	CTGTAGACAC	AAGGCTTTGG				. 30
	(130) INFO	RMATION FOR	SEQ ID NO:	129:			
10	(i)	SEQUENCE CHA (A) LENGTH: (B) TYPE: nu (C) STRANDED (D) TOPOLOGY	1068 base cleic acid NESS: sing	pairs			
15	(ii)	MOLECULE TY	TPE: DNA (g	enomic)			
	(xi)	SEQUENCE DE	SCRIPTION:	SEQ ID NO:	129:		
	ATGGATCAGT	TCCCTGAATC	AGTGACAGAA	AACTTTGAGT	ACGATGATTT	GGCTGAGGCC	60
	TGTTATATTG	GGGACATCGT	GGTCTTTGGG	ACTGTGTTCC	TGTCCATATT	CTACTCCGTC	120
	ATCTTTGCCA	TTGGCCTGGT	GGGAAATTTG	TTGGTAGTGT	TTGCCCTCAC	CAACAGCAAG	180
20	AAGCCCAAGA	GTGTCACCGA	CATTTACCTC	CTGAACCTGG	CCTTGTCTGA	TCTGCTGTTT	240
	GTAGCCACTT	TGCCCTTCTG	GACTCACTAT	TTGATAAATG	AAAAGGGCCT	CCACAATGCC	300
	ATGTGCAAAT	TCACTACCGC	CTTCTTCTTC	ATCGGCTTTT	TTGGAAGCAT	ATTCTTCATC	360
	ACCGTCATCA	GCATTGATAG	GTACCTGGCC	ATCGTCCTGG	CCGCCAACTC	CATGAACAAC	420
	CGGACCGTGC	AGCATGGCGT	CACCATCAGC	CTAGGCGTCT	GGGCAGCAGC	CATTTTGGTG	480
25	GCAGCACCCC	AGTTCATGTT	CACAAAGCAG	AAAGAAAATG	AATGCCTTGG	TGACTACCCC	540
	GAGGTCCTCC	AGGAAATCTG	GCCCGTGCTC	CGCAATGTGG	AAACAAATTT	TCTTGGCTTC	600
	CTACTCCCCC	TGCTCATTAT	GAGTTATTGC	TACTTCAGAA	TCATCCAGAC	GCTGTTTTCC	660
	TGCAAGAACC	ACAAGAAAGC	CAAAGCCATT	AAACTGATCC	TTCTGGTGGT	CATCGTGTTT	720
	TTCCTCTTCT	GGACACCCTA	CAACGTTATG	ATTTTCCTGG	AGACGCTTAA	GCTCTATGAC	780
30	TTCTTTCCCA	GTTGTGACAT	GAGGAAGGAT	CTGAGGCTGG	CCCTCAGTGT	GACTGAGACG	840
	GTTGCATTTA	GCCATTGTTG (	CCTGAATCCT	CTCATCTATG	CATTTGCTGG	GGAGAAGTTC	900
	AGAAGATACC	TTTACCACCT (	GTATGGGAAA	TGCCTGGCTG	TCCTGTGTGG	GCGCTCAGTC	960

102

CACGTTGATT TCTCCTCATC TGAATCACAA AGGAGCAGGC ATGGAAGTGT TCTGAGCAGC 1020 AATTTTACTT ACCACACGAG TGATGGAGAT GCATTGCTCC TTCTCTGA 1068 (131) INFORMATION FOR SEQ ID NO:130: (i) SEQUENCE CHARACTERISTICS: 5 (A) LENGTH: 355 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant (ii) MOLECULE TYPE: protein 10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:130: Met Asp Gln Phe Pro Glu Ser Val Thr Glu Asn Phe Glu Tyr Asp Asp Leu Ala Glu Ala Cys Tyr Ile Gly Asp Ile Val Val Phe Gly Thr Val 25 15 Phe Leu Ser Ile Phe Tyr Ser Val Ile Phe Ala Ile Gly Leu Val Gly Asn Leu Leu Val Val Phe Ala Leu Thr Asn Ser Lys Lys Pro Lys Ser 50 Val Thr Asp Ile Tyr Leu Leu Asn Leu Ala Leu Ser Asp Leu Leu Phe 20 70 Val Ala Thr Leu Pro Phe Trp Thr His Tyr Leu Ile Asn Glu Lys Gly 90 Leu His Asn Ala Met Cys Lys Phe Thr Thr Ala Phe Phe Phe Ile Gly 100 105 25 Phe Phe Gly Ser Ile Phe Phe Ile Thr Val Ile Ser Ile Asp Arg Tyr 120 Leu Ala Ile Val Leu Ala Ala Asn Ser Met Asn Asn Arg Thr Val Gln 130 135 His Gly Val Thr Ile Ser Leu Gly Val Trp Ala Ala Ile Leu Val 30 145 155 Ala Ala Pro Gln Phe Met Phe Thr Lys Gln Lys Glu Asn Glu Cys Leu 165 170 Gly Asp Tyr Pro Glu Val Leu Gln Glu Ile Trp Pro Val Leu Arg Asn 180 185 35 Val Glu Thr Asn Phe Leu Gly Phe Leu Leu Pro Leu Leu Ile Met Ser

200

205

		Tyr	Cys 210		Phe	Arg	Ile	Ile 215	Gln	Thr	Leu	Phe	Ser 220	Cys	Lys	Asn	His	
		Lys 225	Lys	Ala	Lys	Ala	Ile 230	Lys	Leu	Ile	Leu	Leu 235	Val	Val	Ile	Val	Phe	
5		Phe	Leu	Phe	Trp	Thr 245	Pro	Tyr	Asn	Val	Met 250	Ile	Phe	Leu	Glu	Thr 255	Leu	
		Lys	Leu	Tyr	Asp 260	Phe	Phe	Pro	Ser	Cys 265	Asp	Met	Arg	Lys	Asp 270	Leu	Arg	
10		Leu	Ala	Leu 275	Ser	Val	Thr		Thr 280	Val	Ala	Phe	Ser	His 285	Cys	Cys	Leu	
		Asn	Pro 290	Leu	Ile	Tyr	Ala	Phe 295	Ala	Gly	Glu	Lys	Phe 300	Arg	Arg	Tyr	Leu	
		Tyr 305	His	Leu	Tyr	Gly	Lys 310	Cys	Leu	Ala	Val	Leu 315	Cys	Gly	Arg	Ser	Val 320	
15		His	Val	Asp	Phe	Ser 325	Ser	Ser	Glu	Ser	Gln 330	Arg	Ser	Arg	His	Gly 335	Ser	
		Val	Leu	Ser	Ser 340	Asn	Phe	Thr	Tyr	His	Thr	Ser	Asp	Gly	Asp 350	Ala	Leu	
20		Leu	Leu	Leu 355														
	(132)	INF	ORMA	TION	I FOR	SEÇ	) ID	NO:1	31:									
25		(i)	(A) (B) (C)	LEN TYI STR	CE CH IGTH: PE: n RANDE POLOG	32 ucle DNES	base ic a S: s	pai cid ingl	rs									
		(ii	.) MC	LECU	ILE I	YPE:	DNA	. (ge	nomi	.c)								
		(xi	) SE	QUEN	ICE D	ESCR	IPTI	ON:	SEQ	ID N	0:13	1:						
	GATCI	CCAG	T AG	GCAT	'AAGT	' GGA	.CAAT	TCT	GG									32
30	(133)	INF	'ORMA	MOIT	FOR	SEQ	ID	NO:1	32:									
35		(i)	(A) (B) (C)	LEN TYP STR	E CH GTH: E: n ANDE	30 ucle DNES	base ic a S: s	pai cid ingl	rs									
		(ii	) мо	LECU	LE T	YPE:	DNA	(ge	nomi	c)								
		(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEO	ID N	0:13	2:						

	CTCCTTCGGT CCTCCTATCG TTGTCAGAAG	30
	(134) INFORMATION FOR SEQ ID NO:133:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:133:	
10	AGAAGGCCAA GATCGCGCGG CTGGCCCTCA	30
	(135) INFORMATION FOR SEQ ID NO:134:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:134:	
	CGGCGCCACC GCACGAAAAA GCTCATCTTC	30
20	(136) INFORMATION FOR SEQ ID NO:135:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 33 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:135:	
	GCCAAGAAGC GGGTGAAGTT CCTGGTGGTG GCA	33
	(137) INFORMATION FOR SEQ ID NO:136:	
30	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
35	(ii) MOLECULE TYPE: DNA (genomic)	

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:136:	
	CAGGCGGAAG GTGAAAGTCC TGGTCCTCGT	30
	(138) INFORMATION FOR SEQ ID NO:137:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 33 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
10	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:137:	
	CGGCGCCTGC GGGCCAAGCG GCTGGTGGTG GTG	33
	(139) INFORMATION FOR SEQ ID NO:138:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 31 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:138:	
20	CCAAGCACAA AGCCAAGAAA GTGACCATCA C	31
	(140) INFORMATION FOR SEQ ID NO:139:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:139:	
	GCGCCGGCGC ACCAAATGCT TGCTGGTGGT	30
30	(141) INFORMATION FOR SEQ ID NO:140:	
35	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 41 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:140:	
	CAAAAAGCTG AAGAAATCTA AGAAGATCAT CTTTATTGTC G	41
	(142) INFORMATION FOR SEQ ID NO:141:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:141:	
	CAAGACCAAG GCAAAACGCA TGATCGCCAT	30
	(143) INFORMATION FOR SEQ ID NO:142:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:142:	
	GTCAAGGAGA AGTCCAAAAG GATCATCATC	30
	(144) INFORMATION FOR SEQ ID NO:143:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:143:	
30	CGCCGCGTGC GGGCCAAGCA GCTCCTGCTC	30
	(145) INFORMATION FOR SEQ ID NO:144:	
35	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 33 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	

		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:144:	
	CCTGA	TAAGC GCTATAAAAT GGTCCTGTTT CGA	33
	(146)	INFORMATION FOR SEQ ID NO:145:	
5		<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 36 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:145:	
	GAAAG	ACAAA AGAGAGTCAA GAGGATGTCT TTATTG	36
	(147)	INFORMATION FOR SEQ ID NO:146:	
15		<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 33 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
		(ii) MOLECULE TYPE: DNA (genomic)	
20		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:146:	
	CGGAG	AAAGA GGGTGAAACG CACAGCCATC GCC	33
	(148)	INFORMATION FOR SEQ ID NO:147:	
25		<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:147:	
30	AAGCT'	CCAGC GGGCCAAGGC ACTGGTCACC	30
	(149)	INFORMATION FOR SEQ ID NO:148:	
35		<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:148:	
	CAGCGGCAGA AGGCAAAAAG GGTGGCCATC	30
	(150) INFORMATION FOR SEQ ID NO:149:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:149:	
	CGGCAGAAGG CGAAGCGCAT GATCCTCGCG	30
	(151) INFORMATION FOR SEQ ID NO:150:	
15	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 30 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:150:	
	GAGCGCAACA AGGCCAAAAA GGTGATCATC	30
	(152) INFORMATION FOR SEQ ID NO:151:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 39 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:151:	
30	GGTGTAAACA AAAAGGCTAA AAACACAATT ATTCTTATT	39
	(153) INFORMATION FOR SEQ ID NO:152:	
35	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 27 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:152:	
	GAGAGCCAGC TCAAGAGCAC CGTGGTG	27
	(154) INFORMATION FOR SEQ ID NO:153:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:153:	
	CCACAAGCAA ACCAAGAAAA TGCTGGCTGT	30
	(155) INFORMATION FOR SEQ ID NO:154:	
15	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 30 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:154:	
	CATCAAGTGT ATCATGTGCC AAGTACGCCC	30
	(156) INFORMATION FOR SEQ ID NO:155:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 34 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:155:	
30	CTAGAGAGTC AGATGAAGTG TACAGTAGTG GCAC	34
	(157) INFORMATION FOR SEQ ID NO:156:	
35	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 36 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:156:	
	CGGACAAAAG TGAAAACTAA AAAGATGTTC CTCATT	36
	(158) INFORMATION FOR SEQ ID NO:157:	30
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 33 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:157:	
	GCTGAGGTTC GCAATAAACT AACCATGTTT GTG	33
	(159) INFORMATION FOR SEQ ID NO:158:	
15	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 29 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:158:	
	GGGAGGCCGA GCTGAAAGCC ACCCTGCTC	29
	(160) INFORMATION FOR SEQ ID NO:159:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 31 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:159:	
30	CAAGATCAAG AGAGCCAAAA CCTTCATCAT G	31
	(161) INFORMATION FOR SEQ ID NO:160:	
35	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 31 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	

WO 00/22129

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:160:	
	CCGGAGACAA GTGAAGAAGA TGCTGTTTGT C	31
	(162) INFORMATION FOR SEQ ID NO:161:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:161:	
	GCAAGGACCA GATCAAGCGG CTGGTGCTCA	30
	(163) INFORMATION FOR SEQ ID NO:162:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 34 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:162:	
	CAAGAAAGCC AAAGCCAAGA AACTGATCCT TCTG	34
	(164) INFORMATION FOR SEQ ID NO:163:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1068 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:163:	
30	ATGGAAGATT TGGAGGAAAC ATTATTTGAA GAATTTGAAA ACTATTCCTA TGACCTAGAC	60
	TATTACTCTC TGGAGTCTGA TTTGGAGGAG AAAGTCCAGC TGGGAGTTGT TCACTGGGTC	120
	TCCCTGGTGT TATATTGTTT GGCTTTTGTT CTGGGAATTC CAGGAAATGC CATCGTCATT	180
	TGGTTCACGG GGCTCAAGTG GAAGAAGACA GTCACCACTC TGTGGTTCCT CAATCTAGCC	240
	ATTGCGGATT TCATTTTCT TCTCTTTCTG CCCCTGTACA TCTCCTATGT GGCCATGAAT	300

112

	TTCCACTGGC CCTTTGGCAT CTGGCTGTGC AAAGCCAATT CCTTCACTGC CCAGTTGAAC 360													
	ATGTTTGCCA GTGTTTTTT CCTGACAGTG ATCAGCCTGG ACCACTATAT CCACTTGATC 420													
	CATCCTGTCT TATCTCATCG GCATCGAACC CTCAAGAACT CTCTGATTGT CATTATATTC 480													
	ATCTGGCTTT TGGCTTCTCT AATTGGCGGT CCTGCCCTGT ACTTCCGGGA CACTGTGGAG 540													
5	TTCAATAATC ATACTCTTTG CTATAACAAT TTTCAGAAGC ATGATCCTGA CCTCACTTTG 600													
	ATCAGGCACC ATGTTCTGAC TTGGGTGAAA TTTATCATTG GCTATCTCTT CCCTTTGCTA 660													
	ACAATGAGTA TTTGCTACTT GTGTCTCATC TTCAAGGTGA AGAAGCGAAC AGTCCTGATC 720													
	TCCAGTAGGC ATAAGTGGAC AATTCTGGTT GTGGTTGTGG CCTTTGTGGT TTGCTGGACT 780													
	CCTTATCACC TGTTTAGCAT TTGGGAGCTC ACCATTCACC ACAATAGCTA TTCCCACCAT 840													
10	GTGATGCAGG CTGGAATCCC CCTCTCCACT GGTTTGGCAT TCCTCAATAG TTGCTTGAAC 900													
	CCCATCCTTT ATGTCCTAAT TAGTAAGAAG TTCCAAGCTC GCTTCCGGTC CTCAGTTGCT 960													
	GAGATACTCA AGTACACACT GTGGGAAGTC AGCTGTTCTG GCACAGTGAG TGAACAGCTC 1020													
	AGGAACTCAG AAACCAAGAA TCTGTGTCTC CTGGAAACAG CTCAATAA 1068													
	(165) INFORMATION FOR SEQ ID NO:164:													
15	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 355 amino acids  (B) TYPE: amino acid  (C) STRANDEDNESS:  (D) TOPOLOGY: not relevant													
20	(ii) MOLECULE TYPE: protein													
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:164:													
	Met Glu Asp Leu Glu Glu Thr Leu Phe Glu Glu Phe Glu Asn Tyr Ser  1 10 15													
25	Tyr Asp Leu Asp Tyr Tyr Ser Leu Glu Ser Asp Leu Glu Glu Lys Val 20 25 30													
	Gln Leu Gly Val Val His Trp Val Ser Leu Val Leu Tyr Cys Leu Ala 35 40 45													
	Phe Val Leu Gly Ile Pro Gly Asn Ala Ile Val Ile Trp Phe Thr Gly 50 55 60													
30	Leu Lys Trp Lys Lys Thr Val Thr Thr Leu Trp Phe Leu Asn Leu Ala 65 70 75 80													

Ile Ala Asp Phe Ile Phe Leu Leu Phe Leu Pro Leu Tyr Ile Ser Tyr 85 90 95

	Val	Ala	Met	Asn 100	Phe	His	Trp	Pro	Phe 105	Gly	Ile	Trp	Leu	Cys 110	Lys	Ala
	Asn	Ser	Phe 115	Thr	Ala	Gln	Leu	Asn 120	Met	Phe	Ala	Ser	Val 125	Phe	Phe	Leu
5	Thr	Val 130	Ile	Ser	Leu	Asp	His 135	Tyr	Ile	His	Leu	Ile 140	His	Pro	Val	Leu
	Ser 145	His	Arg	His	Arg	Thr 150	Leu	Lys	Asn	Ser	Leu 155	Ile	Val	Ile	Ile	Phe 160
10	Ile	Trp	Leu	Leu.	Ala 165	Ser	Leu	Ile	Gly	Gly 170	Pro	Ala	Leu	Tyr	Phe 175	Arg
	Asp	Thr	Val	Glu 180	Phe	Asn	Asn	His	Thr 185	Leu	Cys	Tyr	Asn	Asn 190	Phe	Gln
	Lys	His	Asp 195	Pro	Asp	Leu	Thr	Leu 200	Ile	Arg	His	His	Val 205	Leu	Thr	Trp
15	Val	Lys 210	Phe	Ile	Ile	Gly	Tyr 215	Leu	Phe	Pro	Leu	Leu 220	Thr	Met	Ser	Ile
	Cys 225	Tyr	Leu	Cys	Leu	Ile 230	Phe	Lys	Val	Lys	Lys 235	Arg	Thr	Val	Leu	Ile 240
20	Ser	Ser	Arg	His	Lys 245	Trp	Thr	Ile	Leu	Val 250	Val	Val	Val	Ala	Phe 255	Val
	Val	Cys	Trp	Thr 260	Pro	Tyr	His	Leu	Phe 265	Ser	Ile	Trp	Glu	Leu 270	Thr	Ile
	His	His	Asn 275	Ser	Tyr	Ser	His	His 280	Val	Met	Gln	Ala	Gly 285	Ile	Pro	Leu
25	Ser	Thr 290	Gly	Leu	Ala	Phe	Leu 295	Asn	Ser	Cys	Leu	Asn 300	Pro	Ile	Leu	Tyr
	Val 305	Leu	Ile	Ser	Lys	Lys 310	Phe	Gln	Ala	Arg	Phe 315	Arg	Ser	Ser	Val	Ala 320
30	Glu	Ile	Leu	Lys	Tyr 325	Thr	Leu	Trp	Glu	Val 330	Ser	Cys	Ser	Gly	Thr 335	Val
	Ser	Glu	Gln	Leu 340	Arg	Asn	Ser	Glu	Thr 345	Lys	Asn	Leu	Cys	Leu 350	Leu	Glu
	Thr	Ala	Gln 355													

- 35 (166) INFORMATION FOR SEQ ID NO:165:
  - (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 1089 base pairs

(B) TYPE: nucleic acid (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:165:

	ATGGGCAACC	ACACGTGGGA	GGGCTGCCAC	GTGGACTCGC	GCGTGGACCA	CCTCTTTCCG	60
	CCATCCCTCT	ACATCTTTGT	CATCGGCGTG	GGGCTGCCCA	CCAACTGCCT	GGCTCTGTGG	120
	GCGGCCTACC	GCCAGGTGCA	ACAGCGCAAC	GAGCTGGGCG	TCTACCTGAT	GAACCTCAGC	180
	ATCGCCGACC	TGCTGTACAT	CTGCACGCTG	CCGCTGTGGG	TGGACTACTT	CCTGCACCAC	240
10	GACAACTGGA	TCCACGGCCC	CGGGTCCTGC	AAGCTCTTTG	GGTTCATCTT	CTACACCAAT	300
	ATCTACATCA	GCATCGCCTT	CCTGTGCTGC	ATCTCGGTGG	ACCGCTACCT	GGCTGTGGCC	360
	CACCCACTCC	GCTTCGCCCG	CCTGCGCCGC	GTCAAGACCG	CCGTGGCCGT	GAGCTCCGTG	420
	GTCTGGGCCA	CGGAGCTGGG	CGCCAACTCG	GCGCCCTGT	TCCATGACGA	GCTCTTCCGA	480
	GACCGCTACA	ACCACACCTT	CTGCTTTGAG	AAGTTCCCCA	TGGAAGGCTG	GGTGGCCTGG	540
15	ATGAACCTCT	ATCGGGTGTT	CGTGGGCTTC	CTCTTCCCGT	GGGCGCTCAT	GCTGCTGTCG	600
	TACCGGGGCA	TCCTGCGGGC	CGTGCGGGGC	AGCGTGTCCA	CCGAGCGCCA	GGAGAAGGCC	660
	AAGATCGCGC	GGCTGGCCCT	CAGCCTCATC	GCCATCGTGC	TGGTCTGCTT	TGCGCCCTAT	720
	CACGTGCTCT	TGCTGTCCCG	CAGCGCCATC	TACCTGGGCC	GCCCCTGGGA	CTGCGGCTTC	780
	GAGGAGCGCG	TCTTTTCTGC	ATACCACAGC	TCACTGGCTT	TCACCAGCCT	CAACTGTGTG	840
20	GCGGACCCCA	TCCTCTACTG	CCTGGTCAAC	GAGGGCGCCC	GCAGCGATGT	GGCCAAGGCC	900
	CTGCACAACC	TGCTCCGCTT	TCTGGCCAGC	GACAAGCCCC	AGGAGATGGC	CAATGCCTCG	960
	CTCACCCTGG	AGACCCCACT	CACCTCCAAG	AGGAACAGCA	CAGCCAAAGC	CATGACTGGC	1020
	AGCTGGGCGG	CCACTCCGCC	TTCCCAGGGG	GACCAGGTGC	AGCTGAAGAT	GCTGCCGCCA	1080
	GCACAATGA						1089

25 (167) Information for SEQ ID NO:166:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 362 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein

	(xi	i) SI	EQUE1	ICE I	DESCI	RIPTI	ON:	SEQ	ID 1	NO:16	56 :					
	Met 1	Gly	Asn	His	Thr 5	Trp	Glu	Gly	Cys	His 10	Val	Asp	Ser	Arg	Val 15	Asp
5	His	Leu	Phe	Pro 20	Pro	Ser	Leu	Tyr	Ile 25	Phe	Val	Ile	Gly	Val 30	Gly	Leu
	Pro	Thr	Asn 35	Cys	Leu	Ala	Leu	Trp 40	Ala	Ala	Tyr	Arg	Gln 45	Val	Gln	Gln
	Arg	Asn 50	Glu	Leu	Gly	Val	Tyr 55	Leu	Met	Asn	Leu	Ser 60	Ile	Ala	Asp	Leu
10	Leu 65	Tyr	Ile	Cys	Thr	Leu 70	Pro	Leu	Trp	Val	Asp 75	Tyr	Phe	Leu	His	His 80
	Asp	Asn	Trp	Ile	His 85	Gly	Pro	Gly	Ser	Cys 90	Lys	Leu	Phe	Gly	Phe 95	Ile
15	Phe	Tyr	Thr	Asn 100	Ile	Tyr	Ile	Ser	Ile 105	Ala	Phe	Leu	Cys	Cys 110	Ile	Ser
	Val	Asp	Arg 115	Tyr	Leu	Ala	Val	Ala 120	His	Pro	Leu	Arg	Phe 125	Ala	Arg	Leu
	Arg	Arg 130	Val	Lys	Thr	Ala	Val 135	Ala	Val	Ser	Ser	Val 140	Val	Trp	Ala	Thr
20	Glu 145	Leu	Gly	Ala	Asn	Ser 150	Ala	Pro	Leu	Phe	His 155	Asp	Glu	Leu	Phe	Arg 160
	Asp	Arg	Tyr	Asn	His 165	Thr	Phe	Cys	Phe	Glu 170	Lys	Phe	Pro	Met	Glu 175	Gly
25	Trp	Val	Ala	Trp 180	Met	Asn	Leu	Tyr	Arg 185	Val	Phe	Val	Gly	Phe 190	Leu	Phe
	Pro	Trp	Ala 195	Leu	Met	Leu	Leu	Ser 200	Tyr	Arg	Gly	Ile	Leu 205	Arg	Ala	Val
	Arg	Gly 210	Ser	Val	Ser	Thr	Glu 215	Arg	Gln	Glu	Lys	Ala 220	Lys	Ile	Ala	Arg
30	Leu 225	Ala	Leu	Ser	Leu	Ile 230	Ala	Ile	Val	Leu	Val 235	Cys	Phe	Ala	Pro	Tyr 240
	His	Val	Leu	Leu	Leu 245	Ser	Arg	Ser	Ala	Ile 250	Tyr	Leu	Gly	Arg	Pro 255	Trp
35	Asp	Cys	Gly	Phe 260	Glu	Glu	Arg	Val	Phe 265	Ser	Ala	Tyr	His	Ser 270	Ser	Leu
	Ala	Phe	Thr	Ser	Leu	Asn	Cys	Val	Ala	Asp	Pro	Ile	Leu	Tyr	Cys	Leu

116

			275					280					285				
	Val	Asn 290	Glu	Gly	Ala	Arg	Ser 295	Asp	Val	Ala	Lys	Ala 300	Leu	His	Asn	Leu	
5	Leu 2 305	Arg	Phe	Leu	Ala	Ser 310	Asp	Lys	Pro	Gln	Glu 315	Met	Ala	Asn	Ala	Ser	
	Leu '	Thr	Leu	Glu	Thr 325	Pro	Leu	Thr	Ser	Lys 330	Arg	Asn	Ser	Thr	Ala 335	Lys	
	Ala	Met	Thr	Gly 340	Ser	Trp	Ala	Ala	Thr 345	Pro	Pro	Ser	Gln	Gly 350	Asp	Gln	
10	Val (	Gln	Leu 355	Lys	Met	Leu	Pro	Pro 360	Ala	Gln							
	(168) INFO	ORMA	TION	FOR	SEÇ	) ID	NO: 3	.67:									
15	(i)	(A) (B) (C)	LEN TYP STR	GTH: E: n	100 ucle DNES	2 ba ic a S: s	ingl	airs	3								
	(ii) MOLECULE TYPE: DNA (genomic)																
	(xi)	SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	10:16	7:						
20	ATGGAGTCCT	CA	GGCA	ACCC	AGA	GAGC	'ACC	ACCI	"TTTT	TT A	.CTAT	GACC	T TC	'AGAG	CCAG		60
	CCGTGTGAGA	A AC	CAGG	CCTG	GGT	CTTT	GCT	ACCC	TCGC	CA C	CACT	GTCC	T GT	ACTG	CCTG	1	.20
	GTGTTTCTCC	TC	AGCC	TAGT	GGG	CAAC	AGC	CTGG	TCCT	GT G	GGTC	CTGG	T GA	AGTA	TGAG	1	.80
	AGCCTGGAGT	CC	CTCA	CCAA	CAT	CTTC	ATC	CTCA	ACCT	GT G	CCTC	TCAG	A CC	TGGT	GTTC	2	40
	GCCTGCTTGT	TG	CCTG'	TGTG	GAT	CTCC	CCA	TACC	ACTG	GG G	CTGG	GTGC	T GG	GAGA	CTTC	3	00
25	CTCTGCAAAC	TC	CTCA	TATA	GAT	CTTC	TCC	ATCA	GCCT	CT A	CAGC.	AGCA	T CT	TCTT	CCTG	3	60
	ACCATCATGA	. CCI	ATCC	ACCG	CTA	CCTG	TCG	GTAG	TGAG	CC C	CCTC	TCCA	c cc	TGCG	CGTC	4	20
	CCCACCCTCC	GC:	rgcc(	GGGT	GCT	GGTG.	ACC .	ATGG	CTGT	GT G	GGTA	GCCA	G CA	TCCT	GTCC	4	80
	TCCATCCTCG	ACA	ACCA'	TCTT	CCA	CAAG	GTG	CTTT	CTTC	GG G	CTGT	GATT	A TT	CCGA	ACTC	5	<b>4</b> 0
	ACGTGGTACC	TC	ACCT	CCGT	CTA	CCAG	CAC .	AACC	TCTT	CT T	CCTG	CTGT	C CC	TGGG	GATT	6	00
30	ATCCTGTTCT	GCI	racg:	rgga	GAT	CCTC	AGG .	ACCC	TGTT	CC G	CTCA	CGCT	C CA	AGCG	GCGC	6	60
	CACCGCACGA	AA	AAGC:	rcat	CTT	CGCC	ATC (	GTGG'	TGGC	CT A	CTTC	CTCA	G CT	GGGG'	rccc	7:	20

TACAACTTCA CCCTGTTTCT GCAGACGCTG TTTCGGACCC AGATCATCCG GAGCTGCGAG

	GCCAAACA	GC A	GCTA	GAAT.	A CG	CCCT	GCTC	ATC'	TGCC	GCA .	ACCT	CGCC'	TT C	TCCC.	ACTG	C 8	340
	TGCTTTAA	.CC C	GGTG	CTCT.	A TG	TCTT	CGTG	GGG	GTCA	AGT	TCCG	CACA	CA C	CTGA	AACA'	Т 9	900
	GTTCTCCG	GC A	GTTC	TGGT'	T CT	GCCG	GCTG	CAG	GCAC(	CCA	GCCC.	AGCC'	TC G	ATCC	CCCA	C 9	960
	TCCCCTGG	TG C	CTTC	GCCT	A TG	AGGG	CGCC	TCC	FTCT	ACT	GA					10	002
5	(169) IN	FORM	ATIO	N FO	R SE	Q ID	NO:	168:									
10	(i	(B (C	QUENC ) LEI ) TY: ) STI ) TO:	NGTH PE: a RAND	: 33 amin EDNE:	3 am. o ac: SS:	ino a	acid	8								
	(i	i) M	OLEC	ULE '	TYPE	: pr	otei	n									
	(x	i) Sl	EQUE	NCE 1	DESCI	RIPT:	ION:	SEQ	ID 1	NO:1	58:						
	Met 1	Glu	Ser	Ser	Gly 5	Asn	Pro	Glu	Ser	Thr	Thr	Phe	Phe	Tyr	Tyr 15	Asp	
15	Leu	Gln	Ser	Gln 20	Pro	Cys	Glu	Asn	Gln 25	Ala	Trp	Val	Phe	Ala 30	Thr	Leu	
	Ala	Thr	Thr 35	Val	Leu	Tyr	Cys	Leu 40	Val	Phe	Leu	Leu	Ser 45	Leu	Val	Gly	
20	Asn	Ser 50	Leu	Val	Leu	Trp	Val 55	Leu	Val	Lys	Tyr	Glu 60	Ser	Leu	Glu	Ser	
	Leu 65	Thr	Asn	Ile	Phe	Ile 70	Leu	Asn	Leu	Cys	Leu 75	Ser	Asp	Leu	Val	Phe 80	
	Ala	Cys	Leu	Leu	Pro 85	Val	Trp	Ile	Ser	Pro 90	Tyr	His	Trp	Gly	Trp 95	Val	
25	Leu	Gly	Asp	Phe 100	Leu	Cys	Lys	Leu	Leu 105	Asn	Met	Ile	Phe	Ser 110	Ile	Ser	
	Leu	Tyr	Ser 115	Ser	Ile	Phe	Phe	Leu 120	Thr	Ile	Met	Thr	Ile 125	His	Arg	Tyr	
30	Leu	Ser 130	Val	Val	Ser	Pro	Leu 135	Ser	Thr	Leu	Arg	Val 140	Pro	Thr	Leu	Arg	
	Cys 145	Arg	Val	Leu	Val	Thr 150	Met	Ala	Val	Trp	Val 155	Ala	Ser	Ile	Leu	Ser 160	
	Ser	Ile	Leu	Asp	Thr 165	Ile	Phe	His	Lys	Val 170	Leu	Ser	Ser	Gly	Cys 175	Asp	
35	Tyr	Ser	Glu	Leu 180	Thr	Trp	Tyr	Leu	Thr 185	Ser	Val	Tyr	Gln	His 190	Asn	Leu	

	Phe	Phe	Leu 195	Leu	Ser	Leu	Gly	Ile 200	Ile	Leu	Phe	Cys	Tyr 205	Val	Glu	Ile	
	Leu	Arg 210	Thr	Leu	Phe	Arg	Ser 215	Arg	Ser	Lys	Arg	Arg 220	His	Arg	Thr	Lys	
5	Lys 225	Leu	Ile	Phe	Ala	Ile 230	Val	Val	Ala	Tyr	Phe 235	Leu	Ser	Trp	Gly	Pro 240	
	Tyr	Asn	Phe	Thr	Leu 245	Phe	Leu	Gln	Thr	Leu 250	Phe	Arg	Thr	Gln	Ile 255	Ile	
10	Arg	Ser	Cys	Glu 260	Ala	Lys	Gln	Gln	Leu 265	Glu	Tyr	Ala	Leu	Leu 270	Ile	Cys	
	Arg		Leu 275	Ala	Phe	Ser	His	Cys 280	Cys	Phe	Asn	Pro	Val 285	Leu	Tyr	Val	
	Phe	Val 290	Gly	Val	Lys	Phe	Arg 295	Thr	His	Leu	Lys	His 300	Val	Leu	Arg	Gln	
15	Phe 305	Trp	Phe	Cys	Arg	Leu 310	Gln	Ala	Pro	Ser	Pro 315	Ala	Ser	Ile	Pro	His 320	
	Ser	Pro	Gly	Ala	Phe 325	Ala	Tyr	Glu	Gly	Ala 330	Ser	Phe	Tyr				
	(170) INF	'ORMA	TION	FOF	SEÇ	) ID	NO:	169:									
20	(i)	(B) (C)	LEN TYE STE	CE CH IGTH: PE: n RANDE	987 nucle	7 bas eic a SS: s	se pa acid singl	airs									
25	(ii	.) MO	LECU	ILE T	YPE	: DNA	A (ge	enomi	Lc)								
	(xi	) SE	QUEN	ICE I	ESCI	RIPT	ION:	SEQ	ID 1	NO:16	59:						
	ATGGACAAC	G CC	TCGT	TCTC	GG#	AGCC(	CTGG	CCC	ECCA?	ACG (	CATCO	GGCC	CC G(	BACC	CGGC	7	60
	CTGAGCTGC	T CC	AAC	GCGT	GA(	CTCTC	GGCG	CCG	CTGC	CGG (	CGCC	3CTG(	BC G	GTGG	CTGTA	<i>4</i> :	120
	CCAGTTGTC	T AC	:GCGC	GTGAT	CTC	ecec	CGTG	GGT	CTGG	CGG (	GCAA	CTCC	GC CC	GTGCI	GTA(	C :	180
30	GTGTTGCTG	C GG	GCGC	cccc	CA!	rgaa0	JACC	GTC	ACCAI	ACC :	rgtto	CATC	CT CA	AACC	rggc	2 :	240
	ATCGCCGAC	G AG	CTCI	TCAC	C GC	rggT(	GCTG	CCC	ATCA	ACA :	rcgco	CGACT	TT C	CTGC	rgcgo	3	300
	CAGTGGCCC	T TC	:GGG(	GAGC'	CA!	rgtg	CAAG	CTC	ATCG:	rgg (	CTAT	CGAC	CA G	raca?	ACAC	2 :	360
	TTCTCCAGC	C TC	TACI	TCCT	CA(	CCGT	CATG	AGC	GCCG)	ACC (	GCTA(	CCTG	et G	GTGT:	rggc(		420
	ACTGCGGAG	T CG	CGC	CGGGT	r gg	CCGG	CCGC	ACC	raca(	GCG (	CCGC	GCGC	GC G	GTGA	GCT	3 .	480

	GCCGTGTG	GG G	GATC	GTCA	C AC	TCGT	CGTG	CTG	CCCT	TCG	CAGT	CTTC	GC C	CGGC	TAGA	C	540
	GACGAGCA	.GG G	CCGG	CGCC	A GT	GCGT	GCTA	GTC	TTTC	CGC	AGCC	CGAG	GC C	TTCT	GGTG	G	600
	CGCGCGAG	CC G	CCTC	TACA	C GC	TCGT	GCTG	GGC'	TTCG	CCA	TCCC	CGTG	TC C	ACCA'	TCTG	Т	660
	GTCCTCTA	TA C	CACC	CTGC	r gt	GCCG	GCTG	CAT	GCCA'	TGC	GGCT	GGAC.	AG C	CACG	CCAA	G	720
5	GCCCTGGA	GC G	CGCC.	AAGA	A GC	GGGT	GAAG	TTC	CTGG	TGG	TGGC.	AATC	CT G	GCGG'	TGTG	С	780
	CTCCTCTG	CT G	GACG	CCCT	A CC.	ACCT	GAGC	ACC	GTGG'	TGG	CGCT	CACC.	AC C	GACC'	TCCC	G	840
	CAGACGCC	GC T	GGTC	ATCG	C TA	TCTC	CTAC	TTC	ATCA	CCA	GCCT	GACG'	TA C	GCCA	ACAG	C	900
	TGCCTCAA	CC C	CTTC	CTCT	A CG	CCTT	CCTG	GAC	GCCA	GCT	TCCG	CAGG	AA C	CTCC	GCCA	G	960
	CTGATAAC	TT G	CCGC	GCGG	C AG	CCTG	A										987
10	(171) IN	FORM	ATIO	N FOR	R SE	Q ID	NO:	170:									
15		(A (B (C (D	) LEI ) TY: ) STI ) TO	CE CH NGTH: PE: & RANDI POLOC ULE T	: 32 amin EDNE: EY: 1	8 am: o ac: SS: not:	ino a id rele	acid: vant	5								
				NCE I		-			ו מד	NO · 1	70 •						
				Ala				-				Ala	Agn	Δla	Ser	Glv	
	1	-			5					10					15	<b>0</b> ±1	
20	Pro	Asp	Pro	Ala 20	Leu	Ser	Cys	Ser	Asn 25	Ala	Ser	Thr	Leu	Ala 30	Pro	Leu	
	Pro	Ala	Pro 35	Leu	Ala	Val	Ala	Val 40	Pro	Val	Val	Tyr	Ala 45	Val	Ile	Cys	
25	Ala	Val 50	Gly	Leu	Ala	Gly	Asn 55	Ser	Ala	Val	Leu	Tyr 60	Val	Leu	Leu	Arg	
	Ala 65	Pro	Arg	Met	Lys	Thr 70	Val	Thr	Asn	Leu	Phe 75	Ile	Leu	Asn	Leu	Ala 80	
	Ile	Ala	Asp	Glu	Leu 85	Phe	Thr	Leu	Val	Leu 90	Pro	Ile	Asn	Ile	Ala 95	Asp	
30	Phe	Leu	Leu	Arg 100	Gln	Trp	Pro	Phe	Gly 105	Glu	Leu	Met	Cys	Lys 110	Leu	Ile	
	Val	Ala	Ile 115	Asp	Gln	Tyr	Asn	Thr 120	Phe	Ser	Ser	Leu	Tyr 125	Phe	Leu	Thr	
	Val	Met	Ser	Ala	Asp	Arg	Tyr	Leu	Val	Val	Leu	Ala	Thr	Ala	Glu	Ser	

		130					135					140				
	Arg 145		Val	Ala	Gly	Arg		Tyr	Ser	Ala	Ala 155	Arg	Ala	Val	Ser	Leu 160
5	Ala	Val	Trp	Gly	Ile 165	Val	Thr	Leu	Val	Val 170	Leu	Pro	Phe	Ala	Val 175	Phe
	Ala	Arg	Leu	Asp 180	Asp	Glu	Gln	Gly	Arg 185	Arg	Gln	Cys	Val	Leu 190	Val	Phe
	Pro	Gln	Pro 195	Glu	Ala	Phe	Trp	Trp 200	Arg	Ala	Ser	Arg	Leu 205	Tyr	Thr	Leu
10	Val	Leu 210	Gly	Phe	Ala	Ile	Pro 215	Val	Ser	Thr	Ile	Cys 220	Val	Leu	Tyr	Thr
	Thr 225	Leu	Leu	Cys	Arg	Leu 230	His	Ala	Met	Arg	Leu 235	Asp	Ser	His	Ala	Lys 240
15	Ala	Leu	Glu	Arg	Ala 245	Lys	Lys	Arg	Val	Lys 250	Phe	Leu	Val	Val	Ala 255	Ile
	Leu	Ala	Val	Cys 260	Leu	Leu	Cys	Trp	Thr 265	Pro	Tyr	His	Leu	Ser 270	Thr	Val
	Val	Ala	Leu 275	Thr	Thr	Asp	Leu	Pro 280	Gln	Thr	Pro	Leu	Val 285	Ile	Ala	Ile
20	Ser	Tyr 290	Phe	Ile	Thr	Ser	Leu 295	Thr	Tyr	Ala	Asn	Ser 300	Cys	Leu	Asn	Pro
	Phe 305	Leu	Tyr	Ala	Phe	Leu 310	Asp	Ala	Ser	Phe	Arg 315	Arg	Asn	Leu	Arg	Gln 320
25	Leu	Ile	Thr	Cys	Arg 325	Ala	Ala	Ala								
	(172) INF	ORMA	TION	I FOR	SEÇ	] ID	NO:1	71:								
30	(i)	(B) (C)	LEN TYP	GTH: E: n	100 ucle DNES	2 ba ic a S: s	se p cid ingl	airs								
	(ii	.) MC	LECU	LE I	YPE:	DNA	(ge	nomi	c)							
	(xi	) SE	QUEN	CE D	ESCR	.IPTI	ON:	SEQ	ID N	0:17	1:					
	ATGCAGGCC	G CI	'GGGC	ACCC	AGA	.GCCC	CTT	GACA	GCAG	GG G	CTCC	TTCT	c cc	TCCC	CACG	60
35	ATGGGTGCC	'A AC	GTCT	CTCA	GGA	CAAT	GGC	ACTG	GCCA	CA A	TGCC.	ACCT	T CT	CCGA	.G <b>C</b> CA	120
	CTGCCGTTC	C TC	TATG	TGCT	CCT	GCCC	GCC	GTGT.	ACTC	CG G	GATC	TGTG	C TG	TGGG	GCTG	180

	ACTGGCAACA	CGGCCGTCAT	CCTTGT	AATC (	CTAAGGG	CGC	CCAA	GATG.	AA (	BACGG	TGAC	CC	240
	AACGTGTTCA	TCCTGAACCT	GGCCGT	CGCC G	GACGGGC	TCT	TCAC	GCTG	GT A	ACTGC	CTG1	TC.	300
	AACATCGCGG	AGCACCTGCT	GCAGTA	CTGG (	CCCTTCG	GGG	AGCT	GCTC'	TG (	CAAGO	TGGT:	.G	360
	CTGGCCGTCG	ACCACTACAA	CATCTTO	CTCC A	AGCATCT	ACT	TCCT	AGCC(	GT C	SATGA	.GCGI	G.	420
5	GACCGATACC	TGGTGGTGCT	GGCCAC	CGTG A	GGTCCC.	GCC	ACATO	GCCC'	rg c	GCA	.CCTA	7G	480
	CGGGGGGCGA	AGGTCGCCAG	CCTGTGT	TGTC I	GGCTGG	GCG	TCAC	GTC	CT G	GTTC	TGCC	:C	540
	TTCTTCTCTT	TCGCTGGCGT	CTACAGO	CAAC G	AGCTGC	AGG	TCCCA	AAGC:	rg I	'GGGC	TGAG	C	600
	TTCCCGTGGC	CCGAGCAGGT	CTGGTTC	CAAG G	CCAGCC	GTG	TCTAC	CACG	TT G	GTCC	TGGG	C	660
	TTCGTGCTGC	CCGTGTGCAC	CATCTGT	GTG C	TCTACA	CAG	ACCTO	CTG	CG C	'AGGC	TGCG	G	720
10	GCCGTGCGGC	TCCGCTCTGG	AGCCAAG	GCT C	TAGGCA	AGG	CCAGG	GCGGZ	AA G	GTGA	AAGT	C	780
	CTGGTCCTCG	TCGTGCTGGC	CGTGTGC	CTC C	TCTGCT	GGA	CGCC	TTCC	CA C	CTGG	CCTC	Т	840
	GTCGTGGCCC	TGACCACGGA	CCTGCCC	CAG A	CCCCAC'	rgg '	TCATO	AGT	T G	TCCT	ACGT	C	900
	ATCACCAGCC	TCACGTACGC	CAACTCG	TGC C	TGAACC	CCT	TCCTC	TACG	C C	TTTC	IAGA	$\mathbf{T}$	960
	GACAACTTCC	GGAAGAACTT	CCGCAGC	'ATA T	TGCGGT	GCT (	GA					1	002
15	(173) INFOR	MATION FOR	SEQ ID	NO:17	2:								
20	( (	EQUENCE CHA A) LENGTH: B) TYPE: an C) STRANDED D) TOPOLOGY	333 ami nino aci NESS:	no ac d	ids								
	(ii)	MOLECULE TY	PE: pro	tein									
	(xi)	SEQUENCE DE	SCRIPTI	ON: SI	EQ ID 1	10:1	72:						
	Met Gl	n Ala Ala G 5		Pro G	lu Pro	Leu 10	Asp	Ser	Arg	Gly	Ser 15	Phe	
25	Ser Le	u Pro Thr M 20	et Gly A	Ala As	sn Val 25	Ser	Gln .	Asp .	Asn	Gly 30	Thr	Gly	
	His As:	n Ala Thr P 35	he Ser (	Glu Pi 40		Pro	Phe :		Tyr 45	Val	Leu	Leu	
30	Pro Ala	a Val Tyr S		Ile Cy 55	ys Ala	Val		Leu 60	Thr	Gly	Asn	Thr	
	Ala Va 65	l Ile Leu V	al Ile I 70	Leu Aı	g Ala	Pro	Lys 1	Met :	Lys	Thr	Val	Thr 80	

	Asr	ı Val	Phe	Ile	Leu 85	Asn	Leu	Ala	Val	Ala 90	Asp	Gly	Leu	Phe	Thr 95	Leu
	Val	. Leu	Pro	Val 100		Ile	Ala	Glu	His 105		Leu	Gln	Tyr	Trp		Phe
5	Gly	Glu	Leu 115		Cys	Lys	Leu	Val 120	Leu	Ala	Val	Asp	His 125		Asn	Ile
	Phe	Ser 130		Ile	Tyr	Phe	Leu 135	Ala	Val	Met	Ser	Val 140	Asp	Arg	Tyr	Leu
10	Val 145	Val	Leu	Ala	Thr	Val 150	Arg	Ser	Arg	His	Met 155	Pro	Trp	Arg	Thr	Tyr 160
	Arg	Gly	Ala	Lys	Val 165	Ala	Ser	Leu	Cys	Val 170	Trp	Leu	Gly	Val	Thr 175	Val
	Leu	Val	Leu	Pro 180	Phe	Phe	Ser	Phe	Ala 185	Gly	Val	Tyr	Ser	Asn 190	Glu	Leu
15	Gln	Val	Pro 195	Ser	Cys	Gly	Leu	Ser 200	Phe	Pro	Trp	Pro	Glu 205	Gln	Val	Trp
	Phe	Lys 210	Ala	Ser	Arg	Val	Tyr 215	Thr	Leu	Val	Leu	Gly 220	Phe	Val	Leu	Pro
20	Val 225	Cys	Thr	Ile	Cys	Val 230	Leu	Tyr	Thr	Asp	Leu 235	Leu	Arg	Arg	Leu	Arg 240
	Ala	Val	Arg	Leu	Arg 245	Ser	Gly	Ala	Lys	Ala 250	Leu	Gly	Lys	Ala	Arg 255	Arg
	Lys	Val	Lys	Val 260	Leu	Val	Leu	Val	Val 265	Leu	Ala	Val	Cys	Leu 270	Leu	Cys
25	Trp	Thr	Pro 275	Phe	His	Leu	Ala	Ser 280	Val	Val	Ala	Leu	Thr 285	Thr	Asp	Leu
	Pro	Gln 290	Thr	Pro	Leu	Val	Ile 295	Ser	Met	Ser	Tyr	Val 300	Ile	Thr	Ser	Leu
30	Thr 305	Tyr	Ala	Asn	Ser	Cys 310	Leu	Asn	Pro	Phe	Leu 315	Tyr	Ala	Phe	Leu	Asp 320
	Asp	Asn	Phe	Arg	Lys 325	Asn	Phe	Arg	Ser	Ile 330	Leu	Arg	Cys			
	(174) IN	FORMA	TION	FOR	R SEÇ	ID	NO:1	73:								
	(i)	SEÇ	UENC	E CH	IARAC	TERI	STIC	'S:								
35			LEN													

(A) LENGTH: 1107 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear

WO 00/22129

- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:173:

ATGGTCCTTG AGGTGAGTGA CCACCAAGTG CTAAATGACG CCGAGGTTGC CGCCCTCCTG 6.0 GAGAACTTCA GCTCTTCCTA TGACTATGGA GAAAACGAGA GTGACTCGTG CTGTACCTCC CCGCCCTGCC CACAGGACTT CAGCCTGAAC TTCGACCGGG CCTTCCTGCC AGCCCTCTAC 180 AGCCTCCTCT TTCTGCTGGG GCTGCTGGGC AACGGCGCGG TGGCAGCCGT GCTGCTGAGC 240 CGGCGGACAG CCCTGAGCAG CACCGACACC TTCCTGCTCC ACCTAGCTGT AGCAGACACG 300 CTGCTGGTGC TGACACTGCC GCTCTGGGCA GTGGACGCTG CCGTCCAGTG GGTCTTTGGC 360 TCTGGCCTCT GCAAAGTGGC AGGTGCCCTC TTCAACATCA ACTTCTACGC AGGAGCCCTC 420 CTGCTGGCCT GCATCAGCTT TGACCGCTAC CTGAACATAG TTCATGCCAC CCAGCTCTAC 480 CGCCGGGGGC CCCCGGCCCG CGTGACCCTC ACCTGCCTGG CTGTCTGGGG GCTCTGCCTG 540 CTTTTCGCCC TCCCAGACTT CATCTTCCTG TCGGCCCACC ACGACGAGCG CCTCAACGCC 600 ACCCACTGCC AATACAACTT CCCACAGGTG GGCCGCACGG CTCTGCGGGT GCTGCAGCTG 660 GTGGCTGGCT TTCTGCTGCC CCTGCTGGTC ATGGCCTACT GCTATGCCCA CATCCTGGCC 720 15 GTGCTGCTGG TTTCCAGGGG CCAGCGGCGC CTGCGGGCCA AGCGGCTGGT GGTGGTGGTC 780 GTGGTGGCCT TTGCCCTCTG CTGGACCCCC TATCACCTGG TGGTGCTGGT GGACATCCTC 840 ATGGACCTGG GCGCTTTGGC CCGCAACTGT GGCCGAGAAA GCAGGGTAGA CGTGGCCAAG 900 TCGGTCACCT CAGGCCTGGG CTACATGCAC TGCTGCCTCA ACCCGCTGCT CTATGCCTTT 960 GTAGGGGTCA AGTTCCGGGA GCGGATGTGG ATGCTGCTCT TGCGCCTGGG CTGCCCCAAC 1020 20 CAGAGAGGGC TCCAGAGGCA GCCATCGTCT TCCCGCCGGG ATTCATCCTG GTCTGAGACC 1080 TCAGAGGCCT CCTACTCGGG CTTGTGA 1107

# (175) INFORMATION FOR SEQ ID NO:174:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 368 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:

- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:174:

	Met 1	Val	Leu	Glu	Val 5	Ser	Asp	His	Gln	Val 10	Leu	Asn	Asp	Ala	Glu 15	Val
	Ala	Ala	Leu	Leu 20	Glu	Asn	Phe	Ser	Ser 25	Ser	Tyr	Asp	Tyr	Gly 30	Glu	Asn
5	Glu	Ser	Asp 35	Ser	Cys	Cys	Thr	Ser 40	Pro	Pro	Cys	Pro	Gln 45	Asp	Phe	Ser
	Leu	Asn 50	Phe	Asp	Arg	Ala	Phe 55	Leu	Pro	Ala	Leu	Tyr 60	Ser	Leu	Leu	Phe
10	Leu 65	Leu	Gly	Leu	Leu	Gly 70	Asn	Gly	Ala	Val	Ala 75	Ala	Val	Leu	Leu	Ser 80
	Arg	Arg	Thr	Ala	Leu 85	Ser	Ser	Thr	Asp	Thr 90	Phe	Leu	Leu	His	Leu 95	Ala
	Val	Ala	Asp	Thr 100	Leu	Leu	Val	Leu	Thr 105	Leu	Pro	Leu	Trp	Ala 110	Val	Asp
15	Ala	Ala	Val 115	Gln	Trp	Val	Phe	Gly 120	Ser	Gly	Leu	Cys	Lys 125	Val	Ala	Gly
	Ala	Leu 130	Phe	Asn	Ile	Asn	Phe 135	Tyr	Ala	Gly	Ala	Leu 140	Leu	Leu	Ala	Cys
20	Ile 145	Ser	Phe	Asp	Arg	Tyr 150	Leu	Asn	Ile	Val	His 155	Ala	Thr	Gln	Leu	Tyr 160
	Arg	Arg	Gly	Pro	Pro 165	Ala	Arg	Val	Thr	Leu 170	Thr	Cys	Leu	Ala	Val 175	Trp
	Gly	Leu	Cys	Leu 180	Leu	Phe	Ala	Leu	Pro 185	Asp	Phe	Ile	Phe	Leu 190	Ser	Ala
25	His	His	Asp 195	Glu	Arg	Leu	Asn	Ala 200	Thr	His	Сув	Gln	Tyr 205	Asn	Phe	Pro
	Gln	Val 210	Gly	Arg	Thr	Ala	Leu 215	Arg	Val	Leu	Gln	Leu 220	Val	Ala	Gly	Phe
30	Leu 225	Leu	Pro	Leu	Leu	Val 230	Met	Ala	Tyr	Cys	Tyr 235	Ala	His	Ile	Leu	Ala 240
	Val	Leu	Leu	Val	Ser 245	Arg	Gly	Gln	Arg	Arg 250	Leu	Arg	Ala	Lys	Arg 255	Leu
	Val	Val	Val	Val 260	Val	Val	Ala	Phe	Ala 265	Leu	Cys	Trp	Thr	Pro 270	Tyr	His
35	Leu	Val	Val 275	Leu	Val	Asp	Ile	Leu 280	Met	Asp	Leu	Gly	Ala 285	Leu	Ala	Arg
	Asn	Cys	Gly	Arg	Glu	Ser	Arg	Val	Asp	Val	Ala	Lys	Ser	Val	Thr	Ser

		290			295					300					
	Gly I 305	Leu Gly	Tyr M	et His 310	Cys	Cys	Leu	Asn	Pro 315	Leu	Leu	Tyr	Ala	Phe 320	
5	Val (	Gly Val		he Arg 25	Glu	Arg	Met	Trp 330	Met	Leu	Leu	Leu	Arg 335	Leu	
	Gly (	Cys Pro	Asn G	ln Arg	Gly	Leu	Gln 345	Arg	Gln	Pro	Ser	Ser 350	Ser	Arg	
	Arg A	Asp Ser 355	Ser T	rp Ser	Glu	Thr 360	Ser	Glu	Ala	Ser	Tyr 365	Ser	Gly	Leu	
10	(176) INFC	ORMATION	I FOR S	SEO ID	NO - 1	175.									
15	(1)	(A) LEN (B) TYP (C) STR (D) TOP	GTH: 1 E: nuc ANDEDN	l074 ba cleic a NESS: s	ase p acid singl	oairs	;								
	(ii)	MOLECU	LE TYP	E: DNA	4 (ge	nomi	c)								
	(xi)	SEQUEN	CE DES	CRIPTI	ON:	SEQ	ID N	0:17	75:						
	ATGGCTGATG	ACTATG	GCTC I	GAATCC	CACA	TCTT	'CCAT	'GG A	AGAC	TACG	T TA	ACTT	'CAAC		60
	TTCACTGACT	TCTACT	GTGA G	JAAAAAC	TAA	GTCA	.GGCA	GT T	TGCG	AGCC	A TT	TCCT	CCCA	. 12	20
20	CCCTTGTACT	GGCTCG	TGTT C	ATCGTG	GGT	GCCT	TGGG	CA A	CAGT	CTTG	T TA	TCCT	TGTC	18	B C
	TACTGGTACT	' GCACAA	GAGT G	AAGACC	ATG	ACCG	ACAT	GT I	'CCTT	TTGA	A TT	TGGC	AATT	24	4 C
	GCTGACCTCC	TCTTTC	TTGT C	'ACTCTT	CCC	TTCT	GGGC	CA T	TGCT	GCTG	C TG	ACCA	GTGG	3 (	o c
	AAGTTCCAGA	. CCTTCA	TGTG C	'AAGGTG	GTC	AACA	GCAT	GT A	.CAAG	ATGA	A CT	TCTA	CAGC	36	5 0
	TGTGTGTTGC	TGATCA'	TGTG C	'ATCAGC	GTG	GACA	GGTA	CA T	TGCC.	ATTG	C	AGGC	CATG	42	20
25	AGAGCACATA	CTTGGA	GGGA G	AAAAGG	CTT	TTGT.	ACAG	CA A	AATG	GTTT	G CT	TTAC	CATC	48	3 0
	TGGGTATTGG	CAGCTG	CTCT C	TGCATC	CCA	GAAA'	TCTT	AT A	CAGC	CAAA	T CA	AGGA	GGAA	54	10
	TCCGGCATTG	CTATCT	GCAC C	ATGGTT	TAC	CCTA	GCGA'	TG A	GAGC.	ACCA.	a ac	TGAA	GTCA	60	0 0
	GCTGTCTTGA	CCCTGA	AGGT C	ATTCTG	GGG	TTCT'	TCCT'	TC C	CTTC	GTGG'	r ca	TGGC'	TTGC	66	50
	TGCTATACCA	TCATCA	TTCA C	ACCCTG	ATA	CAAG	CCAA	GA A	GTCT'	TCCA.	A GC.	ACAA.	AGCC	72	20
30	AAGAAAGTGA	CCATCA	CTGT C	CTGACC	GTC	TTTG'	TCTT(	GT C	TCAG'	rttc	C CT.	ACAA	CTGC	78	30
	ATTTTGTTGG	TGCAGA	CCAT T	GACGCC	TAT	GCCA'	TGTT(	CA T	CTCC	AACT	G TG	CCGT	TTCC	84	10

126

ACCAACATTG ACATCTGCTT CCAGGTCACC CAGACCATCG CCTTCTTCCA CAGTTGCCTG AACCCTGTTC TCTATGTTTT TGTGGGTGAG AGATTCCGCC GGGATCTCGT GAAAACCCTG 960 AAGAACTTGG GTTGCATCAG CCAGGCCCAG TGGGTTTCAT TTACAAGGAG AGAGGGAAGC 1020 TTGAAGCTGT CGTCTATGTT GCTGGAGACA ACCTCAGGAG CACTCTCCCT CTGA 1074 (177) INFORMATION FOR SEQ ID NO:176: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 357 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: 10 (D) TOPOLOGY: not relevant (ii) MOLECULE TYPE: protein (xi) SEQUENCE DESCRIPTION: SEQ ID NO:176: Met Ala Asp Asp Tyr Gly Ser Glu Ser Thr Ser Ser Met Glu Asp Tyr 15 Val Asn Phe Asn Phe Thr Asp Phe Tyr Cys Glu Lys Asn Asn Val Arg 25 Gln Phe Ala Ser His Phe Leu Pro Pro Leu Tyr Trp Leu Val Phe Ile Val Gly Ala Leu Gly Asn Ser Leu Val Ile Leu Val Tyr Trp Tyr Cys 20 55 Thr Arg Val Lys Thr Met Thr Asp Met Phe Leu Leu Asn Leu Ala Ile 70 Ala Asp Leu Leu Phe Leu Val Thr Leu Pro Phe Trp Ala Ile Ala Ala 90 25 Ala Asp Gln Trp Lys Phe Gln Thr Phe Met Cys Lys Val Val Asn Ser 105 Met Tyr Lys Met Asn Phe Tyr Ser Cys Val Leu Leu Ile Met Cys Ile 115 Ser Val Asp Arg Tyr Ile Ala Ile Ala Gln Ala Met Arg Ala His Thr 30 Trp Arg Glu Lys Arg Leu Leu Tyr Ser Lys Met Val Cys Phe Thr Ile 145 150 Trp Val Leu Ala Ala Ala Leu Cys Ile Pro Glu Ile Leu Tyr Ser Gln 170 35 Ile Lys Glu Glu Ser Gly Ile Ala Ile Cys Thr Met Val Tyr Pro Ser 185

	Asp	Glu	Ser 195	Thr	Lys	Leu	Lys	Ser 200	Ala	Val	Leu	Thr	Leu 205	Lys	Val	Ile
	Leu	Gly 210	Phe	Phe	Leu	Pro	Phe 215	Val	Val	Met	Ala	Cys 220	Cys	Tyr	Thr	Ile
5	Ile 225	Ile	His	Thr	Leu	Ile 230	Gln	Ala	Lys	Lys	Ser 235	Ser	Lys	His	Lys	Ala 240
	Lys	Lys	Val	Thr	Ile 245	Thr	Val	Leu	Thr	Val 250	Phe	Val	Leu	Ser	Gln 255	Phe
10	Pro	Tyr	Asn	Cys 260	Ile	Leu	Leu	Val	Gln 265	Thr	Ile	Asp	Ala	Tyr 270	Ala	Met
	Phe	Ile	Ser 275	Asn	Cys	Ala	Val	Ser 280	Thr	Asn	Ile	Asp	Ile 285	Cys	Phe	Gln
	Val	Thr 290	Gln	Thr	Ile	Ala	Phe 295	Phe	His	Ser	Cys	Leu 300	Asn	Pro	Val	Leu
15	Tyr 305	Val	Phe	Val	Gly	Glu 310	Arg	Phe	Arg	Arg	Asp 315	Leu	Val	Lys	Thr	Leu 320
	Lys	Asn	Leu	Gly	Cys 325	Ile	Ser	Gln	Ala	Gln 330	Trp	Val	Ser	Phe	Thr 335	Arg
20	Arg	Glu	Gly	Ser 340	Leu	Lys	Leu	Ser	Ser 345	Met	Leu	Leu	Glu	Thr 350	Thr	Ser
	Gly	Ala	Leu 355	Ser	Leu											
	(178) INF	FORM	AOITA	FOF	R SEÇ	) ID	NO:1	.77:								
25	(i)	(A)	UENC LEN TYI STR TOI	IGTH: PE: r PANDE	111 ucle DNES	.0 ba	se p cid singl	airs	ı							
	(ii	L) MC	LECU	JLE T	YPE:	DNA	(ge	nomi	.c)							
30	(xi	) SE	QUEN	ICE I	ESCR	IPTI	ON:	SEQ	ID N	10:17	77:					
	ATGGCCTCA	AT CG	ACCA	CTCG	GGG	CCCC	'AGG	GTTT	'CTGA	CT I	'ATTT	TCTG	G GC	TGCC	GCCG	60
	GCGGTCACA	A CI	CCCG	CCAA	CCA	GAGC	:GCA	GAGG	CCTC	GG C	:GGGC	AACG	G GT	'CGGT	GGCT	120
	GGCGCGGAC	G CI	CCAG	CCGT	' CAC	:GCCC	TTC	CAGA	GCCT.	GC A	GCTG.	GTGC	A TC	AGCT	GAAG	180
	GGGCTGATC	G TO	CTGC	TCTA	CAG	CGTC	GTG	GTGG	TCGT	'GG G	GCTG	GTGG	G CA	ACTG	CCTG	240
35	CTGGTGCTG	G TO	ATCG	CGCG	GGI	GCCG	CGG	CTGC	ACAA	.CG T	'GACG	AACT	T CC	TCAT	CGGC	300

128

				120			
	AACCTGGCCT	TGTCCGACGT	GCTCATGTGC	ACCGCCTGCG	TGCCGCTCAC	GCTGGCCTAT	360
	GCCTTCGAGC	CACGCGGCTG	GGTGTTCGGC	GGCGGCCTGT	GCCACCTGGT	CTTCTTCCTG	420
	CAGCCGGTCA	CCGTCTATGT	GTCGGTGTTC	ACGCTCACCA	CCATCGCAGT	GGACCGCTAC	480
	GTCGTGCTGG	TGCACCCGCT	GAGGCGCGCA	TCTCGCTGCG	CCTCAGCCTA	CGCTGTGCTG	540
5	GCCATCTGGG	CGCTGTCCGC	GGTGCTGGCG	CTGCCGCCCG	CCGTGCACAC	CTATCACGTG	600
	GAGCTCAAGC	CGCACGACGT	GCGCCTCTGC	GAGGAGTTCT	GGGGCTCCCA	GGAGCGCCAG	660
	CGCCAGCTCT	ACGCCTGGGG	GCTGCTGCTG	GTCACCTACC	TGCTCCCTCT	GCTGGTCATC	720
	CTCCTGTCTT	ACGTCCGGGT	GTCAGTGAAG	CTCCGCAACC	GCGTGGTGCC	GGGCTGCGTG	780
	ACCCAGAGCC	AGGCCGACTG	GGACCGCGCT	CGGCGCCGGC	GCACCAAATG	CTTGCTGGTG	840
10	GTGGTCGTGG	TGGTGTTCGC	CGTCTGCTGG	CTGCCGCTGC	ACGTCTTCAA	CCTGCTGCGG	900
	GACCTCGACC	CCCACGCCAT	CGACCCTTAC	GCCTTTGGGC	TGGTGCAGCT	GCTCTGCCAC	960
	TGGCTCGCCA	TGAGTTCGGC	CTGCTACAAC	CCCTTCATCT	ACGCCTGGCT	GCACGACAGC	1020
	TTCCGCGAGG	AGCTGCGCAA	ACTGTTGGTC	GCTTGGCCCC	GCAAGATAGC	CCCCCATGGC	1080
	CAGAATATGA	CCGTCAGCGT	GGTCATCTGA				1110
15	(179) INFOR	MATION FOR	SEQ ID NO:1	.78:			
20	( (	EQUENCE CHA A) LENGTH: B) TYPE: am C) STRANDED	369 amino a ino acid NESS:	cids			
20	·	D) TOPOLOGY					
		MOLECULE TY	_				
	(XI)	SEQUENCE DE	SCRIPTION:	SEQ ID NO:1	78:		

Met Ala Ser Ser Thr Thr Arg Gly Pro Arg Val Ser Asp Leu Phe Ser 1 10 15

Gly Leu Pro Pro Ala Val Thr Thr Pro Ala Asn Gln Ser Ala Glu Ala 20 25 30

Ser Ala Gly Asn Gly Ser Val Ala Gly Ala Asp Ala Pro Ala Val Thr 35 40 45

Pro Phe Gln Ser Leu Gln Leu Val His Gln Leu Lys Gly Leu Ile Val 50 50 55 60

25

Leu Leu Tyr Ser Val Val Val Val Gly Leu Val Gly Asn Cys Leu 65 70 75 80

	Leu	ı Val	Leu	ı Val	Ile 85	Ala	Arg	Val	. Pro	Arg 90	, Leu	His	Asn	Val	Thr 95	Asn
	Phe	: Lev	ı Ile	Gly 100	Asn	Leu	Ala	Leu	Ser 105		Val	Leu	. Met	Cys 110		Ala
5	Cys	Val	. Pro 115	Leu	Thr	Leu	Ala	Tyr 120		Phe	Glu	Pro	Arg 125	Gly	Trp	Val
	Phe	Gly 130	Gly	Gly	Leu	Cys	His 135	Leu	Val	Phe	Phe	Leu 140	Gln	Pro	Val	Thr
10	Val 145	Tyr	Val	Ser	Val	Phe 150	Thr	Leu	Thr	Thr	Ile 155	Ala	Val	Asp	Arg	Tyr 160
	Val	Val	Leu	Val	His 165	Pro	Leu	Arg	Arg	Ala 170	Ser	Arg	Cys	Ala	Ser 175	Ala
	Tyr	Ala	Val	Leu 180	Ala	Ile	Trp	Ala	Leu 185	Ser	Ala	Val	Leu	Ala 190	Leu	Pro
15	Pro	Ala	Val 195	His	Thr	Tyr	His	Val 200	Glu	Leu	Lys	Pro	His 205	Asp	Val	Arg
	Leu	Cys 210	Glu	Glu	Phe	Trp	Gly 215	Ser	Gln	Glu	Arg	Gln 220	Arg	Gln	Leu	Tyr
20	Ala 225	Trp	Gly	Leu	Leu	Leu 230	Val	Thr	Tyr	Leu	Leu 235	Pro	Leu	Leu	Val	Ile 240
	Leu	Leu	Ser	Tyr	Val 245	Arg	Val	Ser	Val	Lys 250	Leu	Arg	Asn	Arg	Val 255	Val
	Pro	Gly	Cys	Val 260	Thr	Gln	Ser	Gln	Ala 265	Asp	Trp	Asp	Arg	Ala 270	Arg	Arg
25			275	Lys				280					285			
	Cys	Trp 290	Leu	Pro	Leu	His	Val 295	Phe	Asn	Leu	Leu	Arg 300	Asp	Leu	Asp	Pro
30	His 305	Ala	Ile	Asp	Pro	Tyr 310	Ala	Phe	Gly	Leu	Val 315	Gln	Leu	Leu	Cys	His 320
	Trp	Leu	Ala	Met	Ser 325	Ser	Ala	Cys	Tyr	Asn 330	Pro	Phe	Ile	Tyr	Ala 335	Trp
				Ser 340					345					350		
35	Pro	Arg	Lys 355	Ile	Ala	Pro		Gly 360	Gln	Asn	Met		Val 365	Ser	Val	Val
	Tlo															

5

130

#### (180) INFORMATION FOR SEQ ID NO:179:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1083 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

### (ii) MOLECULE TYPE: DNA (genomic)

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:179:

10	ATGGACCCAG	AAGAAACTTC	AGTTTATTTG	GATTATTACT	ATGCTACGAG	CCCAAACTCT	60
	GACATCAGGG	AGACCCACTC	CCATGTTCCT	TACACCTCTG	TCTTCCTTCC	AGTCTTTTAC	120
	ACAGCTGTGT	TCCTGACTGG	AGTGCTGGGG	AACCTTGTTC	TCATGGGAGC	GTTGCATTTC	180
	AAACCCGGCA	GCCGAAGACT	GATCGACATC	TTTATCATCA	ATCTGGCTGC	CTCTGACTTC	240
	ATTTTTCTTG	TCACATTGCC	TCTCTGGGTG	GATAAAGAAG	CATCTCTAGG	ACTGTGGAGG	300
15	ACGGGCTCCT	TCCTGTGCAA	AGGGAGCTCC	TACATGATCT	CCGTCAATAT	GCACTGCAGT	360
	GTCCTCCTGC	TCACTTGCAT	GAGTGTTGAC	CGCTACCTGG	CCATTGTGTG	GCCAGTCGTA	420
	TCCAGGAAAT	TCAGAAGGAC	AGACTGTGCA	TATGTAGTCT	GTGCCAGCAT	CTGGTTTATC	480
	TCCTGCCTGC	TGGGGTTGCC	TACTCTTCTG	TCCAGGGAGC	TCACGCTGAT	TGATGATAAG	540
	CCATACTGTG	CAGAGAAAAA	GGCAACTCCA	ATTAAACTCA	TATGGTCCCT	GGTGGCCTTA	600
20	ATTTTCACCT	TTTTTGTCCC	TTTGTTGAGC	ATTGTGACCT	GCTACTGTTG	CATTGCAAGG	660
	AAGCTGTGTG	CCCATTACCA	GCAATCAGGA	AAGCACAACA	AAAAGCTGAA	GAAATCTAAG	720
	AAGATCATCT	TTATTGTCGT	GGCAGCCTTT	CTTGTCTCCT	GGCTGCCCTT	CAATACTTTC	780
	AAGTTCCTGG	CCATTGTCTC	TGGGTTGCGG	CAAGAACACT	ATTTACCCTC	AGCTATTCTT	840
	CAGCTTGGTA	TGGAGGTGAG	TGGACCCTTG	GCATTTGCCA	ACAGCTGTGT	CAACCCTTTC	900
25	ATTTACTATA	TCTTCGACAG	CTACATCCGC	CGGGCCATTG	TCCACTGCTT	GTGCCCTTGC	960
	CTGAAAAACT	ATGACTTTGG	GAGTAGCACT	GAGACATCAG	ATAGTCACCT	CACTAAGGCT	1020
	CTCTCCACCT	TCATTCATGC	AGAAGATTTT	GCCAGGAGGA	GGAAGAGGTC	TGTGTCACTC	1080
	TAA						1083

# (181) INFORMATION FOR SEQ ID NO:180:

30 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 360 amino acids

131

(B) TYPE: amino acid
(C) STRANDEDNESS:

(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein 5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:180: Met Asp Pro Glu Glu Thr Ser Val Tyr Leu Asp Tyr Tyr Tyr Ala Thr Ser Pro Asn Ser Asp Ile Arg Glu Thr His Ser His Val Pro Tyr Thr 10 Ser Val Phe Leu Pro Val Phe Tyr Thr Ala Val Phe Leu Thr Gly Val Leu Gly Asn Leu Val Leu Met Gly Ala Leu His Phe Lys Pro Gly Ser 55 Arg Arg Leu Ile Asp Ile Phe Ile Ile Asn Leu Ala Ala Ser Asp Phe 15 70 75 Ile Phe Leu Val Thr Leu Pro Leu Trp Val Asp Lys Glu Ala Ser Leu 90 Gly Leu Trp Arg Thr Gly Ser Phe Leu Cys Lys Gly Ser Ser Tyr Met 20 Ile Ser Val Asn Met His Cys Ser Val Leu Leu Leu Thr Cys Met Ser 120 Val Asp Arg Tyr Leu Ala Ile Val Trp Pro Val Val Ser Arg Lys Phe 130 135 Arg Arg Thr Asp Cys Ala Tyr Val Val Cys Ala Ser Ile Trp Phe Ile 25 150 155 Ser Cys Leu Leu Gly Leu Pro Thr Leu Leu Ser Arg Glu Leu Thr Leu 165 170 Ile Asp Asp Lys Pro Tyr Cys Ala Glu Lys Lys Ala Thr Pro Ile Lys 30 Leu Ile Trp Ser Leu Val Ala Leu Ile Phe Thr Phe Phe Val Pro Leu 200 Leu Ser Ile Val Thr Cys Tyr Cys Cys Ile Ala Arg Lys Leu Cys Ala 210 215 His Tyr Gln Gln Ser Gly Lys His Asn Lys Lys Leu Lys Lys Ser Lys 35 230 235 Lys Ile Ile Phe Ile Val Val Ala Ala Phe Leu Val Ser Trp Leu Pro 250

132

	Phe	Asn	Thr	Phe 260	Lys	Phe	Leu	Ala	Ile 265	Val	Ser	Gly	Leu	Arg 270	Gln	Glu	
	His	Tyr	Leu 275	Pro	Ser	Ala	Ile	Leu 280	Gln	Leu	Gly	Met	Glu 285	Val	Ser	Gly	
5	Pro	Leu 290	Ala	Phe	Ala	Asn	Ser 295	Cys	Val	Asn	Pro	Phe 300	Ile	Tyr	Tyr	Ile	
	Phe 305	Asp	Ser	Tyr	Ile	Arg 310	Arg	Ala	Ile	Val	His 315	Cys	Leu	Cys	Pro	Cys 320	
10	Leu	Lys	Asn	Tyr	Asp 325	Phe	Gly	Ser	Ser	Thr 330	Glu	Thr	Ser	Asp	Ser 335	His	
	Leu	Thr	Lys	Ala 340	Leu	Ser	Thr	Phe	Ile 345	His	Ala	Glu	Asp	Phe 350	Ala	Arg	
	Arg	Arg	Lys 355	Arg	Ser	Val	Ser	Leu 360									
15	(182) INF	ORM	OITA	1 FOR	SEÇ	) ID	NO:1	81:									
20	(i)	(A) (B) (C)	LEN TYE STE	CE CH IGTH: PE: n	102 ucle	0 ba ic a SS: s	se p cid singl	airs	5								
20		(D)	TOE	POLOG	Y: l	inea	ır										
	(ii	.) MC	OLECU	JLE I	YPE :	DNA	4 (ge	nomi	.c)								
	(xi	) SE	EQUEN	ICE D	ESCR	IPTI	ON:	SEQ	ID N	10:18	31:						
	ATGAATGGC	C TI	rgaag	TGGC	TCC	CCCF	AGGT	CTGF	ATCAC	CCA A	CTTC	TCCC	T GO	CCAC	CGGC	4 60	
	GAGCAATGT	G GC	CCAGG	BAGAC	GCC	ACTO	GAG	AACA	TGCT	GT 1	CGCC	TCCI	T CI	ACCI	TCT	120	
25	GATTTTATO	C TO	GCTT	TAGT	TGG	CAAT	ACC	CTGG	CTCI	GT G	GCTI	'TTCA	T CC	GAGA	ACCAC	180	
	AAGTCCGGG	A CC	CCCGG	CCAA	. CGI	'GTTC	CTG	ATGO	CATCI	GG C	CGTG	GCCG	A CI	TGTC	GTGC	240	
	GTGCTGGTC	C TO	CCCA	CCCG	CCT	'GGTC	TAC	CACT	TCTC	TG G	GAAC	CAC'I	'G GC	CATT	TGGG	300	
	GAAATCGCA	T GC	CCGTC	TCAC	CGG	CTTC	CTC	TTCI	ACCI	CA A	CATG	TACG	C CA	GCAT	CTAC	360	
	TTCCTCACC	T GC	CATCA	GCGC	CGA	CCGI	TTC	CTGG	CCAT	TG T	GCAC	CCGG	T CA	AGTO	CCTC	420	
30	AAGCTCCGC	A GG	CCCC	TCTA	. CGC	ACAC	CTG	GCCI	GTGC	CT I	CCTG	TGGG	T GG	TGGI	GGCI	480	
	GTGGCCATG	ig co	CCCGC	TGCT	GGT	'GAGC	CCA	CAGA	CCG1	GC A	GACC	'AACC	A CA	CGGT	GGTC	540	
	TGCCTGCAG	C TG	TACC	GGGA	. GAA	.GGCC	TCC	CACC	ATGC	CC I	'GGTG	TCCC	T GG	CAGI	GGCC	: 600	
	TTCACCTTC	C CG	TTCA	TCAC	CAC	GGTC	ACC	TGCT	ACCI	GC I	'GATC	ATCC	G CA	GCCI	'GCGG	660	

133

				133			
	CAGGGCCTGC	GTGTGGAGAA	GCGCCTCAAG	ACCAAGGCAA	AACGCATGAT	CGCCATAGTG	720
	CTGGCCATCT	TCCTGGTCTG	CTTCGTGCCC	TACCACGTCA	ACCGCTCCGT	CTACGTGCTG	780
	CACTACCGCA	GCCATGGGGC	CTCCTGCGCC	ACCCAGCGCA	TCCTGGCCCT	GGCAAACCGC	840
	ATCACCTCCT	GCCTCACCAG	CCTCAACGGG	GCACTCGACC	CCATCATGTA	TTTCTTCGTG	900
5	GCTGAGAAGT	TCCGCCACGC	CCTGTGCAAC	TTGCTCTGTG	GCAAAAGGCT	CAAGGGCCCG	960
	CCCCCAGCT	TCGAAGGGAA	AACCAACGAG	AGCTCGCTGA	GTGCCAAGTC	AGAGCTGTGA	1020
	(183) INFOR	MATION FOR	SEQ ID NO:1	182:			
10	( (	EQUENCE CHA A) LENGTH: B) TYPE: am C) STRANDED D) TOPOLOGY	339 amino a ino acid NESS:	ıcids			

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:182:

(ii) MOLECULE TYPE: protein

35

15 Met Asn Gly Leu Glu Val Ala Pro Pro Gly Leu Ile Thr Asn Phe Ser Leu Ala Thr Ala Glu Gln Cys Gly Gln Glu Thr Pro Leu Glu Asn Met 25 Leu Phe Ala Ser Phe Tyr Leu Leu Asp Phe Ile Leu Ala Leu Val Gly 20 Asn Thr Leu Ala Leu Trp Leu Phe Ile Arg Asp His Lys Ser Gly Thr 55 Pro Ala Asn Val Phe Leu Met His Leu Ala Val Ala Asp Leu Ser Cys 75 25 Val Leu Val Leu Pro Thr Arg Leu Val Tyr His Phe Ser Gly Asn His Trp Pro Phe Gly Glu Ile Ala Cys Arg Leu Thr Gly Phe Leu Phe Tyr Leu Asn Met Tyr Ala Ser Ile Tyr Phe Leu Thr Cys Ile Ser Ala Asp 30 115 120 Arg Phe Leu Ala Ile Val His Pro Val Lys Ser Leu Lys Leu Arg Arg 135 Pro Leu Tyr Ala His Leu Ala Cys Ala Phe Leu Trp Val Val Val Ala 145 155

Val Ala Met Ala Pro Leu Leu Val Ser Pro Gln Thr Val Gln Thr Asn

					165					170					175	
	His	Thr	Val	Val 180	Cys	Leu	Gln	Leu	Tyr 185	Arg	Glu	Lys	Ala	Ser 190	His	His
5	Ala	Leu	Val 195	Ser	Leu	Ala	Val	Ala 200	Phe	Thr	Phe	Pro	Phe 205	Ile	Thr	Thr
	Val	Thr 210	Cys	Tyr	Leu	Leu	Ile 215	Ile	Arg	Ser	Leu	Arg 220	Gln	Gly	Leu	Arg
	Val 225	Glu	Lys	Arg	Leu	Lys 230	Thr	Lys	Ala	Lys	Arg 235	Met	Ile	Ala	Ile	Val 240
10	Leu	Ala	Ile	Phe	Leu 245	Val	Cys	Phe	Val	Pro 250	Tyr	His	Val	Asn	Arg 255	Ser
	Val	Tyr	Val	Leu 260	His	Tyr	Arg	Ser	His 265	Gly	Ala	Ser	Cys	Ala 270	Thr	Gln
15	Arg	Ile	Leu 275	Ala	Leu	Ala	Asn	Arg 280	Ile	Thr	Ser	Cys	Leu 285	Thr	Ser	Leu
	Asn	Gly 290	Ala	Leu	Asp	Pro	Ile 295	Met	Tyr	Phe	Phe	Val 300	Ala	Glu	Lys	Phe
	Arg 305	His	Ala	Leu	Cys	Asn 310	Leu	Leu	Cys	Gly	Lys 315	Arg	Leu	Lys	Gly	Pro 320
20	Pro	Pro	Ser	Phe	Glu 325	Gly	Lys	Thr	Asn	Glu 330	Ser	Ser	Leu	Ser	Ala 335	Lys
	Ser	Glu	Leu													
	(183) INE	FORMA	TION	FOR	SEÇ	) ID	NO:1	.83:								
25	(i)	(B)	UENC LEN TYP STR TOP	GTH: E: n ANDE	996 ucle DNES	bas ic a S: s	e pa cid ingl	irs								
30	(ii	.) MC	LECU	LE T	YPE:	DNA	(ge	nomi	c)							
	(xi	.) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:18	3:					
	ATGATCACC	C TG	AACA	ATCA	AGA	TCAA	CCT	GTCC	CTTT	TA A	CAGC	TCAC	A TC	CAGA	TGAA	60
	TACAAAATT	'G CA	.GCCC	TTGT	CTT	CTAT	AGC	TGTA	TCTT	CA T	AATT	GGAT	T AT	TTGT	TAAC	120
	ATCACTGCA	AT TA	TGGG	TTTT	CAG	TTGT	ACC .	ACCA	AGAA	GA G	AACC.	ACGG'	T AA	CCAT	CTAT	180
35	ATGATGAAT	G TG	GCAT	TAGT	GGA	CTTG	ATA	TTTA	TAAT	GA C	TTTA	CCCT'	T TC	GAAT	GTTT	240

	TATTATGC	AA A	AGAT	'GAAT	G GC	CATI	'TGGA	GAG	TACT	TCT	GCCA	GATT.	'CT I	'GGAG	CTCT	C.	300
	ACAGTGTT	TT A	CCCA	AGCA'	T TG	CTTT	ATGG	CTT	CTTG	CCT	TATT	TAGT	GC I	'GACA	GATA	'C	360
	ATGGCCAT	TG T	'ACAG	CCGA	A GT	'ACGC	CAAA	. GAA	CTTA	AAA	ACAC	GTGC	'AA A	.GCCG	TGCT	'G	420
	GCGTGTGT	GG G	AGTC	'TGGA'	r aa	TGAC	CCTG	ACC	ACGA	.CCA	cccc	TCTG	CT A	CTGC	TCTA	T	480
5	AAAGACCC	AG A	AAAT.	GACT(	C CA	.CTCC	CGCC	ACC	TGCC	TCA	AGAT	TTCT	GA C	ATCA	TCTA	T.	540
	CTAAAAGC	TG T	GAAC	GTGC:	ľ GA	ACCT	CACT	CGA	CTGA	CAT	TTTT	TTTC	TT G	ATTC	CTTT	G	600
	TTCATCAT	GA T	TGGG	TGCT	A CT	TGGT	CATT	ATT	CATA	ATC	TCCT	TCAC	GG C	AGGA	CGTC	Т	660
	AAGCTGAA	AC C	CAAA	GTCA?	A GG	AGAA	GTCC	AAA	AGGA	TCA	TCAT	CACG	CT G	CTGG	TGCA	G	720
	GTGCTCGT	CT G	CTTT.	ATGC	CT	TCCA	CATC	TGT	TTCG	CTT	TCCT	GATG	CT G	GGAA	CGGG	G	780
10	GAGAATAG'	TT A	CAAT	CCCT	G GG	GAGC	CTTT	ACC.	ACCT	TCC	TCAT	GAAC	CT C	AGCA	CGTG	Т	840
	CTGGATGT	GA T	TCTC	TACT	A CA	TCGT	TTCA	AAA	CAAT	TTC	AGGC	TCGA	GT C	ATTA	GTGT	С	900
	ATGCTATA	CC G	TAAT'	TACCI	T TC	GAAG	CATG	CGC.	AGAA.	AAA	GTTT	CCGA	TC T	GGTA	GTCT	A	960
	AGGTCACT	AA G	CAAT	ATAAA	A CA	GTGA	AATG	TTA'	TGA								996
	(185) IN	FORM	ATIO	N FOR	SE	QID	NO:	184:									
15	(i)	(A) (B) (C)	) LEI ) TYI ) STI	CE CH NGTH: PE: a RANDE	33 min DNE	1 am: o ac: SS:	ino a	acid	S								
20	(i:	i) M	OLECT	ULE T	YPE	: pro	otein	n									
	(x:	i) si	EQUEI	NCE I	ESC:	RIPT:	ION:	SEQ	ID 1	NO:1	84:						
	Met 1	Ile	Thr	Leu	Asn 5	Asn	Gln	Asp	Gln	Pro 10	Val	Pro	Phe	Asn	Ser 15	Ser	
25	His	Pro	Asp	Glu 20	Tyr	Lys	Ile	Ala	Ala 25	Leu	Val	Phe	Tyr	Ser 30	Cys	Ile	
	Phe	Ile	Ile 35	Gly	Leu	Phe	Val	Asn 40	Ile	Thr	Ala	Leu	Trp 45	Val	Phe	Ser	
	Cys	Thr 50	Thr	Lys	Lys	Arg	Thr 55	Thr	Val	Thr	Ile	Tyr 60	Met	Met	Asn	Val	
30	Ala 65	Leu	Val	Asp	Leu	Ile 70	Phe	Ile	Met	Thr	Leu 75	Pro	Phe	Arg	Met	Phe 80	
	Tyr	Tyr	Ala	Lys	Asp 85	Glu	Trp	Pro	Phe	Gly 90	Glu	Tyr	Phe	Cys	Gln 95	Ile	

136

		Leu	Gly	Ala	Leu 100	Thr	Val	Phe	Tyr	Pro 105	Ser	Ile	Ala	Leu	Trp 110	Leu	Leu
		Ala	Phe	Ile 115	Ser	Ala	Asp	Arg	Tyr 120	Met	Ala	Ile	Val	Gln 125	Pro	Lys	Tyr
5		Ala	Lys 130	Glu	Leu	Lys	Asn	Thr 135	Cys	Lys	Ala	Val	Leu 140	Ala	Cys	Val	Gly
		Val 145	Trp	Ile	Met	Thr	Leu 150	Thr	Thr	Thr	Thr	Pro 155	Leu	Leu	Leu	Leu	Tyr 160
10		Lys	Asp	Pro	Asp	Lys 165	Asp	Ser	Thr	Pro	Ala 170	Thr	Cys	Leu	Lys	Ile 175	Ser
		Asp	Ile	Ile	Tyr 180	Leu	Lys	Ala	Val	Asn 185	Val	Leu	Asn	Leu	Thr 190	Arg	Leu
		Thr	Phe	Phe 195	Phe	Leu	Ile	Pro	Leu 200	Phe	Ile	Met	Ile	Gly 205	Сув	Tyr	Leu
15		Val	Ile 210	Ile	His	Asn	Leu	Leu 215	His	Gly	Arg	Thr	Ser 220	Lys	Leu	Lys	Pro
		Lys 225	Val	Lys	Glu	Lys	Ser 230	Lys	Arg	Ile	Ile	Ile 235	Thr	Leu	Leu	Val	Gln 240
20		Val	Leu	Val	Cys	Phe 245	Met	Pro	Phe	His	Ile 250	Cys	Phe	Ala	Phe	Leu 255	Met
		Leu	Gly	Thr	Gly 260	Glu	Asn	Ser	Tyr	Asn 265	Pro	Trp	Gly	Ala	Phe 270	Thr	Thr
		Phe	Leu	Met 275	Asn	Leu	Ser	Thr	Cys 280	Leu	Asp	Val	Ile	Leu 285	Tyr	Tyr	Ile
25		Val	Ser 290	Lys	Gln	Phe	Gln	Ala 295	Arg	Val	Ile	Ser	Val 300	Met	Leu	Tyr	Arg
		Asn 305	Tyr	Leu	Arg	Ser	Met 310	Arg	Arg	Lys	Ser	Phe 315	Arg	Ser	Gly	Ser	Leu 320
30		Arg	Ser	Leu	Ser	Asn 325	Ile	Asn	Ser	Glu	Met 330	Leu					
	(186)	INE	FORMA	ATION	1 FOE	SEÇ	) ID	NO:	L85:								
35		(i)	(B) (C)	QUENC LEM TYI STI TOI	NGTH: PE: r RANDE	: 107 nucle EDNES	77 ba eic a SS: s	ase p acid singl	pairs	3							

(ii) MOLECULE TYPE: DNA (genomic)

137

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:185:

	ATGCCCTCTG	TGTCTCCAGC	GGGGCCCTCG	GCCGGGGCAG	TCCCCAATGC	CACCGCAGTG	60
	ACAACAGTGC	GGACCAATGC	CAGCGGGCTG	GAGGTGCCCC	TGTTCCACCT	GTTTGCCCGG	120
	CTGGACGAGG	AGCTGCATGG	CACCTTCCCA	GGCCTGTGCG	TGGCGCTGAT	GGCGGTGCAC	180
5	GGAGCCATCT	TCCTGGCAGG	GCTGGTGCTC	AACGGGCTGG	CGCTGTACGT	CTTCTGCTGC	240
	CGCACCCGGG	CCAAGACACC	CTCAGTCATC	TACACCATCA	ACCTGGTGGT	GACCGATCTA	300
	CTGGTAGGGC	TGTCCCTGCC	CACGCGCTTC	GCTGTGTACT	ACGGCGCCAG	GGGCTGCCTG	360
	CGCTGTGCCT	TCCCGCACGT	CCTCGGTTAC	TTCCTCAACA	TGCACTGCTC	CATCCTCTTC	420
	CTCACCTGCA	TCTGCGTGGA	CCGCTACCTG	GCCATCGTGC	GGCCCGAAGG	CTCCCGCCGC	480
10	TGCCGCCAGC	CTGCCTGTGC	CAGGGCCGTG	TGCGCCTTCG	TGTGGCTGGC	CGCCGGTGCC	540
	GTCACCCTGT	CGGTGCTGGG	CGTGACAGGC	AGCCGGCCCT	GCTGCCGTGT	CTTTGCGCTG	600
	ACTGTCCTGG	AGTTCCTGCT	GCCCTGCTG	GTCATCAGCG	TGTTTACCGG	CCGCATCATG	660
	TGTGCACTGT	CGCGGCCGGG	TCTGCTCCAC	CAGGGTCGCC	AGCGCCGCGT	GCGGGCCAAG	720
	CAGCTCCTGC	TCACGGTGCT	CATCATCTTT	CTCGTCTGCT	TCACGCCCTT	CCACGCCCGC	780
15	CAAGTGGCCG	TGGCGCTGTG	GCCCGACATG	CCACACCACA	CGAGCCTCGT	GGTCTACCAC	840
	GTGGCCGTGA	CCCTCAGCAG	CCTCAACAGC	TGCATGGACC	CCATCGTCTA	CTGCTTCGTC	900
	ACCAGTGGCT	TCCAGGCCAC	CGTCCGAGGC	CTCTTCGGCC	AGCACGGAGA	GCGTGAGCCC	960
	AGCAGCGGTG	ACGTGGTCAG	CATGCACAGG	AGCTCCAAGG	GCTCAGGCCG	TCATCACATC	1020
	CTCAGTGCCG	GCCCTCACGC	CCTCACCCAG	GCCCTGGCTA	ATGGGCCCGA	GGCTTAG	1077
20							

20 (187) Information for SEQ ID NO:186:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 358 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
- 25 (D) TOPOLOGY: not relevant
  - (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:186:

Met Pro Ser Val Ser Pro Ala Gly Pro Ser Ala Gly Ala Val Pro Asn

30 Ala Thr Ala Val Thr Thr Val Arg Thr Asn Ala Ser Gly Leu Glu Val 20 25

	Pro	Leu	Phe 35	His	Leu	Phe	Ala	Arg 40	Leu	Asp	Glu	Glu	Leu 45	His	Gly	Thr
	Phe	Pro 50	Gly	Leu	Cys	Val	Ala 55	Leu	Met	Ala	Val	His 60	Gly	Ala	Ile	Phe
5	Leu 65	Ala	Gly	Leu	Val	Leu 70	Asn	Gly	Leu	Ala	Leu 75	Tyr	Val	Phe	Cys	Cys 80
	Arg	Thr	Arg	Ala	Lys 85	Thr	Pro	Ser	Val	Ile 90	Tyr	Thr	Ile	Asn	Leu 95	Val
10	Val	Thr	Asp	Leu 100	Leu	Val	Gly	Leu	Ser 105	Leu	Pro	Thr	Arg	Phe 110	Ala	Val
	Tyr	Tyr	Gly 115	Ala	Arg	Gly	Cys	Leu 120	Arg	Cys	Ala	Phe	Pro 125	His	Val	Leu
	Gly	Tyr 130	Phe	Leu	Asn	Met	His 135	Cys	Ser	Ile	Leu	Phe 140	Leu	Thr	Cys	Ile
15	Cys 145	Val	Asp	Arg	Tyr	Leu 150	Ala	Ile	Val	Arg	Pro 155	Glu	Gly	Ser	Arg	Ala 160
	Cys	Arg	Gln	Pro	Ala 165	Cys	Ala	Arg	Ala	Val 170	Cys	Ala	Phe	Val	Trp 175	Leu
20	Ala	Ala	Gly	Ala 180	Val	Thr	Leu	Ser	Val 185	Leu	Gly	Val	Thr	Gly 190	Ser	Arg
	Pro	Cys	Cys 195	Arg	Val	Phe	Ala	Leu 200	Thr	Val	Leu	Glu	Phe 205	Leu	Leu	Pro
		Leu 210	Val	Ile	Ser	Val	Phe 215	Thr	Gly	Arg	Ile	Met 220	Cys	Ala	Leu	Ser
25	Arg 225	Pro	Gly	Leu	Leu	His 230	Gln	Gly	Arg	Gln	Arg 235	Arg	Val	Arg	Ala	Lys 240
	Gln	Leu	Leu	Leu	Thr 245	Val	Leu	Ile	Ile	Phe 250	Leu	Val	Cys	Phe	Thr 255	Pro
30	Phe	His	Ala	Arg 260	Gln	Val	Ala	Val	Ala 265	Leu	Trp	Pro	Asp	Met 270	Pro	His
	His	Thr	Ser 275	Leu	Val	Val	Tyr	His 280	Val	Ala	Val	Thr	Leu 285	Ser	Ser	Leu
	Asn	Ser 290	Cys	Met	Asp	Pro	Ile 295	Val	Tyr	Cys	Phe	Val 300	Thr	Ser	Gly	Phe
35	Gln 305	Ala	Thr	Val	Arg	Gly 310	Leu	Phe	Gly	Gln	His 315	Gly	Glu	Arg	Glu	Pro 320
	Ser	Ser	Gly	Asp	Val	Val	Ser	Met	His	Arg	Ser	Ser	Lys	Gly	Ser	Gly

139

325 330 335

Arg His His Ile Leu Ser Ala Gly Pro His Ala Leu Thr Gln Ala Leu 340 345 350

Ala Asn Gly Pro Glu Ala 5

10

#### (188) INFORMATION FOR SEQ ID NO:187:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1050 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:187:

ATGAACTCCA CCTTGGATGG TAATCAGAGC AGCCACCCTT TTTGCCTCTT GGCATTTGGC 60 15 TATTTGGAAA CTGTCAATTT TTGCCTTTTG GAAGTATTGA TTATTGTCTT TCTAACTGTA 120 TTGATTATTT CTGGCAACAT CATTGTGATT TTTGTATTTC ACTGTGCACC TTTGTTGAAC 180 CATCACACTA CAAGTTATTT TATCCAGACT ATGGCATATG CTGACCTTTT TGTTGGGGTG 240 AGCTGCGTGG TCCCTTCTTT ATCACTCCTC CATCACCCCC TTCCAGTAGA GGAGTCCTTG 300 ACTTGCCAGA TATTTGGTTT TGTAGTATCA GTTCTGAAGA GCGTCTCCAT GGCTTCTCTG 360 20 GCCTGTATCA GCATTGATAG ATACATTGCC ATTACTAAAC CTTTAACCTA TAATACTCTG 420 GTTACACCCT GGAGACTACG CCTGTGTATT TTCCTGATTT GGCTATACTC GACCCTGGTC 480 TTCCTGCCTT CCTTTTTCCA CTGGGGCAAA CCTGGATATC ATGGAGATGT GTTTCAGTGG 540 TGTGCGGAGT CCTGGCACAC CGACTCCTAC TTCACCCTGT TCATCGTGAT GATGTTATAT 600 GCCCCAGCAG CCCTTATTGT CTGCTTCACC TATTTCAACA TCTTCCGCAT CTGCCAACAG 660 CACACAAAGG ATATCAGCGA AAGGCAAGCC CGCTTCAGCA GCCAGAGTGG GGAGACTGGG 25 720 GAAGTGCAGG CCTGTCCTGA TAAGCGCTAT AAAATGGTCC TGTTTCGAAT CACTAGTGTA 780 TTTTACATCC TCTGGTTGCC ATATATCATC TACTTCTTGT TGGAAAGCTC CACTGGCCAC 840 AGCAACCGCT TCGCATCCTT CTTGACCACC TGGCTTGCTA TTAGTAACAG TTTCTGCAAC 900 TGTGTAATTT ATAGTCTCTC CAACAGTGTA TTCCAAAGAG GACTAAAGCG CCTCTCAGGG 960 30 GCTATGTGTA CTTCTTGTGC AAGTCAGACT ACAGCCAACG ACCCTTACAC AGTTAGAAGC 1020 AAAGGCCCTC TTAATGGATG TCATATCTGA 1050

	(189) INFORMATION FOR SEQ ID NO:	188:
5	<ul><li>(i) SEQUENCE CHARACTERISTI</li><li>(A) LENGTH: 349 amino</li><li>(B) TYPE: amino acid</li><li>(C) STRANDEDNESS:</li><li>(D) TOPOLOGY: not rele</li></ul>	acids
	(ii) MOLECULE TYPE: protei	n
	(xi) SEQUENCE DESCRIPTION:	SEQ ID NO:188:
10	Met Asn Ser Thr Leu Asp Gly 1 5	Asn Gln Ser Ser His Pro Phe Cys Leu 10 15
	Leu Ala Phe Gly Tyr Leu Glu 20	Thr Val Asn Phe Cys Leu Leu Glu Val 25 30
	Leu Ile Ile Val Phe Leu Thr 35	val Leu Ile Ile Ser Gly Asn Ile Ile 40 45
15	Val Ile Phe Val Phe His Cys	s Ala Pro Leu Leu Asn His His Thr Thr 60
	Ser Tyr Phe Ile Gln Thr Met	Ala Tyr Ala Asp Leu Phe Val Gly Val 75 80
20	Ser Cys Val Val Pro Ser Leu 85	ı Ser Leu Leu His His Pro Leu Pro Val 90 95
	Glu Glu Ser Leu Thr Cys Glr 100	n Ile Phe Gly Phe Val Val Ser Val Leu 105 110
	Lys Ser Val Ser Met Ala Ser 115	Leu Ala Cys Ile Ser Ile Asp Arg Tyr 120 125
25	Ile Ala Ile Thr Lys Pro Let 130 135	Thr Tyr Asn Thr Leu Val Thr Pro Trp
	Arg Leu Arg Leu Cys Ile Phe	e Leu Ile Trp Leu Tyr Ser Thr Leu Val 155 160
30	Phe Leu Pro Ser Phe Phe His	s Trp Gly Lys Pro Gly Tyr His Gly Asp 170 175
	Val Phe Gln Trp Cys Ala Glu 180	u Ser Trp His Thr Asp Ser Tyr Phe Thr 185 190
	Leu Phe Ile Val Met Met Leu 195	u Tyr Ala Pro Ala Ala Leu Ile Val Cys 200 205
35	Phe Thr Tyr Phe Asn Ile Phe 210 21!	e Arg Ile Cys Gln Gln His Thr Lys Asp 5 220

	Ile 225	Ser	Glu	Arg	Gln	Ala 230	Arg	Phe	Ser	Ser	Gln 235	Ser	Gly	Glu	Thr	Gly 240	
	Glu	Val	Gln	Ala	Cys 245	Pro	Asp	Lys	Arg	Tyr 250	Lys	Met	Val	Leu	Phe 255	Arg	
5	Ile	Thr	Ser	Val 260	Phe	Tyr	Ile	Leu	Trp 265	Leu	Pro	Tyr	Ile	Ile 270	Tyr	Phe	
	Leu	Leu	Glu 275	Ser	Ser	Thr	Gly	His 280	Ser	Asn	Arg	Phe	Ala 285	Ser	Phe	Leu	
10	Thr	Thr 290	Trp	Leu	Ala	Ile	Ser 295	Asn	Ser	Phe	Cys	Asn 300	Cys	Val	Ile	Tyr	
	Ser 305	Leu	Ser	Asn	Ser	Val 310	Phe	Gln	Arg	Gly	Leu 315	Lys	Arg	Leu	Ser	Gly 320	
	Ala	Met	Cys	Thr	Ser 325	Cys	Ala	Ser	Gln	Thr 330	Thr	Ala	Asn	Asp	Pro 335	Tyr	
15	Thr	Val	Arg	Ser 340	Lys	Gly	Pro	Leu	Asn 345	Gly	Cys	His	Ile				
	(190) INF	ORMA	MOITA	FOR	SEQ	ID	NO:1	.89:									
20	(i)	(A) (B) (C)	UENC LEN TYP STR TOP	GTH: E: n ANDE	130 ucle DNES	2 ba ic a S: s	se p cid ingl	airs	1								
	(ii	) MO	LECU	LE T	YPE:	DNA	. (ge	nomi	c)								
	(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:18	9:						
25	ATGTGTTTT	T CT	CCCA	TTCT	GGA	AATC	AAC	ATGC	AGTC	TG A	ATCT	AACA	T TA	CAGT	GCGA	6	0
	GATGACATT	G AT	GACA	TCAA	CAC	CAAT.	ATG	TACC	AACC	AC T	ATCA	TATC	C GT	TAAG	CTTT	12	0
	CAAGTGTCT	C TC	ACCG	GATT	TCT	TATG	TTA	GAAA	TTGT	GT T	GGGA	CTTG	G CA	GCAA	CCTC	18	0
	ACTGTATTG	G TA	CTTT	ACTG	CAT	GAAA'	TCC .	AACT	TAAT	CA A	CTCT	GTCA	G TA	ACAT'	TATT	24	0
	ACAATGAAT	C TT	CATG	TACT	TGA'	TGTA.	ATA .	ATTT	GTGT	GG G.	ATGT	ATTC	C TC	TAAC'	ATAT	30	0
30	GTTATCCTT	C TG	CTTT	CACT	GGA	GAGT	AAC	ACTG	CTCT	CA T	TTGC'	rgtt:	r cc	ATGA	GGCT	36	O
	TGTGTATCT	r TT	GCAA	GTGT	CTC	AACA	GCA I	ATCA	ACGT'	TT T	TGCT.	ATCA	C TT	TGGA(	CAGA	420	С
	TATGACATC	r ct	GTAA	AACC	TGC	AAAC(	CGA 2	ATTC'	IGAC:	T AA	GGGC	AGAG(	C TG	TAAT(	<b>GT</b> TA	480	)
	ATGATATCC	TT	TGGA:	rttt	TTC	r <b>r</b> rr	TTC '	rctt'	rcct(	GA T	rcct'	rtta:	r TG2	AGGT	TAA	540	)
	TTTTTCAGT	TT	CAAA	TGG	AAA	racc'	rgg (	מממני	ממממ	3 A C	الشلابات لا	ቦጥ አጥረ	י שיריי	דירוא ריי	תם כום		_

142

	AATGAATA	CT A	CACTO	GAACI	' GGC	TAAE	GTAT	TATO	CACCI	rgt '	TAGT	ACAGA	AT C	CCAAT	TATTO	660
	TTTTTCACT	rg T	rgtac	TAAT	GT:	TAAT	CACA	TAC	ACCA	AAA	TACT	rcage	C T	CTTA	TAT	720
	CGAATAGG	CA C	AAGAT	r <b>T</b> TTC	AA.	CAGG	GCAG	AAG	AGAZ	AAG	CAAGA	AAAGA	AA A	AAGAC	CAATT	780
	TCTCTAAC	CA C	ACAA	CATGA	. GG(	CTAC	AGAC	ATG	CAC	AAA	GCAG1	rggre	G G	AGAAZ	ATGT	840
5	GTCTTTGGT	G T	AAGAZ	ACTTC	AG	FTTC	rgta	ATAZ	TTGC	CCC '	TCCG	GCGA6	C TO	GTGAZ	AACG	900
	CACCGTGAZ	AC GZ	ACGAC	GAAAG	AC	)AAA	GAGA	GTC	AAGAC	GA '	TGTCT	CATT	T G	ATTAT	TTTCT	960
	ACATTTCTT	C TO	CTGC	rggac	ACC	CAAT	FTCT	GTTT	LAATT	ATA	CCAC	CATTI	T A	rgttt	raggo	1020
	CCAAGTGAC	CC T	TTTAC	AAATE	ATT	raagi	ATTG	TGTT	TTTT	TAG '	TCATO	GCTI	'A T	GGAAC	CAACT	1080
	ATATTTCAC	aa a	rcta:	TATA	TG	CATT	CACT	AGAC	CAAAA	' TA!	TTCA	AAAGG	T C	TTGA	\AAG'I	1140
10	AAAATGAAA	AA AA	GCGA	STTGT	TTC	CTATA	AGTA	GAAC	GCTG	ATC	CCCT	SCCTA	A T	AATGO	CTGTZ	1200
	ATACACAA	CT C	rtgg <i>i</i>	ATAGA	TC	CCAA	AAGA	AACA	AAAA	AAA '	TTAC	CTTTC	A A	GATAC	GTGAZ	1260
	ATAAGAGAA	AA AA	ACGTT	TTAGT	GC(	CTCAC	GTT	GTC	ACAGA	ACT .	AG					1302
	(191) INF	FORM	OITA	1 FOR	SEÇ	Q ID	NO:	L90:								
15	(i)	(A) (B) (C)	LEN TYI	CE CH NGTH: PE: a RANDE POLOG	433 mino DNES	3 am: o ac: SS:	ino a id	acids	5							
	(ii	L) MO	OLECU	JLE T	YPE:	: pro	oteir	ı								
20	(xi	L) SI	EQUEI	ICE D	ESCI	RIPT	ION:	SEQ	ID 1	10:1	90:					
	Met 1	Cys	Phe	Ser	Pro 5	Ile	Leu	Glu	Ile	Asn 10	Met	Gln	Ser	Glu	Ser 15	Asn
	Ile	Thr	Val	Arg 20	Asp	Asp	Ile	Asp	Asp 25	Ile	Asn	Thr	Asn	Met 30	Tyr	Gln
25	Pro	Leu	Ser 35	Tyr	Pro	Leu	Ser	Phe 40	Gln	Val	Ser	Leu	Thr 45	Gly	Phe	Leu
	Met	Leu 50	Glu	Ile	Val	Leu	Gly 55	Leu	Gly	Ser	Asn	Leu 60	Thr	Val	Leu	Val
30	Leu 65	Tyr	Сув	Met	Lys	Ser 70	Asn	Leu	Ile	Asn	Ser 75	Val	Ser	Asn	Ile	Ile 80
	Thr	Met	Asn	Leu	His 85	Val	Leu	Asp	Val	Ile 90	Ile	Cys	Val	Gly	Cys 95	Ile

Pro Leu Thr Ile Val Ile Leu Leu Ser Leu Glu Ser Asn Thr Ala

				100					105					110		
	Leu	Ile	Cys 115	Cys	Phe	His	Glu	Ala 120	Cys	Val	Ser	Phe	Ala 125	Ser	Val	Ser
5	Thr	Ala 130	Ile	Asn	Val	Phe	Ala 135	Ile	Thr	Leu	Asp	Arg 140	Tyr	Asp	Ile	Ser
	Val 145	Lys	Pro	Ala	Asn	Arg 150	Ile	Leu	Thr	Met	Gly 155	Arg	Ala	Val	Met	Leu 160
	Met	Ile	Ser	Ile	Trp 165	Ile	Phe	Ser	Phe	Phe 170	Ser	Phe	Leu	Ile	Pro 175	Phe
10	Ile	Glu	Val	Asn 180	Phe	Phe	Ser	Leu	Gln 185	Ser	Gly	Asn	Thr	Trp 190	Glu	Asn
	Lys	Thr	Leu 195	Leu	Сув	Val	Ser	Thr 200	Asn	Glu	Tyr	Tyr	Thr 205	Glu	Leu	Gly
15	Met	Tyr 210	Tyr	His	Leu	Leu	Val 215	Gln	Ile	Pro	Ile	Phe 220	Phe	Phe	Thr	Val
	Val 225	Val	Met	Leu	Ile	Thr 230	Tyr	Thr	Lys	Ile	Leu 235	Gln	Ala	Leu	Asn	Ile 240
	Arg	Ile	Gly	Thr	Arg 245	Phe	Ser	Thr	Gly	Gln 250	Lys	Lys	Lys	Ala	Arg 255	Lys
20	Lys	Lys	Thr	Ile 260	Ser	Leu	Thr	Thr	Gln 265	His	Glu	Ala	Thr	Asp 270	Met	Ser
	Gln	Ser	Ser 275	Gly	Gly	Arg	Asn	Val 280	Val	Phe	Gly	Val	Arg 285	Thr	Ser	Val
25	Ser	Val 290	Ile	Ile	Ala	Leu	Arg 295	Arg	Ala	Val	Lys	Arg 300	His	Arg	Glu	Arg
	Arg 305		Arg	Gln	Lys	Arg 310	Val	Lys	Arg		Ser 315	Leu	Leu	Ile	Ile	Ser 320
	Thr	Phe	Leu	Leu	Cys 325	Trp	Thr	Pro	Ile	Ser 330	Val	Leu	Asn	Thr	Thr 335	Ile
30	Leu	Cys	Leu	Gly 340	Pro	Ser	Asp	Leu	Leu 345	Val	Lys	Leu	Arg	Leu 350	Cys	Phe
	Leu	Val	Met 355	Ala	Tyr	Gly	Thr	Thr 360	Ile	Phe	His	Pro	Leu 365	Leu	Tyr	Ala
35	Phe	Thr 370	Arg	Gln	Lys	Phe	Gln 375	Lys	Val	Leu	Lys	Ser 380	Lys	Met	Lys	Lys
	Arg 385	Val	Val	Ser	Ile	Val 390	Glu	Ala	Asp	Pro	Leu 395	Pro	Asn	Asn	Ala	Val 400

144

Ile His Asn Ser Trp Ile Asp Pro Lys Arg Asn Lys Lys Ile Thr Phe 405 410 415

Glu Asp Ser Glu Ile Arg Glu Lys Arg Leu Val Pro Gln Val Val Thr 420 425 430

5 Asp

10

#### (192) INFORMATION FOR SEQ ID NO:191:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1209 base pairs
  - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:191:

15	ATGTTGTGTC	CTTCCAAGAC	AGATGGCTCA	GGGCACTCTG	GTAGGATTCA	CCAGGAAACT	60
	CATGGAGAAG	GGAAAAGGGA	CAAGATTAGC	AACAGTGAAG	GGAGGGAGAA	TGGTGGGAGA	120
	GGATTCCAGA	TGAACGGTGG	GTCGCTGGAG	GCTGAGCATG	CCAGCAGGAT	GTCAGTTCTC	180
	AGAGCAAAGC	CCATGTCAAA	CAGCCAACGC	TTGCTCCTTC	TGTCCCCAGG	ATCACCTCCT	240
	CGCACGGGGA	GCATCTCCTA	CATCAACATC	ATCATGCCTT	CGGTGTTCGG	CACCATCTGC	300
20	CTCCTGGGCA	TCATCGGGAA	CTCCACGGTC	ATCTTCGCGG	TCGTGAAGAA	GTCCAAGCTG	360
	CACTGGTGCA	ACAACGTCCC	CGACATCTTC	ATCATCAACC	TCTCGGTAGT	AGATCTCCTC	420
	TTTCTCCTGG	GCATGCCCTT	CATGATCCAC	CAGCTCATGG	GCAATGGGGT	GTGGCACTTT	480
	GGGGAGACCA	TGTGCACCCT	CATCACGGCC	ATGGATGCCA	ATAGTCAGTT	CACCAGCACC	540
	TACATCCTGA	CCGCCATGGC	CATTGACCGC	TACCTGGCCA	CTGTCCACCC	CATCTCTTCC	600
25	ACGAAGTTCC	GGAAGCCCTC	TGTGGCCACC	CTGGTGATCT	GCCTCCTGTG	GGCCCTCTCC	660
	TTCATCAGCA	TCACCCCTGT	GTGGCTGTAT	GCCAGACTCA	TCCCCTTCCC	AGGAGGTGCA	720
	GTGGGCTGCG	GCATACGCCT	GCCCAACCCA	GACACTGACC	TCTACTGGTT	CACCCTGTAC	780
	CAGTTTTTCC	TGGCCTTTGC	CCTGCCTTTT	GTGGTCATCA	CAGCCGCATA	CGTGAGGATC	840
	CTGCAGCGCA	TGACGTCCTC	AGTGGCCCCC	GCCTCCCAGC	GCAGCATCCG	GCTGCGGACA	900
30	AAGAGGGTGA	AACGCACAGC	CATCGCCATC	TGTCTGGTCT	TCTTTGTGTG	CTGGGCACCC	960
	TACTATGTGC	TACAGCTGAC	CCAGTTGTCC	ATCAGCCGCC	CGACCCTCAC	CTTTGTCTAC	1020
	TTATACAATG	CGGCCATCAG	CTTGGGCTAT	GCCAACAGCT	GCCTCAACCC	CTTTGTGTAC	1080

145

ATCGTGCTCT GTGAGACGTT CCGCAAACGC TTGGTCCTGT CGGTGAAGCC TGCAGCCCAG 1140 GGGCAGCTTC GCGCTGTCAG CAACGCTCAG ACGGCTGACG AGGAGAGGAC AGAAAGCAAA 1200 GGCACCTGA 1209 (193) INFORMATION FOR SEQ ID NO:192: (i) SEQUENCE CHARACTERISTICS:

- 5
  - - (A) LENGTH: 402 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:
    - (D) TOPOLOGY: not relevant
- 10 (ii) MOLECULE TYPE: protein
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:192:

Met Leu Cys Pro Ser Lys Thr Asp Gly Ser Gly His Ser Gly Arg Ile

- His Gln Glu Thr His Gly Glu Gly Lys Arg Asp Lys Ile Ser Asn Ser 15 20 25
  - Glu Gly Arg Glu Asn Gly Gly Arg Gly Phe Gln Met Asn Gly Gly Ser
  - Leu Glu Ala Glu His Ala Ser Arg Met Ser Val Leu Arg Ala Lys Pro
- 20 Met Ser Asn Ser Gln Arg Leu Leu Leu Ser Pro Gly Ser Pro Pro 70
  - Arg Thr Gly Ser Ile Ser Tyr Ile Asn Ile Ile Met Pro Ser Val Phe 90
- Gly Thr Ile Cys Leu Leu Gly Ile Ile Gly Asn Ser Thr Val Ile Phe 25 100 105
  - Ala Val Val Lys Lys Ser Lys Leu His Trp Cys Asn Asn Val Pro Asp
  - Ile Phe Ile Ile Asn Leu Ser Val Val Asp Leu Leu Phe Leu Leu Gly
- 30 Met Pro Phe Met Ile His Gln Leu Met Gly Asn Gly Val Trp His Phe 145 150
  - Gly Glu Thr Met Cys Thr Leu Ile Thr Ala Met Asp Ala Asn Ser Gln 165 170
- Phe Thr Ser Thr Tyr Ile Leu Thr Ala Met Ala Ile Asp Arg Tyr Leu 35 185
  - Ala Thr Val His Pro Ile Ser Ser Thr Lys Phe Arg Lys Pro Ser Val

				195					200					205			
		Ala	Thr 210	Leu	Val	Ile	Cys	Leu 215	Leu	Trp	Ala	Leu	Ser 220	Phe	Ile	Ser	Ile
5		Thr 225	Pro	Val	Trp	Leu	Tyr 230	Ala	Arg	Leu	Ile	Pro 235	Phe	Pro	Gly	Gly	Ala 240
		Val	Gly	Cys	Gly	Ile 245	Arg	Leu	Pro	Asn	Pro 250	Asp	Thr	Asp	Leu	Tyr 255	Trp
		Phe	Thr	Leu	Tyr 260	Gln	Phe	Phe	Leu	Ala 265	Phe	Ala	Leu	Pro	Phe 270	Val	Val
10		Ile	Thr	Ala 275	Ala	Tyr	Val	Arg	Ile 280	Leu	Gln	Arg	Met	Thr 285	Ser	Ser	Val
		Ala	Pro 290	Ala	Ser	Gln	Arg	Ser 295	Ile	Arg	Leu	Arg	Thr 300	Lys	Arg	Val	Lys
15		Arg 305	Thr	Ala	Ile	Ala	Ile 310	Cys	Leu	Val	Phe	Phe 315	Val	Cys	Trp	Ala	Pro 320
		Tyr	Tyr	Val	Leu	Gln 325	Leu	Thr	Gln	Leu	Ser 330	Ile	Ser	Arg	Pro	Thr 335	Leu
		Thr	Phe	Val	Tyr 340	Leu	Tyr	Asn	Ala	Ala 345	Ile	Ser	Leu	Gly	Tyr 350	Ala	Asn
20		Ser	Cys	Leu 355	Asn	Pro	Phe	Val	Tyr 360	Ile	Val	Leu	Cys	Glu 365	Thr	Phe	Arg
		Lys	Arg 370	Leu	Val	Leu	Ser	Val 375	Lys	Pro	Ala	Ala	Gln 380	Gly	Gln	Leu	Arg
25		Ala 385	Val	Ser	Asn	Ala	Gln 390	Thr	Ala	Asp	Glu	Glu 395	Arg	Thr	Glu	Ser	Lys 400
		Gly	Thr														
	(194)	INF	'ORMA	TION	FOF	R SEÇ	O ID	NO:1	.93:								
30		(i)	(A) (B) (C)	LEN TYE STE	IGTH: PE: r RANDE	HARAC 112 nucle DNES	8 ba ic a SS: s	se p cid singl	airs	<b>3</b>							
		(ii	) <b>M</b> C	LECU	JLE I	YPE :	DNA	¼ (g∈	nomi	.c)							
35		(xi	) SE	QUEN	ICE I	ESCR	IPTI	ON:	SEQ	ID N	10:19	3:					
	ATGGA	TGTG	A CI	TCCC	'AAGC	CCG	GGGC	CGTG	GGCC	TGGA	GA T	GTAC	CCAG	G CA	CCGC	GCAC	: 60
	GCTGC	GGCC	C CC	AACA	CCAC	CTC	cccc	GAG	CTCA	ACCI	GT C	CCAC	:CCGC	T CC	TGGG	CACC	120

147

	GCCCTGGCCA	ATGGGACAGG	TGAGCTCTCG	GAGCACCAGC	AGTACGTGAT	CGGCCTGTTC	180
	CTCTCGTGCC	TCTACACCAT	CTTCCTCTTC	CCCATCGGCT	TTGTGGGCAA	CATCCTGATC	240
	CTGGTGGTGA	ACATCAGCTT	CCGCGAGAAG	ATGACCATCC	CCGACCTGTA	CTTCATCAAC	300
	CTGGCGGTGG	CGGACCTCAT	CCTGGTGGCC	GACTCCCTCA	TTGAGGTGTT	CAACCTGCAC	360
5	GAGCGGTACT	ACGACATCGC	CGTCCTGTGC	ACCTTCATGT	CGCTCTTCCT	GCAGGTCAAC	420
	ATGTACAGCA	GCGTCTTCTT	CCTCACCTGG	ATGAGCTTCG	ACCGCTACAT	CGCCCTGGCC	480
	AGGGCCATGC	GCTGCAGCCT	GTTCCGCACC	AAGCACCACG	CCCGGCTGAG	CTGTGGCCTC	540
	ATCTGGATGG	CATCCGTGTC	AGCCACGCTG	GTGCCCTTCA	CCGCCGTGCA	CCTGCAGCAC	600
	ACCGACGAGG	CCTGCTTCTG	TTTCGCGGAT	GTCCGGGAGG	TGCAGTGGCT	CGAGGTCACG	660
10	CTGGGCTTCA	TCGTGCCCTT	CGCCATCATC	GGCCTGTGCT	ACTCCCTCAT	TGTCCGGGTG	720
	CTGGTCAGGG	CGCACCGGCA	CCGTGGGCTG	CGGCCCCGGC	GGCAGAAGGC	GAAACGCATG	780
	ATCCTCGCGG	TGGTGCTGGT	CTTCTTCGTC	TGCTGGCTGC	CGGAGAACGT	CTTCATCAGC	840
	GTGCACCTCC	TGCAGCGGAC	GCAGCCTGGG	GCCGCTCCCT	GCAAGCAGTC	TTTCCGCCAT	900
	GCCCACCCCC	TCACGGGCCA	CATTGTCAAC	CTCGCCGCCT	TCTCCAACAG	CTGCCTAAAC	960
15	CCCCTCATCT	ACAGCTTTCT	CGGGGAGACC	TTCAGGGACA	AGCTGAGGCT	GTACATTGAG	1020
	CAGAAAACAA	ATTTGCCGGC	CCTGAACCGC	TTCTGTCACG	CTGCCCTGAA	GGCCGTCATT	1080
	CCAGACAGCA	CCGAGCAGTC	GGATGTGAGG	TTCAGCAGTG	CCGTGTGA		1128
	(195) INFOR	MATION FOR	SEQ ID NO:1	.94:			

(i) SEQUENCE CHARACTERISTICS:

20

(A) LENGTH: 375 amino acids

- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- 25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:194:

Met Asp Val Thr Ser Gln Ala Arg Gly Val Gly Leu Glu Met Tyr Pro 10

Gly Thr Ala His Ala Ala Ala Pro Asn Thr Thr Ser Pro Glu Leu Asn 20 25

30 Leu Ser His Pro Leu Leu Gly Thr Ala Leu Ala Asn Gly Thr Gly Glu 40 45

	Leu	Ser 50	Glu	His	Gln	Gln	Tyr 55	Val	Ile	Gly	Leu	Phe 60	Leu	Ser	Cys	Leu
	Tyr 65	Thr	Ile	Phe	Leu	Phe 70	Pro	Ile	Gly	Phe	Val 75	Gly	Asn	Ile	Leu	Ile 80
5	Leu	Val	Val	Asn	Ile 85	Ser	Phe	Arg	Glu	Lys 90	Met	Thr	Ile	Pro	Asp 95	Leu
	Tyr	Phe	Ile	Asn 100	Leu	Ala	Val	Ala	Asp 105	Leu	Ile	Leu	Val	Ala 110	Asp	Ser
10	Leu	Ile	Glu 115	Val	Phe	Asn	Leu	His 120	Glu	Arg	Tyr	Tyr	Asp 125	Ile	Ala	Val
	Leu	Cys 130	Thr	Phe	Met	Ser	Leu 135	Phe	Leu	Gln	Val	Asn 140	Met	Tyr	Ser	Ser
	Val 145	Phe	Phe	Leu	Thr	Trp 150	Met	Ser	Phe	Asp	Arg 155	Tyr	Ile	Ala	Leu	Ala 160
15	Arg	Ala	Met	Arg	Cys 165	Ser	Leu	Phe	Arg	Thr 170	Lys	His	His	Ala	Arg 175	Leu
	Ser	Cys	Gly	Leu 180	Ile	Trp	Met	Ala	Ser 185	Val	Ser	Ala	Thr	Leu 190	Val	Pro
20	Phe	Thr	Ala 195	Val	His	Leu	Gln	His 200	Thr	Asp	Glu	Ala	Cys 205	Phe	Cys	Phe
	Ala	Asp 210	Val	Arg	Glu	Val	Gln 215	Trp	Leu	Glu	Val	Thr 220	Leu	Gly	Phe	Ile
	Val 225	Pro	Phe	Ala	Ile	Ile 230	Gly	Leu	Cys	Tyr	Ser 235	Leu	Ile	Val	Arg	Val 240
25	Leu	Val	Arg	Ala	His 245	Arg	His	Arg	Gly	Leu 250	Arg	Pro	Arg	Arg	Gln 255	Lys
	Ala	Lys	Arg	Met 260	Ile	Leu	Ala	Val	Val 265	Leu	Val	Phe	Phe	Val 270	Cys	Trp
30	Leu	Pro	Glu 275	Asn	Val	Phe	Ile	Ser 280	Val	His	Leu	Leu	Gln 285	Arg	Thr	Gln
	Pro	Gly 290	Ala	Ala	Pro	Cys	Lys 295		Ser	Phe	Arg	His 300	Ala	His	Pro	Leu
	Thr 305	Gly	His	Ile	Val	Asn 310	Leu	Ala	Ala	Phe	Ser 315	Asn	Ser	Cys	Leu	Asn 320
35	Pro	Leu	Ile	Tyr	Ser 325	Phe	Leu	Gly	Glu	Thr 330	Phe	Arg	Asp	Lys	Leu 335	Arg
	Leu	Tyr	Ile	Glu	Gln	Lys	Thr	Asn	Leu	Pro	Ala	Leu	Asn	Arg	Phe	Cys

149 340 345 350 His Ala Ala Leu Lys Ala Val Ile Pro Asp Ser Thr Glu Gln Ser Asp 360 Val Arg Phe Ser Ser Ala Val 5 370 (196) INFORMATION FOR SEQ ID NO:195: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 960 base pairs (B) TYPE: nucleic acid 10 (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEO ID NO:195: ATGCCATTCC CAAACTGCTC AGCCCCCAGC ACTGTGGTGG CCACAGCTGT GGGTGTCTTG 60 15 CTGGGGCTGG AGTGTGGGCT GGGTCTGCTG GGCAACGCGG TGGCGCTGTG GACCTTCCTG 120 TTCCGGGTCA GGGTGTGGAA GCCGTACGCT GTCTACCTGC TCAACCTGGC CCTGGCTGAC 180 CTGCTGTTGG CTGCGTGCCT GCCTTTCCTG GCCGCCTTCT ACCTGAGCCT CCAGGCTTGG 240 CATCTGGGCC GTGTGGGCTG CTGGGCCCTG CGCTTCCTGC TGGACCTCAG CCGCAGCGTG 300 GGGATGGCCT TCCTGGCCGC CGTGGCTTTG GACCGGTACC TCCGTGTGGT CCACCCTCGG 360 20 CTTAAGGTCA ACCTGCTGTC TCCTCAGGCG GCCCTGGGGG TCTCGGGCCT CGTCTGGCTC 420 CTGATGGTCG CCCTCACCTG CCCGGGCTTG CTCATCTCTG AGGCCGCCCA GAACTCCACC 480 AGGTGCCACA GTTTCTACTC CAGGGCAGAC GGCTCCTTCA GCATCATCTG GCAGGAAGCA 540 CTCTCCTGCC TTCAGTTTGT CCTCCCCTTT GGCCTCATCG TGTTCTGCAA TGCAGGCATC 600 ATCAGGGCTC TCCAGAAAAG ACTCCGGGAG CCTGAGAAAC AGCCCAAGCT TCAGCGGGCC 660 AAGGCACTGG TCACCTTGGT GGTGGTGCTG TTTGCTCTGT GCTTTCTGCC CTGCTTCCTG 25 720 GCCAGAGTCC TGATGCACAT CTTCCAGAAT CTGGGGGAGCT GCAGGGCCCT TTGTGCAGTG 780

GCTCATACCT CGGATGTCAC GGGCAGCCTC ACCTACCTGC ACAGTGTCGT CAACCCCGTG

GTATACTGCT TCTCCAGCCC CACCTTCAGG AGCTCCTATC GGAGGGTCTT CCACACCCTC

CGAGGCAAAG GGCAGGCAGC AGAGCCCCCA GATTTCAACC CCAGAGACTC CTATTCCTGA

840

900

960

30 (197) INFORMATION FOR SEQ ID NO:196:

(i) SEQUENCE CHARACTERISTICS:

150

(A) LENGTH: 319 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant 5 (ii) MOLECULE TYPE: protein (xi) SEQUENCE DESCRIPTION: SEQ ID NO:196: Met Pro Phe Pro Asn Cys Ser Ala Pro Ser Thr Val Val Ala Thr Ala Val Gly Val Leu Leu Gly Leu Glu Cys Gly Leu Gly Leu Leu Gly Asn 10 . 25 Ala Val Ala Leu Trp Thr Phe Leu Phe Arg Val Arg Val Trp Lys Pro Tyr Ala Val Tyr Leu Leu Asn Leu Ala Leu Ala Asp Leu Leu Leu Ala 55 15 Ala Cys Leu Pro Phe Leu Ala Ala Phe Tyr Leu Ser Leu Gln Ala Trp 70 75 His Leu Gly Arg Val Gly Cys Trp Ala Leu Arg Phe Leu Leu Asp Leu Ser Arg Ser Val Gly Met Ala Phe Leu Ala Ala Val Ala Leu Asp Arg 20 105 Tyr Leu Arg Val Val His Pro Arg Leu Lys Val Asn Leu Leu Ser Pro 115 120 Gln Ala Ala Leu Gly Val Ser Gly Leu Val Trp Leu Leu Met Val Ala 135 25 Leu Thr Cys Pro Gly Leu Leu Ile Ser Glu Ala Ala Gln Asn Ser Thr 150 155 Arg Cys His Ser Phe Tyr Ser Arg Ala Asp Gly Ser Phe Ser Ile Ile Trp Gln Glu Ala Leu Ser Cys Leu Gln Phe Val Leu Pro Phe Gly Leu 30 185 Ile Val Phe Cys Asn Ala Gly Ile Ile Arg Ala Leu Gln Lys Arg Leu 195 200 Arg Glu Pro Glu Lys Gln Pro Lys Leu Gln Arg Ala Lys Ala Leu Val 215 35 Thr Leu Val Val Leu Phe Ala Leu Cys Phe Leu Pro Cys Phe Leu 230 235 Ala Arg Val Leu Met His Ile Phe Gln Asn Leu Gly Ser Cys Arg Ala

				250		255							
	Leu (	Cys Ala	Val Ala 260	His Th	ır Ser	Asp 265	Val	Thr	Gly	Ser	Leu 270	Thr	Tyr
5	Leu H	lis Ser 275	Val Val	Asn Pr	o Val 280	Val	Tyr	Cys	Phe	Ser 285	Ser	Pro	Thr
		arg Ser 190	Ser Tyr	Arg Ar		Phe	His	Thr	Leu 300	Arg	Gly	Lys	Gly
	Gln A 305	la Ala	Glu Pro	Pro As	p Phe	Asn	Pro	Arg 315	Asp	Ser	Tyr	Ser	
10	(198) INFC	RMATION	FOR SE	Q ID NO	:197:								
15	(i)	SEQUENC (A) LEN (B) TYP (C) STR (D) TOP	GTH: 11 E: nucl ANDEDNE	43 base eic aci SS: sin	pair: d	5				•			
	(ii)	MOLECU	LE TYPE	: DNA (	genom:	ic)							
	(xi)	SEQUEN	CE DESC	RIPTION	: SEQ	ID N	10:19	97:					
	ATGGAGGAAG	GTGGTG	ATTT TG	ACAACTA	C TATO	egggc	AG A	ACAAC	CAGI	'C TG	SAGTG	TGAG	6
	TACACAGACT	GGAAAT	CCTC GG	GGCCCT	C ATC	CTGC	CA T	rctac	ATGT	T GO	TCTT	'CCTC	12
20	CTGGGCACCA	CGGGAA	ACGG TC	rggtgct	C TGG	ACCGT	GT I	rtcgg	AGCA	.G CC	GGGA	.GAAG	18
	AGGCGCTCAG	CTGATA:	ICTT CA	TTGCTAG	C CTG(	CGGT	GG (	CTGAC	CTGA	C CI	TCGT	GGTG	240
	ACGCTGCCCC	TGTGGG	CTAC CTA	ACACGTA	C CGG(	SACTA	TG F	ACTGG	CCCT	т те	GGAC	CTTC	300
	TTCTGCAAGC	TCAGCAG	GCTA CC	CATCTT	C GTC	ACAT	GT F	ACGCC	AGCG	T CI	TCTG	CCTC	360
	ACCGGCCTCA	GCTTCGA	ACCG CT	\CCTGGC	C ATCC	TGAG	GC C	CAGTG	GCCA	A TG	CTCG	GCTG	420
25	AGGCTGCGGG	TCAGCG	GGC CG	GGCCAC	G GCAG	TTCT	TT G	GGTG	CTGG	C CG	CCCT	CCTG	480
	GCCATGCCTG	TCATGGT	GTT ACC	CACCAC	C GGGG	ACTT	GG A	GAAC	ACCA	C TA	AGGT	GCAG	540
	TGCTACATGG	ACTACTO	CCAT GGT	GGCCAC'	r gtg <i>i</i>	GCTC	AG A	\GTGG	GCCT	G GG	AGGT	GGGC	600
	CTTGGGGTCT	CGTCCAC	CCAC CG1	GGGCTT'	r grgo	TGCC	CT I	CACC	ATCA	T GC	TGAC	CTGT	660
	TACTTCTTCA	TCGCCCA	AAAC CAI	CGCTGG	C CACI	TCCG	CA A	.GGAA	CGCA	T CG	AGGG	CCTG	720
30	CGGAAGCGGC	GCCGGCT	TTAA GAG	CATCAT(	C GTGG	TGCT	GG I	GGTG.	ACCT	T TG	CCCT	GTGC	780
	TGGATGCCCT	ACCACCI	TGGT GAA	GACGCT	G TACA	TGCT	GG G	CAGC	CTGC'	T GC	ACTG	GCCC	840
	TGTGACTTTG	ACCTCTT	CCT CAI	GAACAT(	C TTCC	CCTA	CT G	CACC'	TGCA	ሞ ሮኔ	GCTA:	ሮሬሞር	900

	AACAGCTGCC	TCAACCC	CTT CC	TCTATG	CC TTI	TTCG	ACC	CCCG	CTTC	CG C	CAGG	CCTG	C S	960	
	ACCTCCATGC	TCTGCTG'	rgg cc	AGAGCA	GG TGC	GCAG(	GCA	CCTC	CCAC	AG C	CAGCA	.GTGG	G 10	020	
	GAGAAGTCAG	CCAGCTA	CTC TT	CGGGGC	AC AGO	CAGG	<b>GC</b>	CCGG	cccc	AA C	ATCG	GCAA	G 10	080	
	GGTGGAGAAC	AGATGCA	CGA GA	AATCCA'	rc ccc	TACA(	3CC	AGGA	.GACC	CT I	GTGG	TTGA	C 11	140	
5	TAG												11	143	
	(199) INFORMATION FOR SEQ ID NO:198:														
10	(D) TOPOLOGY: not relevant														
	(ii) MOLECULE TYPE: protein  (xi) SEQUENCE DESCRIPTION: SEQ ID NO:198:														
15	Met Gl 1	u Glu Gl	y Gly 5	Asp Ph	ie Asp	Asn	Tyr 10	Tyr	Gly	Ala	Asp	Asn 15	Gln		
	Ser Gl	u Cys Gl 20		Thr As	sp Trp	Lys 25	Ser	Ser	Gly	Ala	Leu 30	Ile	Pro		
	Ala Il	e Tyr Me 35	t Leu	Val Ph	e Leu 40	Leu	Gly	Thr	Thr	Gly 45	Asn	Gly	Leu		
20	Val Le 50	u Trp Th	r Val	Phe Ar		Ser	Arg	Glu	Lys 60	Arg	Arg	Ser	Ala		
	Asp Il 65	e Phe Il	e Ala	Ser Le 70	u Ala	Val	Ala	Asp 75	Leu	Thr	Phe	Val	Val 80		
25	Thr Le	u Pro Le	u Trp 85	Ala Th	ır Tyr		Tyr 90	Arg	Asp	Tyr	Asp	Trp 95	Pro		
	Phe Gl	y Thr Ph 10		Cys Ly	rs Leu	Ser 105	Ser	Tyr	Leu	Ile	Phe 110	Val	Asn		
	Met Ty	r Ala Se 115	r Val	Phe Cy	s Leu 120	Thr	Gly	Leu	Ser	Phe 125	Asp	Arg	Tyr		
30	Leu Al 13	a Ile Va O	l Arg	Pro Va 13		Asn	Ala	Arg	Leu 140	Arg	Leu	Arg	Val		
	Ser Gl 145	y Ala Va	l Ala	Thr Al 150	a Val	Leu	Trp	Val 155	Leu	Ala	Ala	Leu	Leu 160		
35	Ala Me	t Pro Va	l Met 165	Val Le	u Arg		Thr 170	Gly	Asp	Leu	Glu	Asn 175	Thr		

	Thr	Lys	Val	Gln 180		Tyr	Met	Asp	Tyr 185		Met	Val	Ala	Thr 190	Val	Ser
	Ser	Glu	Trp 195	Ala	Trp	Glu	Val	Gly 200	Leu	Gly	Val	Ser	Ser 205	Thr	Thr	Val
5	Gly	Phe 210		Val	Pro	Phe	Thr 215	Ile	Met	Leu	Thr	Cys 220	Tyr	Phe	Phe	Ile
	Ala 225	Gln	Thr	Ile	Ala	Gly 230	His	Phe	Arg	Lys	Glu 235	Arg	Ile	Glu	Gly	Leu 240
10	Arg	Lys	Arg	Arg	Arg 245	Leu	Lys	Ser	Ile	Ile 250	Val	Val	Leu	Val	Val 255	Thr
	Phe	Ala	Leu	Cys 260	Trp	Met	Pro	Tyr	His 265	Leu	Val	Lys	Thr	Leu 270	Tyr	Met
	Leu	Gly	Ser 275	Leu	Leu	His	Trp	Pro 280	Cys	Asp	Phe	Asp	Leu 285	Phe	Leu	Met
15	Asn	Ile 290	Phe	Pro	Tyr	Суѕ	Thr 295	Cys	Ile	Ser	Tyr	Val 300	Asn	Ser	Cys	Leu
	Asn 305	Pro	Phe	Leu	Tyr	Ala 310	Phe	Phe	Asp	Pro	Arg 315	Phe	Arg	Gln	Ala	Cys 320
20	Thr	Ser	Met	Leu	Cys 325	Cys	Gly	Gln	Ser	Arg 330	Cys	Ala	Gly	Thr	Ser 335	His
	Ser	Ser	Ser	Gly 340	Glu	Lys	Ser	Ala	Ser 345	Tyr	Ser	Ser	Gly	His 350	Ser	Gln
	Gly	Pro	Gly 355	Pro	Asn	Met	Gly	Lys 360	Gly	Gly	Glu	Gln	Met 365	His	Glu	Lys
25	Ser	Ile 370	Pro	Tyr	Ser	Gln	Glu 375	Thr	Leu	Val	Val	Asp 380				
	(200) INF	ORMA	MOITA	FOR	SEC	) ID	NO:1	.99:								
30	(i)	(A) (B) (C)	LEN TYP	IGTH: E: n	111 ucle DNES	.9 ba ic a SS: s	ingl	airs	ł							
							(ge									
25							ON:									
35	ATGAACTAC															
	CTGGACAGA	T TG	GACA	ACTA	TAA	CGAC	ACC	TCCC	TGGT	GG A	TAAA	CATC	T CT	GCCC	TGCC	120

154

	ACAGAGGGTC CCCTCATGGC CTCCTTCAAG GCCGTGTTCG TGCCCGTGGC CTACAGCCTC	180
	ATCTTCCTCC TGGGCGTGAT CGGCAACGTC CTGGTGCTGG TGATCCTGGA GCGGCACCGG	240
	CAGACACGCA GTTCCACGGA GACCTTCCTG TTCCACCTGG CCGTGGCCGA CCTCCTGCTG	300
	GTCTTCATCT TGCCCTTTGC CGTGGCCGAG GGCTCTGTGG GCTGGGTCCT GGGGACCTTC	360
5	CTCTGCAAAA CTGTGATTGC CCTGCACAAA GTCAACTTCT ACTGCAGCAG CCTGCTCCTG	420
	GCCTGCATCG CCGTGGACCG CTACCTGGCC ATTGTCCACG CCGTCCATGC CTACCGCCAC	480
	CGCCGCCTCC TCTCCATCCA CATCACCTGT GGGACCATCT GGCTGGTGGG CTTCCTCCTT	540
	GCCTTGCCAG AGATTCTCTT CGCCAAAGTC AGCCAAGGCC ATCACAACAA CTCCCTGCCA	600
	CGTTGCACCT TCTCCCAAGA GAACCAAGCA GAAACGCATG CCTGGTTCAC CTCCCGATTC	660
10	CTCTACCATG TGGCGGGATT CCTGCTGCCC ATGCTGGTGA TGGGCTGGTG CTACGTGGGG	720
	GTAGTGCACA GGTTGCGCCA GGCCCAGCGG CGCCCTCAGC GGCAGAAGGC AAAAAGGGTG	780
	GCCATCCTGG TGACAAGCAT CTTCTTCCTC TGCTGGTCAC CCTACCACAT CGTCATCTTC	840
	CTGGACACCC TGGCGAGGCT GAAGGCCGTG GACAATACCT GCAAGCTGAA TGGCTCTCTC	900
	CCCGTGGCCA TCACCATGTG TGAGTTCCTG GGCCTGGCCC ACTGCTGCCT CAACCCCATG	960
15	CTCTACACTT TCGCCGGCGT GAAGTTCCGC AGTGACCTGT CGCGGCTCCT GACCAAGCTG 1	020
	GGCTGTACCG GCCCTGCCTC CCTGTGCCAG CTCTTCCCTA GCTGGCGCAG GAGCAGTCTC 1	080
	TCTGAGTCAG AGAATGCCAC CTCTCTCACC ACGTTCTAG 1	119
	(201) INFORMATION FOR SEQ ID NO:200:	
20	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 372 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS:</li> <li>(D) TOPOLOGY: not relevant</li> <li>(ii) MOLECULE TYPE: protein</li> </ul>	
25	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:200:	
	Met Asn Tyr Pro Leu Thr Leu Glu Met Asp Leu Glu Asn Leu Glu Asp 1 5 10 15	
	Leu Phe Trp Glu Leu Asp Arg Leu Asp Asn Tyr Asn Asp Thr Ser Leu 20 25 30	
30	Val Glu Asn His Leu Cys Pro Ala Thr Glu Gly Pro Leu Met Ala Ser	

· Phe Lys Ala Val Phe Val Pro Val Ala Tyr Ser Leu Ile Phe Leu Leu

		50					55					60				
	Gly 65	Val	Ile	: Gly	Asn	Val	Leu	Val	Leu	Val	Ile 75	Leu	Glu	Arg	His	Arg 80
5	Gln	Thr	Arg	Ser	Ser 85	Thr	Glu	Thr	Phe	Leu 90	Phe	His	Leu	Ala	Val 95	Ala
	Asp	Leu	Leu	Leu 100	Val	Phe	Ile	Leu	Pro 105		Ala	Val	Ala	Glu 110	Gly	Ser
	Val	Gly	Trp 115		Leu	Gly	Thr	Phe 120	Leu	Cys	Lys	Thr	Val 125	Ile	Ala	Leu
10	His	Lys 130	Val	Asn	Phe	Tyr	Cys 135	Ser	Ser	Leu	Leu	Leu 140	Ala	Cys	Ile	Ala
	Val 145	Asp	Arg	Tyr	Leu	Ala 150	Ile	Val	His	Ala	Val 155	His	Ala	Tyr	Arg	His 160
15	Arg	Arg	Leu	Leu	Ser 165	Ile	His	Ile	Thr	Cys 170	Gly	Thr	Ile	Trp	Leu 175	Val
	Gly	Phe	Leu	Leu 180	Ala	Leu	Pro	Glu	Ile 185	Leu	Phe	Ala	Lys	Val 190	Ser	Gln
	Gly	His	His 195	Asn	Asn	Ser	Leu	Pro 200	Arg	Cys	Thr	Phe	Ser 205	Gln	Glu	Asn
20	Gln	Ala 210	Glu	Thr	His	Ala	Trp 215	Phe	Thr	Ser	Arg	Phe 220	Leu	Tyr	His	Val
	Ala 225	Gly	Phe	Leu	Leu	Pro 230	Met	Leu	Val	Met	Gly 235	Trp	Cys	Tyr	Val	Gly 240
25	Val	Val	His	Arg	Leu 245	Arg	Gln	Ala	Gln	Arg 250	Arg	Pro	Gln	Arg	Gln 255	Lys
	Ala	Lys	Arg	Val 260	Ala	Ile	Leu	Val	Thr 265	Ser	Ile	Phe	Phe	Leu 270	Cys	Trp
	Ser	Pro	Tyr 275	His	Ile	Val	Ile	Phe 280	Leu	Asp	Thr	Leu	Ala 285	Arg	Leu	Lys
30	Ala	Val 290	Asp	Asn	Thr	Cys	Lys 295	Leu	Asn	Gly	Ser	Leu 300	Pro	Val	Ala	Ile
	Thr 305	Met	Cys	Glu	Phe	Leu 310	Gly	Leu	Ala	His	Cys 315	Cys	Leu	Asn	Pro	Met 320
35	Leu	Tyr	Thr	Phe	Ala 325	Gly	Val	Lys	Phe	Arg 330	Ser	Asp	Leu	Ser	Arg 335	Leu
	Leu	Thr	Lys	Leu 340	Gly	Cys	Thr	Gly	Pro 345	Ala	Ser	Leu	Cys	Gln 350	Leu	Phe

156

Pro Ser Trp Arg Arg Ser Ser Leu Ser Glu Ser Glu Asn Ala Thr Ser 355 360 365

Leu Thr Thr Phe 370

- 5 (202) INFORMATION FOR SEQ ID NO:201:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 1128 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
- 10 (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:201:

ATGGATGTGA CTTCCCAAGC CCGGGGCGTG GGCCTGGAGA TGTACCCAGG CACCGCGCAG 60 CCTGCGGCCC CCAACACCAC CTCCCCCGAG CTCAACCTGT CCCACCCGCT CCTGGGCACC 120 GCCCTGGCCA ATGGGACAGG TGAGCTCTCG GAGCACCAGC AGTACGTGAT CGGCCTGTTC 180 CTCTCGTGCC TCTACACCAT CTTCCTCTTC CCCATCGGCT TTGTGGGCAA CATCCTGATC 240 CTGGTGGTGA ACATCAGCTT CCGCGAGAAG ATGACCATCC CCGACCTGTA CTTCATCAAC 300 CTGGCGGTGG CGGACCTCAT CCTGGTGGCC GACTCCCTCA TTGAGGTGTT CAACCTGCAC 360 GAGCGGTACT ACGACATCGC CGTCCTGTGC ACCTTCATGT CGCTCTTCCT GCAGGTCAAC 420 20 ATGTACAGCA GCGTCTTCTT CCTCACCTGG ATGAGCTTCG ACCGCTACAT CGCCCTGGCC 480 AGGGCCATGC GCTGCAGCCT GTTCCGCACC AAGCACCACG CCCGGCTGAG CTGTGGCCTC 540 ATCTGGATGG CATCCGTGTC AGCCACGCTG GTGCCCTTCA CCGCCGTGCA CCTGCAGCAC 600 ACCGACGAGG CCTGCTTCTG TTTCGCGGAT GTCCGGGAGG TGCAGTGGCT CGAGGTCACG 660 CTGGGCTTCA TCGTGCCCTT CGCCATCATC GGCCTGTGCT ACTCCCTCAT TGTCCGGGTG 720 25 CTGGTCAGGG CGCACCGGCA CCGTGGGCTG CGGCCCCGGC GGCAGAAGGC GAAGCGCATG 780 840 GTGCACCTCC TGCAGCGGAC GCAGCCTGGG GCCGCTCCCT GCAAGCAGTC TTTCCGCCAT 900 GCCCACCCC TCACGGGCCA CATTGTCAAC CTCACCGCCT TCTCCAACAG CTGCCTAAAC 960 CCCCTCATCT ACAGCTTTCT CGGGGAGACC TTCAGGGACA AGCTGAGGCT GTACATTGAG 30 CAGAAAACAA ATTTGCCGGC CCTGAACCGC TTCTGTCACG CTGCCCTGAA GGCCGTCATT 1080 CCAGACAGCA CCGAGCAGTC GGATGTGAGG TTCAGCAGTG CCGTGTAG 1128

157

## (203) INFORMATION FOR SEQ ID NO:202:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 375 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:

- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:202:
- Met Asp Val Thr Ser Gln Ala Arg Gly Val Gly Leu Glu Met Tyr Pro

  1 5 10 15
  - Gly Thr Ala Gln Pro Ala Ala Pro Asn Thr Thr Ser Pro Glu Leu Asn 20 25 30
  - Leu Ser His Pro Leu Leu Gly Thr Ala Leu Ala Asn Gly Thr Gly Glu 35 40 45
- Leu Ser Glu His Gln Gln Tyr Val Ile Gly Leu Phe Leu Ser Cys Leu 50 55 60
  - Tyr Thr Ile Phe Leu Phe Pro Ile Gly Phe Val Gly Asn Ile Leu Ile 65 70 75 80
- Leu Val Val Asn Ile Ser Phe Arg Glu Lys Met Thr Ile Pro Asp Leu 85 90 95
  - Tyr Phe Ile Asn Leu Ala Val Ala Asp Leu Ile Leu Val Ala Asp Ser 100 105 110
  - Leu Ile Glu Val Phe Asn Leu His Glu Arg Tyr Tyr Asp Ile Ala Val 115 120 125
- Leu Cys Thr Phe Met Ser Leu Phe Leu Gln Val Asn Met Tyr Ser Ser 130 135 140
  - Val Phe Phe Leu Thr Trp Met Ser Phe Asp Arg Tyr Ile Ala Leu Ala 145 150 155 160
- Arg Ala Met Arg Cys Ser Leu Phe Arg Thr Lys His His Ala Arg Leu 165 170 175
  - Ser Cys Gly Leu Ile Trp Met Ala Ser Val Ser Ala Thr Leu Val Pro 180 185 190
  - Phe Thr Ala Val His Leu Gln His Thr Asp Glu Ala Cys Phe Cys Phe 195 200 205
- Ala Asp Val Arg Glu Val Gln Trp Leu Glu Val Thr Leu Gly Phe Ile
  210 215 220
  - Val Pro Phe Ala Ile Ile Gly Leu Cys Tyr Ser Leu Ile Val Arg Val

	225					230					235					240	
	Leu	Val	Arg	Ala	His 245	Arg	His	Arg	Gly	Leu 250	Arg	Pro	Arg	Arg	Gln 255	Lys	
5	Ala	Lys	Arg	Met 260	Ile	Leu	Ala	Val	Val 265	Leu	Val	Phe	Phe	Val 270	Cys	Trp	
	Leu	Pro	Glu 275	Asn	Val	Phe	Ile	Ser 280	Val	His	Leu	Leu	Gln 285	Arg	Thr	Gln	
	Pro	Gly 290	Ala	Ala	Pro	Cys	Lys 295	Gln	Ser	Phe	Arg	His 300	Ala	His	Pro	Leu	
10	Thr 305	Gly	His	Ile	Val	Asn 310	Leu	Thr	Ala	Phe	Ser 315	Asn	Ser	Суз	Leu	Asn 320	
	Pro	Leu	Ile	Tyr	Ser 325	Phe	Leu	Gly	Glu	Thr 330	Phe	Arg	Asp	Lys	Leu 335	Arg	
15	Leu	Tyr	Ile	Glu 340	Gln	Lys	Thr	Asn	Leu 345	Pro	Ala	Leu	Asn	Arg 350	Phe	Cys	
	His	Ala	Ala 355	Leu	Lys	Ala	Val	Ile 360	Pro	Asp	Ser	Thr	Glu 365	Gln	Ser	Asp	
	Val	Arg 370	Phe	Ser	Ser	Ala	Val 375										
20	(204) IN	FORM	OITA	v FOI	R SEÇ	Q ID	NO:2	203:									
	(i	(B)	LEI TYI	CE CH NGTH: PE: 1	: 113 nucle	37 ba	ase p acid	pairs	3								
25				POLOG													
	(i	i) M	OLEC	JLE :	TYPE:	: DNZ	A (ge	enom:	Lc)								
	x)	i) SI	EQUEI	NCE I	DESCI	RIPT	ION:	SEQ	ID 1	10:20	3:						
	ATGGACCT	GG G	DAAAE	CCAAT	r gaz	AAAG	CGTG	CTG	GTGGT	rgg (	CTCTC	CCTT	FT C	TTTP	rcca(	6	0
	GTATGCCT	GT G	rcaa(	GATG!	A GG:	CAC	GGAC	GAT"	raca:	rcg (	AGAG	CAAC	AC C	ACAG:	rgga	12	0
30	TACACTTT	GT T	CGAG:	rctt:	r GTC	3CTC	CAAG	AAG	BACG"	rgc (	GAAG	CTTT	A A	GCCT	GTT(	18	0
	CTCCCTAT	CA T	GTAC'	rcca:	CA:	rttg:	TTTC	GTG	GCC.	rac :	rggg	CAATO	eg g	CTGG:	rcgro	24	0
	TTGACCTA	TA T	CTAT:	rtca <i>i</i>	A GAC	GGCT	CAAG	ACC	ATGA	CCG 1	ATACO	CTAC	CT GO	CTCA	ACCTO	30	0
	GCGGTGGC	AG A	CATC	CTCT:	r cc	rccto	GACC	CTT	CCCT:	rcr (	GGCC	CTAC	AG C	GCGG	CCAA	36	0
	TCCTGGGT	CT T	CGGT	GTCC2	A CT	rttg(	CAAG	CTC	ATCT:	TTG (	CCATO	CTAC	AA GA	ATGA(	GCTT(	42	0

	TTCAGTGGCA	TGCTCCTACT	TCTTTGCATC	AGCATTGACC	GCTACGTGGC	CATCGTCCAG	480
	GCTGTCTCAG	CTCACCGCCA	CCGTGCCCGC	GTCCTTCTCA	TCAGCAAGCT	GTCCTGTGTG	540
	GGCATCTGGA	TACTAGCCAC	AGTGCTCTCC	ATCCCAGAGC	TCCTGTACAG	TGACCTCCAG	600
	AGGAGCAGCA	GTGAGCAAGC	GATGCGATGC	TCTCTCATCA	CAGAGCATGT	GGAGGCCTTT	660
5	ATCACCATCC	AGGTGGCCCA	GATGGTGATC	GGCTTTCTGG	TCCCCCTGCT	GGCCATGAGC	720
	TTCTGTTACC	TTGTCATCAT	CCGCACCCTG	CTCCAGGCAC	GCAACTTTGA	GCGCAACAAG	780
	GCCAAAAAGG	TGATCATCGC	TGTGGTCGTG	GTCTTCATAG	TCTTCCAGCT	GCCCTACAAT	840
	GGGGTGGTCC	TGGCCCAGAC	GGTGGCCAAC	TTCAACATCA	CCAGTAGCAC	CTGTGAGCTC	900
	AGTAAGCAAC	TCAACATCGC	CTACGACGTC	ACCTACAGCC	TGGCCTGCGT	CCGCTGCTGC	960
10	GTCAACCCTT	TCTTGTACGC	CTTCATCGGC	GTCAAGTTCC	GCAACGATCT	CTTCAAGCTC	1020
	TTCAAGGACC	TGGGCTGCCT	CAGCCAGGAG	CAGCTCCGGC	AGTGGTCTTC	CTGTCGGCAC	1080
	ATCCGGCGCT	CCTCCATGAG	TGTGGAGGCC	GAGACCACCA	CCACCTTCTC	CCCATAG	1137
	(205) INFO	RMATION FOR	SEQ ID NO:2	204:			

(i) SEQUENCE CHARACTERISTICS:

15

- (A) LENGTH: 378 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- 20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:204:

Met Asp Leu Gly Lys Pro Met Lys Ser Val Leu Val Val Ala Leu Leu 5

Val Ile Phe Gln Val Cys Leu Cys Gln Asp Glu Val Thr Asp Asp Tyr

25 Ile Gly Asp Asn Thr Thr Val Asp Tyr Thr Leu Phe Glu Ser Leu Cys 40

Ser Lys Lys Asp Val Arg Asn Phe Lys Ala Trp Phe Leu Pro Ile Met

Tyr Ser Ile Ile Cys Phe Val Gly Leu Leu Gly Asn Gly Leu Val Val 30

> Leu Thr Tyr Ile Tyr Phe Lys Arg Leu Lys Thr Met Thr Asp Thr Tyr 85 90

> Leu Leu Asn Leu Ala Val Ala Asp Ile Leu Phe Leu Leu Thr Leu Pro

160

				100					105					110		
	Phe	e Trp	Ala 115		Ser	Ala	Ala	Lys 120		Trp	Val	Phe	Gly 125	Val	His	Phe
5	Cys	130		Ile	Phe	Ala	Ile 135	Tyr	Lys	Met	Ser	Phe 140	Phe	Ser	Gly	Met
	Leu 145	ı Leu	Leu	Leu	Cys	Ile 150	Ser	Ile	Asp	Arg	Tyr 155	Val	Ala	Ile	Val	Gln 160
	Ala	. Val	Ser	Ala	His 165	Arg	His	Arg	Ala	Arg 170	Val	Leu	Leu	Ile	Ser 175	Lys
10	Leu	. Ser	Cys	Val 180	Gly	Ile	Trp	Ile	Leu 185	Ala	Thr	Val	Leu	Ser 190	Ile	Pro
	Glu	Leu	Leu 195	Tyr	Ser	Asp	Leu	Gln 200	Arg	Ser	Ser	Ser	Glu 205	Gln	Ala	Met
15	Arg	Cys 210	Ser	Leu	Ile	Thr	Glu 215	His	Val	Glu	Ala	Phe 220	Ile	Thr	Ile	Gln
	Val 225	Ala	Gln	Met	Val	Ile 230	Gly	Phe	Leu	Val	Pro 235	Leu	Leu	Ala	Met	Ser 240
	Phe	Cys	Tyr	Leu	Val 245	Ile	Ile	Arg	Thr	Leu 250	Leu	Gln	Ala	Arg	Asn 255	Phe
20	Glu	Arg	Asn	Lys 260	Ala	Lys	Lys	Val	Ile 265	Ile	Ala	Val	Val	Val 270	Val	Phe
	Ile	Val	Phe 275	Gln	Leu	Pro	Tyr	Asn 280	Gly	Val	Val	Leu	Ala 285	Gln	Thr	Val
25	Ala	Asn 290	Phe	Asn	Ile	Thr	Ser 295	Ser	Thr	Cys	Glu	Leu 300	Ser	Lys	Gl.n	Leu
	Asn 305	Ile	Ala	Tyr	Asp	Val 310	Thr	Tyr	Ser	Leu	Ala 315	Cys	Val	Arg	Cys	Cys 320
	Val	Asn	Pro	Phe	Leu 325	Tyr	Ala	Phe	Ile	Gly 330	Val	Lys	Phe	Arg	Asn 335	Asp
30	Leu	Phe	Lys	Leu 340	Phe	Lys	Asp	Leu	Gly 345	Cys	Leu	Ser	Gln	Glu 350	Gln	Leu
	Arg	Gln	Trp 355	Ser	Ser	Cys	Arg	His 360	Ile	Arg	Arg	Ser	Ser 365	Met	Ser	Val
35	Glu	Ala 370	Glu	Thr	Thr	Thr	Thr 375	Phe	Ser	Pro						

(206) INFORMATION FOR SEQ ID NO:205:

161

(i)	SEQUENCE	CHARACTERISTICS
-----	----------	-----------------

(A) LENGTH: 1086 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

5

30

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:205:

ATGGATATAC AAATGGCAAA CAATTTTACT CCGCCCTCTG CAACTCCTCA GGGAAATGAC 60 TGTGACCTCT ATGCACATCA CAGCACGGCC AGGATAGTAA TGCCTCTGCA TTACAGCCTC 10 GTCTTCATCA TTGGGCTCGT GGGAAACTTA CTAGCCTTGG TCGTCATTGT TCAAAACAGG 180 AAAAAAATCA ACTCTACCAC CCTCTATTCA ACAAATTTGG TGATTTCTGA TATACTTTTT 240 ACCACGGCTT TGCCTACACG AATAGCCTAC TATGCAATGG GCTTTGACTG GAGAATCGGA 300 GATGCCTTGT GTAGGATAAC TGCGCTAGTG TTTTACATCA ACACATATGC AGGTGTGAAC 360 TTTATGACCT GCCTGAGTAT TGACCGCTTC ATTGCTGTGG TGCACCCTCT ACGCTACAAC 420 AAGATAAAAA GGATTGAACA TGCAAAAGGC GTGTGCATAT TTGTCTGGAT TCTAGTATTT 480 GCTCAGACAC TCCCACTCCT CATCAACCCT ATGTCAAAGC AGGAGGCTGA AAGGATTACA 540 TGCATGGAGT ATCCAAACTT TGAAGAAACT AAATCTCTTC CCTGGATTCT GCTTGGGGCA 600 TGTTTCATAG GATATGTACT TCCACTTATA ATCATTCTCA TCTGCTATTC TCAGATCTGC 660 TGCAAACTCT TCAGAACTGC CAAACAAAAC CCACTCACTG AGAAATCTGG TGTAAACAAA 720 AAGGCTAAAA ACACAATTAT TCTTATTATT GTTGTGTTTG TTCTCTGTTT CACACCTTAC 780 CATGTTGCAA TTATTCAACA TATGATTAAG AAGCTTCGTT TCTCTAATTT CCTGGAATGT 840 AGCCAAAGAC ATTCGTTCCA GATTTCTCTG CACTTTACAG TATGCCTGAT GAACTTCAAT 900 TGCTGCATGG ACCCTTTTAT CTACTTCTTT GCATGTAAAG GGTATAAGAG AAAGGTTATG 960 AGGATGCTGA AACGGCAAGT CAGTGTATCG ATTTCTAGTG CTGTGAAGTC AGCCCCTGAA 1020 25 GAAAATTCAC GTGAAATGAC AGAAACGCAG ATGATGATAC ATTCCAAGTC TTCAAATGGA 1080 AAGTGA 1086

(207) INFORMATION FOR SEQ ID NO:206:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 361 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:
  - (D) TOPOLOGY: not relevant

	(ii	.) MC	LECU	TE I	YPE:	pro	teir	i.								
	(xi	.) SE	QUEN	ICE I	ESCR	RIPTI	ON:	SEQ	ID N	iO:20	6:					
	Met 1	Asp	Ile	Gln	Met 5	Ala	Asn	Asn	Phe	Thr 10	Pro	Pro	Ser	Ala	Thr 15	Pro
5	Gln	Gly	Asn	Asp 20	Cys	Asp	Leu	Tyr	Ala 25	His	His	Ser	Thr	Ala 30	Arg	Ile
	Val	Met	Pro 35	Leu	His	Tyr	Ser	Leu 40	Val	Phe	Ile	Ile	Gly 45	Leu	Val	Gly
10	Asn	Leu 50	Leu	Ala	Leu	Val	Val 55	Ile	Val	Gln	Asn	Arg 60	Lys	Lys	Ile	Asn
	Ser 65	Thr	Thr	Leu	Tyr	Ser 70	Thr	Asn	Leu	Val	Ile 75	Ser	Asp	Ile	Leu	Phe 80
	Thr	Thr	Ala	Leu	Pro 85	Thr	Arg	Ile	Ala	Tyr 90	Tyr	Ala	Met	Gly	Phe 95	Asp
15	Trp	Arg	Ile	Gly 100	Asp	Ala	Leu	Cys	Arg 105	Ile	Thr	Ala	Leu	Val 110	Phe	Tyr
	Ile	Asn	Thr 115	Tyr	Ala	Gly	Val	Asn 120	Phe	Met	Thr	Cys	Leu 125	Ser	Ile	Asp
20	Arg	Phe 130	Ile	Ala	Val	Val	His 135	Pro	Leu	Arg	Tyr	Asn 140	Lys	Ile	Lys	Arg
	Ile 145	Glu	His	Ala	Lys	Gly 150	Val	Cys	Ile	Phe	Val 155	Trp	Ile	Leu	Val	Phe 160
	Ala	Gln	Thr	Leu	Pro 165	Leu	Leu	Ile	Asn	Pro 170	Met	Ser	Lys	Gln	Glu 175	Ala
25	Glu	Arg	Ile	Thr 180	Cys	Met	Glu	Tyr	Pro 185	Asn	Phe	Glu	Glu	Thr 190	Lys	Ser
	Leu	Pro	Trp 195	Ile	Leu	Leu	Gly	Ala 200	Cys	Phe	Ile	Gly	Tyr 205	Val	Leu	Pro
30	Leu	Ile 210	Ile	Ile	Leu	Ile	Cys 215	Tyr	Ser	Gln	Ile	Cys 220	Cys	Lys	Leu	Phe
	Arg 225	Thr	Ala	Lys	Gln	Asn 230	Pro	Leu	Thr	Glu	Lys 235	Ser	Gly	Val	Asn	Lys 240
	Lys	Ala	Lys	Asn	Thr 245	Ile	Ile	Leu	Ile	Ile 250	Val	Val	Phe	Val	Leu 255	Cys
35	Phe	Thr	Pro	Tyr 260	His	Val	Ala	Ile	Ile 265	Gln	His	Met	Ile	Lys 270	Lys	Leu

	Arg F	he Ser 275	Asn	Phe	Leu	Glu	Cys 280	Ser	Gln	Arg	His	Ser 285	Phe	Gln	Ile	
		eu His	Phe	Thr	Val	Cys 295	Leu	Met	Asn	Phe	Asn 300	Cys	Cys	Met	Asp	
5	Pro P 305	he Ile	Tyr	Phe	Phe 310	Ala	Cys	Lys	Gly	Tyr 315	Lys	Arg	Lys	Val	Met 320	
	Arg M	let Leu		Arg 325	Gln	Val	Ser	Val	Ser	Ile	Ser	Ser	Ala	Val		
10	Ser A	la Pro	Glu :	Glu	Asn	Ser	Arg	Glu 345	Met	Thr	Glu	Thr	Gln 350		Met	
	Ile H	is Ser	Lys	Ser	Ser	Asn	Gly 360	Lys								
	(208) INFO	RMATION	I FOR	SEQ	ID !	NO:2										
15	(i)	SEQUENC (A) LEN (B) TYE (C) STE (D) TOE	CE CHI IGTH: PE: no RANDEI	ARAC 144 ucle DNES	TERI 6 ba ic a S: s	STIC se p cid ingl	:s: airs	ŀ								
	(ii)	MOLECU	LE T	YPE:	DNA	. (ge	nomi	c)								
20	(xi)	SEQUEN	ICE DI	ESCR	IPTI	ON:	SEQ	ID N	O:20	7:						
	ATGCGGTGGC	TGTGGC	CCCT	GGC	TGTC	TCT	CTTG	CTGT	GA I	TTTG	GCTG	T GG	GGCT	'AAGC	!	6(
	AGGGTCTCTG	GGGGTG	CCCC	CCT	GCAC	CTG	GGCA	GGCA	.CA G	AGCC	GAGA	c cc	AGGA	GCAG	1	.20
	CAGAGCCGAT	CCAAGA	.GGGG	CAC	CGAG	GAT	GAGG	AGGC	CA A	.GGGC	GTGC	A GC	'AGTA	TGTG	1	.8(
	CCTGAGGAGT	GGGCGG	AGTA	CCC	CCGG	CCC	ATTC	ACCC	TG C	TGGC	CTGC	A GC	CAAC	CAAG	2	4(
25	CCCTTGGTGG	CCACCA	.GCCC	TAA	CCCC	GAC	AAGG	ATGG	GG G	CACC	CCAG	A CA	.GTGG	GCAG	3	00
	GAACTGAGGG	GCAATC	TGAC	AGG	GGCA	CCA	GGGC	AGAG	GC T	ACAG	ATCC	A GA	ACCC	CCTG	3	6(
	TATCCGGTGA	CCGAGA	GCTC	CTA	CAGT	GCC	TATG	CCAT	CA T	GCTT	CTGG	C GC	TGGT	GGTG	4	20
	TTTGCGGTGG	GCATTG	TGGG	CAA	CCTG	TCG	GTCA	TGTG	CA T	CGTG	TGGC.	A CA	GCTA	CTAC	4	80
	CTGAAGAGCG	CCTGGA	ACTC	CAT	CCTT	GCC .	AGCC	TGGC	CC T	CTGG	GATT	T TC	TGGT	CCTC	5	40
30	TTTTTCTGCC	TCCCTA	TTGT	CAT	CTTC.	AAC	GAGA	TCAC	CA A	GCAG.	AGGC'	T AC	TGGG	TGAC	6	00
	GTTTCTTGTC	GTGCCG	TGCC	CTT	CATG	GAG	GTCT	CCTC	TC T	GGGA	GTCA	C GA	CTTT	CAGC	6	60
	CTCTGTGCCC	TGGGCA	TTGA	CCG	CTTC	CAC	GTGG	CCAC	CA G	CACC	CTGC	C CA	AGGT	GAGG	7	20
	СССУТССУСС	CCTCCC	አ አ ጥ C'	СУТС	مصشرة	מממ	אאריתי	maaa	ma m	as mai	Taaa	T ~~	aama	<b>a.</b>	_	

	ACGCTG	CTG :	rgcc1	rgagc'	T CC	CTGCT	GTGG	CAG	CTGC	CAC	AGG	GCC1	rgc (	CCCC	CCAT	<b>'</b> G	840
	GGCACC	CTGG I	ACTC	ATGCA'	T CA	TGAA	ACC	TCA	GCCA	\GCC	TGCC	CGAG	TC (	CTGT	ATTC	.'A	900
	CTGGTG	ATGA (	CCTAC	CCAGA	A CG	CCCG	CATO	TGG	TGGT	ACT	TTGG	CTGC	TA (	CTTCT	'GCCI	Ğ	960
	CCCATC	TCT :	CACA	GTCA	C CI	GCCA	GCTG	GTG	ACAI	'GGC	GGGI	'GCGA	ree (	CCTC	CAGG	G 1	L020
5	AGGAAGI	CAG A	AGTGC	AGGG	C CA	GCAA	.GCAC	GAG	CAGI	GTG	AGAG	CCAG	CT (	CAAGA	GCAC	.C 1	1080
	GTGGTG	GCC 1	rgacc	GTGG:	r CI	'ACGC	CTTC	TGC	'ACCC	TCC!	CAGA	.GAAC	GT C	CTGCA	ACAT	'C 1	.140
	GTGGTGG	CCT A	ACCTC	TCCA	C CG	AGCT	GACC	CGC	CAGA	.CCC	TGGA	.CCTC	CT C	GGCC	TCAT	C 1	.200
	AACCAGT	TCT C	CACC	TTCT	r ca	AGGG	CGCC	ATC	ACCC	CAG	TGCT	GCTC	CT I	TGCA	TCTG	C 1	.260
	AGGCCGC	TGG G	CCAG	GCCTT	r cc	TGGA	CTGC	TGC	TGCT	GCT	GCTG	CTGT	GA G	GAGT	GCGG	C 1	.320
10	GGGGCTT	CGG A	reecc	TCTGC	TG	CCAA	TGGG	TCG	GACA	ACA	AGCT	CAAG	AC C	GAGG:	TGTC	C 1	.380
	TCTTCCA	TCT A	CTTC	CACA	4 GC	CCAG	GGAG	TCA	CCCC	CAC	TCCT	GCCC	CT G	GGCA	CACC	т 1	440
	TGCTGA															1	446
	(209) I	NFORM	OITA	N FOR	SE	Q ID	NO:	208:									
15		(B (C	) LE ) TY ) ST	NGTH: PE: a RANDE POLOG	48 min DNE	1 am o ac SS: not:	ino : id rele	acid vant	S								
20		ii) M															
20		xi) S															
	Me 1	t Arg	Trp		Trp 5	Pro	Leu	Ala	Val	Ser 10	Leu	Ala	Val	Ile	Leu 15	Ala	
	Va	l Gly	Leu	Ser 20	Arg	Val	Ser	Gly	Gly 25	Ala	Pro	Leu	His	Leu 30	Gly	Arg	
25	Hi	s Arg	Ala 35	Glu	Thr	Gln	Glu	Gln 40	Gln	Ser	Arg	Ser	Lys 45	Arg	Gly	Thr	
	Gl	ı Asp 50	Glu	Glu	Ala	Lys	Gly 55	Val	Gln	Gln	Tyr	Val 60	Pro	Glu	Glu	Trp	
30	Ala 65	a Glu	Tyr	Pro	Arg	Pro 70	Ile	His	Pro	Ala	Gly 75	Leu	Gln	Pro	Thr	Lys 80	
	Pro	Leu	Val		Thr 85	Ser	Pro	Asn	Pro	Asp 90	Lys	Asp	Gly	Gly	Thr 95	Pro	

Asp Ser Gly Gln Glu Leu Arg Gly Asn Leu Thr Gly Ala Pro Gly Gln

				100					105					110		
	Arg	Leu	Gln 115	Ile	Gln	Asn	Pro	Leu 120		Pro	Val	Thr	Glu 125		Ser	Ту
5	Ser	Ala 130	Tyr	Ala	Ile	Met	Leu 135	Leu	Ala	Leu	Val	Val 140	Phe	Ala	Val	Gly
	Ile 145	Val	Gly	Asn	Leu	Ser 150	Val	Met	Cys	Ile	Val 155		His	Ser	Tyr	Тул 160
	Leu	Lys	Ser	Ala	Trp 165	Asn	Ser	Ile	Leu	Ala 170	Ser	Leu	Ala	Leu	Trp 175	Asp
10	Phe	Leu	Val	Leu 180	Phe	Phe	Cys	Leu	Pro 185		Val	Ile	Phe	Asn 190	Glu	Ile
	Thr	Lys	Gln 195	Arg	Leu	Leu	Gly	Asp 200	Val	Ser	Cys	Arg	Ala 205	Val	Pro	Ph∈
15	Met	Glu 210	Val	Ser	Ser	Leu	Gly 215	Val	Thr	Thr	Phe	Ser 220	Leu	Cys	Ala	Leu
	Gly 225	Ile	Asp	Arg	Phe	His 230	Val	Ala	Thr	Ser	Thr 235	Leu	Pro	Lys	Val	Arg
	Pro	Ile	Glu	Arg	Cys 245	Gln	Ser	Ile	Leu	Ala 250	Lys	Leu	Ala	Val	Ile 255	Trp
20	Val	Gly	Ser	Met 260	Thr	Leu	Ala	Val	Pro 265	Glu	Leu	Leu	Leu	Trp 270	Gln	Leu
	Ala	Gln	Glu 275	Pro	Ala	Pro	Thr	Met 280	Gly	Thr	Leu	Asp	Ser 285	Cys	Ile	Met
25	Lys	Pro 290	Ser	Ala	Ser	Leu	Pro 295	Glu	Ser	Leu	Tyr	Ser 300	Leu	Val	Met	Thr
	Tyr 305	Gln	Asn	Ala	Arg	Met 310	Trp	Trp	Tyr	Phe	Gly 315	Cys	Tyr	Phe	Cys	Leu 320
	Pro	Ile	Leu	Phe	Thr 325	Val	Thr	Cys	Gln	Leu 330	Val	Thr	Trp	Arg	Val 335	Arg
30	Gly	Pro	Pro	Gly 340	Arg	Lys	Ser	Glu	Cys 345	Arg	Ala	Ser	Lys	His 350	Glu	Gln
	Cys	Glu	Ser 355	Gln	Leu	Lys	Ser	Thr 360	Val	Val	Gly	Leu	Thr 365	Val	Val	Tyr
35	Ala	Phe 370	Cys	Thr	Leu	Pro	Glu 375	Asn	Val	Cys	Asn	Ile 380	Val	Val	Ala	Tyr
	Leu 385	Ser	Thr	Glu	Leu	Thr 390	Arg	Gln	Thr	Leu	Asp 395	Leu	Leu	Gly	Leu	Ile 400

	Asn	Gln Phe	Ser	Thr 405	Phe	Phe	Lys	Gly	Ala 410	Ile	Thr	Pro	Val	Leu 415	Leu	
	Leu	Cys Ile	Cys 420	Arg	Pro	Leu	Gly	Gln 425	Ala	Phe	Leu	Asp	Cys 430	Cys	Cys	
5	Cys (	Cys Cys 435		Glu	Glu	Cys	Gly 440	Gly	Ala	Ser	Glu	Ala 445	Ser	Ala	Ala	
		Gly Ser 450	Asp	Asn	Lys	Leu 455	Lys	Thr	Glu	Val	Ser 460	Ser	Ser	Ile	Tyr	
10	Phe 1 465	His Lys	Pro	Arg	Glu 470	Ser	Pro	Pro	Leu	Leu 475	Pro	Leu	Gly	Thr	Pro 480	
	Cys															
	(210) INFO	ORMATIO	N FOR	SEÇ	) ID	NO:2	209:									
15	(i)	SEQUEN (A) LE (B) TY (C) ST (D) TO	NGTH: PE: n RANDE	110 ucle DNES	1 ba ic a S: s	se p cid ingl	airs	I								
	(ii)	MOLEC	ULE T	YPE:	DNA	. (ge	nomi	c)								
20	(xi)	SEQUE:	NCE D	ESCR	IPTI	ON:	SEQ	ID N	ro:20	9:						
	ATGTGGAACG	G CGACG	CCCAG	CGA	AGAG	CCG	GGGT	TCAA	.CC T	CACA	CTGG	C CG	ACCI	GGAC		60
	TGGGATGCTT	r ccccc	GGCAA	CGA	.CTCG	CTG	GGCG	ACGA	GC I	'GCTG	CAGC	T CI	TCCC	CGCG	1	20
	CCGCTGCTGG	GGGGC	GTCAC	AGC	CACC	TGC	GTGG	CACT	CT I	'CGTG	GTGG	G TA	TCGC	TGGC	1	80
	AACCTGCTCA	A CCATG	CTGGT	GGT	GTCG	CGC	TTCC	GCGA	GC I	'GCGC	ACCA	.C CA	CCAA	CCTC	2	40
25	TACCTGTCCA	A GCATGO	GCCTT	CTC	CGAT	CTG	CTCA	TCTT	CC I	'CTGC	ATGC	c cc	'TGGA	CCTC	3	00
	GTTCGCCTCT															60
	TTCGTCAGTG															20
	CGCTACTTCG															80
•	AAGCTGGTCA															40
30	CTAGTCGGGG															00
	ACCGAGTTTG															60
	TTCTTCCTTC															20
	CGGAGGAGGC	GCGGCC	ATGC	TGT	CGTG	GGT	GCCT	CGCT	CA G	GGAC	CAGA	A CC	ACAA	GCAA	7	80

	ACCAAGAAAA	TGCTGG	CTGT AG	rggtgttt	GCCT	TCATCO	C TCTGC	TGGCT	CCCCTT	CCAC	840
	GTAGGGCGAT	TATTTA	TTTC CA	ATCCTTT	GAGC	CTGGCI	r cctte	GAGAT	TGCTC	AGATO	900
	AGCCAGTACT	GCAACC	TCGT GT	CCTTTGTC	CTCT	TCTACC	C TCAGT	GCTGC	CATCA	ACCCC	960
	ATTCTGTACA	ACATCA	TGTC CA	AGAAGTAC	CGGG	TGGCAG	G TGTTC	AGACT	TCTGGG	ATTO	1020
5	GAACCCTTCT	CCCAGA	GAAA GC	CTCCACT	CTGA	AAGATO	G AAAGT	TCTCG	GGCCTC	GACA	1080
	GAATCTAGTA	TTAATA	CATG A								1101
	(211) INFO	RMATION	FOR SE	O ID NO:	210:						
10		(A) LEN (B) TYP (C) STR (D) TOP	GTH: 366 PE: amino ANDEDNES POLOGY: 1		acids vant						
	(xi)	SEQUEN	ICE DESCI	RIPTION:	SEQ	ID NO:	:210:				
15	Met T 1	rp Asn	Ala Thr 5	Pro Ser	Glu	Glu Pr 10	-	Phe A	sn Leu	Thr 15	Leu
	Ala A	_	Asp Trp 20	Asp Ala		Pro Gl 25	ly Asn	Asp S	er Leu 30	Gly	Asp
20	Glu L	eu Leu 35	Gln Leu	Phe Pro	Ala 40	Pro Le	eu Leu		ly Val	Thr	Ala
		ys Val O	Ala Leu	Phe Val 55	Val	Gly Il	le Ala	Gly A	sn Leu	Leu	Thr
	Met L 65	eu Val	Val Ser	Arg Phe 70	Arg	Glu Le	eu Arg 75	Thr I	hr Thr	Asn	Leu 80
25	Tyr L	eu Ser	Ser Met 85	Ala Phe	Ser	Asp Le		Ile P	he Leu	Cys 95	Met
	Pro L	eu Asp	Leu Val 100	Arg Leu	Trp	Gln Ty 105	yr Arg	Pro 1	rp Asn 110	Phe	Gly
30	Asp L	eu Leu 115	Cys Lys	Leu Phe	Gln 120	Phe Va	al Ser		Ser Cys .25	Thr	Tyr
		hr Val	Leu Thr	Ile Thr 135	Ala	Leu Se	er Val	Glu A 140	rg Tyr	Phe	Ala
	Ile C 1 <b>4</b> 5	ys Phe	Pro Leu	Arg Ala 150	Lys	Val Va	al Val 155	Thr I	ys Gly	Arg	Val 160
35	Lys L	eu Val	Ile Phe	Val Ile	Trp	Ala Va	al Ala	Phe C	Cys Ser	Ala	Gly

					165					170					175		
	Pro	Ile	Phe	Val 180	Leu	Val	Gly	Val	Glu 185	His	Glu	Asn	Gly	Thr 190	Asp	Pro	
5	Trp	Asp	Thr 195	Asn	Glu	Cys	Arg	Pro 200	Thr	Glu	Phe	Ala	Val 205	Arg	Ser	Gly	
	Leu	Leu 210	Thr	Val	Met	Val	Trp 215	Val	Ser	Ser	Ile	Phe 220	Phe	Phe	Leu	Pro	
	Val 225	Phe	Cys	Leu	Thr	Val 230	Leu	Tyr	Ser	Leu	Ile 235	Gly	Arg	Lys	Leu	Trp 240	
10	Arg	Arg	Arg	Arg	Gly 245	Asp	Ala	Val	Val	Gly 250	Ala	Ser	Leu	Arg	Asp 255	Gln	
	Asn	His	Lys	Gln 260	Thr	Lys	Lys	Met	Leu 265	Ala	Val	Val	Val	Phe 270	Ala	Phe	
15	Ile	Leu	Cys 275	Trp	Leu	Pro	Phe	His 280	Val	Gly	Arg	Tyr	Leu 285	Phe	Ser	Lys	
	Ser	Phe 290	Glu	Pro	Gly	Ser	Leu 295	Glu	Ile	Ala	Gln	Ile 300	Ser	Gln	Tyr	Cys	
	Asn 305	Leu	Val	Ser	Phe	Val 310	Leu	Phe	Tyr	Leu	Ser 315	Ala	Ala	Ile	Asn	Pro 320	
20	Ile	Leu	Tyr	Asn	Ile 325	Met	Ser	Lys	Lys	Tyr 330	Arg	Val	Ala	Val	Phe 335	Arg	
	Leu	Leu	Gly	Phe 340	Glu	Pro	Phe	Ser	Gln 345	Arg	Lys	Leu	Ser	Thr 350	Leu	Lys	
25	Asp	Glu	Ser 355	Ser	Arg	Ala	Trp	Thr 360	Glu	Ser	Ser	Ile	Asn 365	Thr			
	(212) INE	FORMA	1OIT	FOF	R SEÇ	) ID	NO:2	11:									
30	(i)	(A) (B) (C)	LEN TYE	GTH: PE: r RANDE	: 184 nucle EDNES	12 ba eic a SS: s	singl	airs	5								
	(ii	.) MC	LECU	JLE I	TYPE:	DNZ	4 (ge	nomi	.c)								
	ix)	.) SE	EQUEN	ICE I	ESCF	RIPTI	ON:	SEQ	ID N	10:21	.1:						
	ATGCGAGCC	cc co	GGCG	CGCI	TCI	CGCC	CCGC	ATGT	CGCG	GC I	ACTO	CTTC	CT GO	CTACT	GCTC	1	60
35	AAGGTGTCI	rg co	CTCTI	CTGC	CCI	CGGG	GTC	GCCC	CTGC	CGT (	CAGA	AACG	BA AF	CTTG	TCTG	1	20
	GGGGAGAG	T GI	GCAC	CTAC	AGT	GATO	CCAG	CGCC	GCG6	CA G	GGAC	GCCI	G GG	GACC	:GGGA	. 1	80

WO 00/22129

	AATTCTGCAA	GAGACGTTCT	GCGAGCCCGA	GCACCCAGGG	AGGAGCAGGG	GGCAGCGTTT	240
	CTTGCGGGAC	CCTCCTGGGA	CCTGCCGGCG	GCCCCGGGCC	GTGACCCGGC	TGCAGGCAGA	300
	GGGGCGGAGG	CGTCGGCAGC	CGGACCCCCG	GGACCTCCAA	CCAGGCCACC	TGGCCCCTGG	360
	AGGTGGAAAG	GTGCTCGGGG	TCAGGAGCCT	TCTGAAACTT	TGGGGAGAGG	GAACCCCACG	420
5	GCCCTCCAGC	TCTTCCTTCA	GATCTCAGAG	GAGGAAGAGA	AGGGTCCCAG	AGGCGCTGGC	480
	ATTTCCGGGC	GTAGCCAGGA	GCAGAGTGTG	AAGACAGTCC	CCGGAGCCAG	CGATCTTTT	540
	TACTGGCCAA	GGAGAGCCGG	GAAACTCCAG	GGTTCCCACC	ACAAGCCCCT	GTCCAAGACG	600
	GCCAATGGAC	TGGCGGGGCA	CGAAGGGTGG	ACAATTGCAC	TCCCGGGCCG	GGCGCTGGCC	660
	CAGAATGGAT	CCTTGGGTGA	AGGAATCCAT	GAGCCTGGGG	GTCCCCGCCG	GGGAAACAGC	720
10	ACGAACCGGC	GTGTGAGACT	GAAGAACCCC	TTCTACCCGC	TGACCCAGGA	GTCCTATGGA	780
	GCCTACGCGG	TCATGTGTCT	GTCCGTGGTG	ATCTTCGGGA	CCGGCATCAT	TGGCAACCTG	840
	GCGGTGATGT	GCATCGTGTG	CCACAACTAC	TACATGCGGA	GCATCTCCAA	CTCCCTCTTG	900
	GCCAACCTGG	CCTTCTGGGA	CTTTCTCATC	ATCTTCTTCT	GCCTTCCGCT	GGTCATCTTC	960
	CACGAGCTGA	CCAAGAAGTG	GCTGCTGGAG	GACTTCTCCT	GCAAGATCGT	GCCCTATATA	1020
15	GAGGTCGCCT	CTCTGGGAGT	CACCACTTTC	ACCTTATGTG	CTCTGTGCAT	AGACCGCTTC	1080
	CGTGCTGCCA	CCAACGTACA	GATGTACTAC	GAAATGATCG	AAAATTGTTC	CTCAACAACT	1140
	GCCAAACTTG	CTGTTATATG	GGTGGGAGCT	CTATTGTTAG	CACTTCCAGA	AGTTGTTCTC	1200
	CGCCAGCTGA	GCAAGGAGGA	TTTGGGGTTT	AGTGGCCGAG	CTCCGGCAGA	AAGGTGCATT	1260
	ATTAAGATCT	CTCCTGATTT	ACCAGACACC	ATCTATGTTC	TAGCCCTCAC	CTACGACAGT	1320
20	GCGAGACTGT	GGTGGTATTT	TGGCTGTTAC	TTTTGTTTGC	CCACGCTTTT	CACCATCACC	1380
	TGCTCTCTAG	TGACTGCGAG	GAAAATCCGC	AAAGCAGAGA	AAGCCTGTAC	CCGAGGGAAT	1440
	AAACGGCAGA	TTCAACTAGA	GAGTCAGATG	AAGTGTACAG	TAGTGGCACT	GACCATTTTA	1500
	TATGGATTTT	GCATTATTCC	TGAAAATATC	TGCAACATTG	TTACTGCCTA	CATGGCTACA	1560
	GGGGTTTCAC	AGCAGACAAT	GGACCTCCTT	AATATCATCA	GCCAGTTCCT	TTTGTTCTTT	1620
25	AAGTCCTGTG	TCACCCCAGT	CCTCCTTTTC	TGTCTCTGCA	AACCCTTCAG	TCGGGCCTTC	1680
	ATGGAGTGCT	GCTGCTGTTG	CTGTGAGGAA	TGCATTCAGA	AGTCTTCAAC	GGTGACCAGT	1740
	GATGACAATG	ACAACGAGTA	CACCACGGAA	CTCGAACTCT	CGCCTTTCAG	TACCATACGC	1800
	CGTGAAATGT	CCACTTTTGC	TTCTGTCGGA	ACTCATTGCT	GA		1842

170

## (213) INFORMATION FOR SEQ ID NO:212:

5

- (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 613 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEO TO NO.212

	(x	i) s	EQUE:	NCE :	DESC:	RIPT	ION:	SEQ	ID :	NO:2	12:					
10	Met 1	Arg	Ala	Pro	Gly 5	Ala	Leu	Leu	Ala	Arg 10	Met	Ser	Arg	Leu	Leu 15	Leu
	Leu	Leu	Leu	Leu 20	Lys	Val	Ser	Ala	Ser 25	Ser	Ala	Leu	Gly	Val 30	Ala	Pro
	Ala	Ser	Arg 35	Asn	Glu	Thr	Cys	Leu 40	Gly	Glu	Ser	Cys	Ala 45	Pro	Thr	Val
15	Ile	Gln 50	Arg	Arg	Gly	Arg	Asp 55	Ala	Trp	Gly	Pro	Gly 60	Asn	Ser	Ala	Arg
	Asp 65	Val	Leu	Arg	Ala	Arg 70	Ala	Pro	Arg	Glu	Glu 75	Gln	Gly	Ala	Ala	Phe 80
20	Leu	Ala	Gly	Pro	Ser 85	Trp	Asp	Leu	Pro	Ala 90	Ala	Pro	Gly	Arg	Asp 95	Pro
	Ala	Ala	Gly	Arg 100	Gly	Ala	Glu	Ala	Ser 105	Ala	Ala	Gly	Pro	Pro 110	Gly	Pro
	Pro	Thr	Arg 115	Pro	Pro	Gly	Pro	Trp 120	Arg	Trp	Lys	Gly	Ala 125	Arg	Gly	Gln
25	Glu	Pro 130	Ser	Glu	Thr	Leu	Gly 135	Arg	Gly	Asn	Pro	Thr 140	Ala	Leu	Gln	Leu
	Phe 145	Leu	Gln	Ile	Ser	Glu 150	Glu	Glu	Glu	Lys	Gly 155	Pro	Arg	Gly	Ala	Gly 160
30	Ile	Ser	Gly	Arg	Ser 165	Gln	Glu	Gln	Ser	Val 170	Lys	Thr	Val	Pro	Gly 175	Ala
	Ser	Asp	Leu	Phe 180	Tyr	Trp	Pro	Arg	Arg 185	Ala	Gly	Lys	Leu	Gln 190	Gly	Ser
	His	His	Lys 195	Pro	Leu	Ser	Lys	Thr 200	Ala	Asn	Gly	Leu	Ala 205	Gly	His	Glu
35	Gly	Trp 210	Thr	Ile	Ala	Leu	Pro 215	Gly	Arg	Ala	Leu	Ala 220	Gln	Asn	Gly	Ser

Leu Gly Glu Gly Ile His Glu Pro Gly Gly Pro Arg Arg Gly Asn Ser

	225					230					235					240
	Thr	Asn	Arg	Arg	Val 245	Arg	Leu	Lys	Asn	Pro 250	Phe	Tyr	Pro	Leu	Thr 255	Glr
5	Glu	Ser	Tyr	Gly 260	Ala	Tyr	Ala	Val	Met 265	Cys	Leu	Ser	Val	Val 270	Ile	Phe
	Gly	Thr	Gly 275	Ile	Ile	Gly	Asn	Leu 280	Ala	Val	Met	Cys	Ile 285	Val	Cys	His
	Asn	Tyr 290	Tyr	Met	Arg	Ser	Ile 295	Ser	Asn	Ser	Leu	Leu 300	Ala	Asn	Leu	Ala
10	Phe 305	Trp	Asp	Phe	Leu	Ile 310	Ile	Phe	Phe	Cys	Leu 315	Pro	Leu	Val	Ile	Phe 320
	His	Glu	Leu	Thr	Lys 325	Lys	Trp	Leu	Leu	Glu 330	Asp	Phe	Ser	Cys	Lys 335	Ile
15	Val	Pro	Tyr	Ile 340	Glu	Val	Ala	Ser	Leu 345	Gly	Val	Thr	Thr	Phe 350	Thr	Leu
	Cys	Ala	Leu 355	Cys	Ile	Asp	Arg	Phe 360	Arg	Ala	Ala	Thr	Asn 365	Val	Gln	Met
	Tyr	Tyr 370	Glu	Met	Ile	Glu	Asn 375	Cys	Ser	Ser	Thr	Thr 380	Ala	Lys	Leu	Ala
20	Val 385	Ile	Trp	Val	Gly	Ala 390	Leu	Leu	Leu	Ala	Leu 395	Pro	Glu	Val	Val	Leu 400
	Arg	Gln	Leu	Ser	Lys 405	Glu	Asp	Leu	Gly	Phe 410	Ser	Gly	Arg	Ala	Pro 415	Ala
25	Glu	Arg	Cys	Ile 420	Ile	Lys	Ile	Ser	Pro 425	Asp	Leu	Pro	Asp	Thr 430	Ile	Tyr
	Val	Leu	Ala 435	Leu	Thr	Tyr	Asp	Ser 440	Ala	Arg	Leu	Trp	Trp 445	Tyr	Phe	Gly
	Cys	Tyr 450	Phe	Cys	Leu	Pro	Thr 455	Leu	Phe	Thr	Ile	Thr 460	Cys	Ser	Leu	Val
30	Thr 465	Ala	Arg	Lys	Ile	Arg 470	Lys	Ala	Glu	Lys	Ala 475	Cys	Thr	Arg	Gly	Asn 480
	Lys	Arg	Gln	Ile	Gln 485	Leu	Glu	Ser	Gln	Met 490	Lys	Cys	Thr	Val	Val 495	Ala
35	Leu	Thr	Ile	Leu 500	Tyr	Gly	Phe	Cys	Ile 505	Ile	Pro	Glu	Asn	Ile 510	Cys	Asn
	Ile	Val	Thr 515	Ala	Tyr	Met	Ala	Thr 520	Gly	Val	Ser	Gln	Gln 525	Thr	Met	Asp

	Leu	Leu 530	Asn	Ile	Ile	Ser	Gln 535	Phe	Leu	Leu	Phe	Phe 540	Lys	Ser	Cys	Val
	Thr 545	Pro	Val	Leu	Leu	Phe 550	Cys	Leu	Cys	Lys	Pro 555	Phe	Ser	Arg	Ala	Phe 560
5	Met	Glu	Cys	Cys	Cys 565	Cys	Cys	Cys	Glu	Glu 570	Cys	Ile	Gln	Lys	Ser 575	Ser
	Thr	Val	Thr	Ser 580	Asp	Asp	Asn	Asp	Asn 585	Glu	Tyr	Thr	Thr	Glu 590	Leu	Glu
10	Leu		Pro 595	Phe	Ser	Thr		Arg 600	Arg	Glu	Met	Ser	Thr 605	Phe	Ala	Ser
	Val (	Gly 610	Thr	His	Сув											
	(214) INFO	ORMA	MOIT.	I FOR	. SEÇ	) ID	NO:2	213:								
15	(i)			E CH												
15		(B)	TYP	E: n ANDE	ucle	ic a	cid		•							
				OLOG			-	.0								
	(ii)	) MO:	LECU	LE T	YPE:	DNA	(ge	nomi	.c)							
20	(xi)	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:21	.3:					
	ATGGTTTTT	G CT	CACA	GAAT.	GGA	TAAC	AGC	AAGC	CACA!	TT T	GATT	'ATTC	C TA	CACI	TCTG	60
	GTGCCCCTCC	C AA	AACC	GCAG	CTG	CACT	'GAA	ACAG	CCAC	AC C	TCTG	CCAA	.G CC	'AA'TA	CCTG	120
	ATGGAATTAA	A GT	GAGG	AGCA	CAG	TTGG	ATG	AGCA	ACCA	AA C	AGAC	CTTC	A CI	'ATG'I	'GCTG	180
	AAACCCGGGG	G AA	GTGG	CCAC	AGC	CAGC	ATC	TTCT	TTGG	GA T	TCTG	TGGT	T GT	TTTC	TATO	240
25	TTCGGCAATT	r cc	CTGG	TTTG	TTT	GGTC	ATC	CATA	.GGAG	TA G	GAGG	ACTC	A GT	'CTAC	CACC	300
	AACTACTTTC	G TG	GTCT	CCAT	GGC	ATGT	GCT	GACC	TTCT	CA I	CAGC	GTTG	C CA	.GCAC	GCCT	360
	TTCGTCCTGC	TC(	CAGT	TCAC	CAC	TGGA	AGG	TGGA	.CGCT	GG G	TAGT	GCAA	C GT	GCAA	.GGTT	420
	GTGCGATATT	TT(	CAAT	ATCT	CAC	TCCA	GGT	GTCC	AGAT	CT A	CGTT	CTCC	т ст	CCAT	CTGC	480
	ATAGACCGGT	r TC	TACA	CCAT	CGT	CTAT	CCT	CTGA	GCTT	CA A	GGTG	TCCA	G AG	AAAA	AGCC	540
30	AAGAAAATGA	TTC	GCGG	CATC	GTG	GATC	TTT	GATG	CAGG	CT T	TGTG	ACCC	C TG	TGCT	CTTT	600
	TTCTATGGCT	CCI	AACT	GGGA	CAG	TCAT	TGT	AACT	ATTT	CC T	cccc	TCCT	C TT	GGGA	AGGC	660
	ACTGCCTACA	A CTO	GTCA	TCCA	CTT	CTTG	GTG	GGCT	TTGT	GA T	TCCA	TCTG	T CC	TCAT	AATT	720
	TTATTTTACC	C AAZ	AAGG'	TCAT	AAA	ATAT.	ATT	TGGA	GAAT.	AG G	CACA	GATG	G CC	GAAC	GGTG	780

	AGGAGGACAA	TGAACATTG'	T CCCTCG	GACA AAA	GTGAAAA	CTAAAAAGA	T GTTCC	TCAT'	T 840
	TTAAATCTGT	TGTTTTTGC'	T CTCCTG	GCTG CCT	TTTCATG	TAGCTCAGC	CT ATGGC.	ACCC	C 900
	CATGAACAAG	ACTATAAGA	A AAGTTC	CCTT GTI	TTCACAG	CTATCACAT	G GATAT	CCTT	T 960
	AGTTCTTCAG	CCTCTAAAC	C TACTCT	GTAT TCA	ATTTATA	ATGCCAATI	T TCGGA	GAGG	G 1020
5	ATGAAAGAGA	CTTTTTGCA	I GTCCTC	TATG AAA	TGTTACC	GAAGCAATG	C CTATA	CTAT	C 1080
	ACAACAAGTT	CAAGGATGG	C CAAAAA	AAAC TAC	GTTGGCA	TTTCAGAAA	T CCCTT	CCAT	G 1140
	GCCAAAACTA	TTACCAAAG	A CTCGAT	CTAT GAC	TCATTTG	ACAGAGAAG	C CAAGG	AAAA	A 1200
	AAGCTTGCTT	GGCCCATTA	A CTCAAA'	TCCA CCA	AATACTT	TTGTCTAA			1248
	(215) INFO	RMATION FO	R SEQ ID	NO:214:					
10	, ,	SEQUENCE CH (A) LENGTH (B) TYPE: a (C) STRANDH (D) TOPOLOG	: 415 am: amino ac: EDNESS:	ino acid id					
15	(ii)	MOLECULE 3	TYPE: pro	otein					
	(xi)	SEQUENCE I	- DESCRIPT:	ION: SEQ	ID NO:2	14:			
	Met Va	al Phe Ala	His Arg	Met Asp	Asn Ser	Lys Pro	His Leu	Ile	Ile
	1		5	_	10	-		15	
20	Pro Th	hr Leu Leu 20	Val Pro	Leu Gln	Asn Arg 25	Ser Cys	Thr Glu 30	Thr	Ala
	Thr Pi	ro Leu Pro 35	Ser Gln	Tyr Leu 40	Met Glu		Glu Glu 45	His	Ser
	Trp Me	et Ser Asn O	Gln Thr	Asp Leu 55	His Tyr	Val Leu 60	Lys Pro	Gly	Glu
25	Val Al 65	la Thr Ala	Ser Ile 70	Phe Phe	Gly Ile	Leu Trp 75	Leu Phe	Ser	Ile 80
	Phe Gl	ly Asn Ser	Leu Val 85	Cys Leu	Val Ile 90	His Arg	Ser Arg	Arg 95	Thr
30	Gln S€	er Thr Thr	Asn Tyr	Phe Val	Val Ser 105	Met Ala	Cys Ala 110	Asp	Leu
	Leu I	le Ser Val 115	Ala Ser	Thr Pro	Phe Val		Gln Phe 125	Thr	Thr
		rg Trp Thr	Leu Gly	Ser Ala 135	Thr Cys	Lys Val	Val Arg	Tyr	Phe

	G] 14	n 1	Гуr	Leu	Thr	Pro	Gly 150	Val	Gln	Ile	Tyr	Val 155		Leu	Ser	Ile	Cys 160
	13	e A	Asp	Arg	Phe	Tyr 165	Thr	Ile	Val	Tyr	Pro 170	Leu	Ser	Phe	Lys	Val 175	Ser
5	Ar	g G	∃lu	Lys	Ala 180	Lys	Lys	Met	Ile	Ala 185	Ala	Ser	Trp	Ile	Phe 190	Asp	Ala
	Gl	уF	Phe	Val 195	Thr	Pro	Val	Leu	Phe 200	Phe	Tyr	Gly	Ser	Asn 205	Trp	Asp	Ser
10	Hi		Cys 210	Asn	Tyr	Phe	Leu	Pro 215	Ser	Ser	Trp	Glu	Gly 220	Thr	Ala	Tyr	Thr
	Va 22		lle	His	Phe	Leu	Val 230	Gly	Phe	Val	Ile	Pro 235	Ser	Val	Leu	Ile	Ile 240
	Le	u P	he	Tyr	Gln	Lys 245	Val	Ile	Lys	Tyr	Ile 250	Trp	Arg	Ile	Gly	Thr 255	Asp
15	Gl	уА	rg	Thr	Val 260	Arg	Arg	Thr	Met	Asn 265	Ile	Val	Pro	Arg	Thr 270	Lys	Val
	Ly	s T	'hr	Lys 275	Lys	Met	Phe	Leu	Ile 280	Leu	Asn	Leu	Leu	Phe 285	Leu	Leu	Ser
20	Tr		eu 90	Pro	Phe	His	Val	Ala 295	Gln	Leu	Trp	His	Pro 300	His	Glu	Gln	Asp
	Ту		ys	Lys	Ser	Ser	Leu 310	Val	Phe	Thr	Ala	Ile 315	Thr	Trp	Ile	Ser	Phe 320
	Se	r S	er	Ser	Ala	Ser 325	Lys	Pro	Thr	Leu	Туr 330	Ser	Ile	Tyr	Asn	Ala 335	Asn
25	Ph	e A	rg	Arg	Gly 340	Met	Lys	Glu	Thr	Phe 345	Cys	Met	Ser	Ser	Met 350	Lys	Cys
	Ty	r A		Ser 355	Asn	Ala	Tyr	Thr	Ile 360	Thr	Thr	Ser	Ser	Arg 365	Met	Ala	Lys
30	Ly		sn 70	Tyr	Val	Gly	Ile	Ser 375	Glu	Ile	Pro	Ser	Met 380	Ala	Lys	Thr	Ile
	Th: 38!	r Ly	ys .	Asp	Ser	Ile	Tyr 390	Asp	Ser	Phe	Asp	Arg 395	Glu	Ala	Lys	Glu	Lys 400
	Ly	s Le	eu .	Ala	Trp	Pro 405	Ile	Asn	Ser	Asn	Pro 410	Pro	Asn	Thr	Phe	Val 415	
35	(216) TI	JE∕!	יתשם	ייר ∩ דיידי	. <b>⊡</b> ∪⊅	C TO	TT	MO . O	7 F								

- 35 (216) Information for SEQ ID NO:215:
  - (i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 1842 base pairs

175

(B) TYPE: nucleic acid(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:215:

ATGGGGCCCA CCCTAGCGGT TCCCACCCC TATGGCTGTA TTGGCTGTAA GCTACCCCAG 60 CCAGAATACC CACCGGCTCT AATCATCTTT ATGTTCTGCG CGATGGTTAT CACCATCGTT 120 GTAGACCTAA TCGGCAACTC CATGGTCATT TTGGCTGTGA CGAAGAACAA GAAGCTCCGG 180 AATTCTGGCA ACATCTTCGT GGTCAGTCTC TCTGTGGCCG ATATGCTGGT GGCCATCTAC 240 CCATACCCTT TGATGCTGCA TGCCATGTCC ATTGGGGGCT GGGATCTGAG CCAGTTACAG 300 TGCCAGATGG TCGGGTTCAT CACAGGGCTG AGTGTGGTCG GCTCCATCTT CAACATCGTG 360 GCAATCGCTA TCAACCGTTA CTGCTACATC TGCCACAGCC TCCAGTACGA ACGGATCTTC 420 AGTGTGCGCA ATACCTGCAT CTACCTGGTC ATCACCTGGA TCATGACCGT CCTGGCTGTC 480 CTGCCCAACA TGTACATTGG CACCATCGAG TACGATCCTC GCACCTACAC CTGCATCTTC 540 15 AACTATCTGA ACAACCCTGT CTTCACTGTT ACCATCGTCT GCATCCACTT CGTCCTCCCT 600 CTCCTCATCG TGGGTTTCTG CTACGTGAGG ATCTGGACCA AAGTGCTGGC GGCCCGTGAC 660 CCTGCAGGGC AGAATCCTGA CAACCAACTT GCTGAGGTTC GCAATAAACT AACCATGTTT 720 GTGATCTTCC TCCTCTTTGC AGTGTGCTGG TGCCCTATCA ACGTGCTCAC TGTCTTGGTG 780 GCTGTCAGTC CGAAGGAGAT GGCAGGCAAG ATCCCCAACT GGCTTTATCT TGCAGCCTAC 840 20 TTCATAGCCT ACTTCAACAG CTGCCTCAAC GCTGTGATCT ACGGGCTCCT CAATGAGAAT 900 TTCCGAAGAG AATACTGGAC CATCTTCCAT GCTATGCGGC ACCCTATCAT ATTCTTCTCT 960 GGCCTCATCA GTGATATTCG TGAGATGCAG GAGGCCCGTA CCCTGGCCCG CGCCCGTGCC 1020 CATGCTCGCG ACCAAGCTCG TGAACAAGAC CGTGCCCATG CCTGTCCTGC TGTGGAGGAA 1080 ACCCCGATGA ATGTCCGGAA TGTTCCATTA CCTGGTGATG CTGCAGCTGG CCACCCCGAC CGTGCCTCTG GCCACCCTAA GCCCCATTCC AGATCCTCCT CTGCCTATCG CAAATCTGCC 1200 TCTACCCACC ACAAGTCTGT CTTTAGCCAC TCCAAGGCTG CCTCTGGTCA CCTCAAGCCT GTCTCTGGCC ACTCCAAGCC TGCCTCTGGT CACCCCAAGT CTGCCACTGT CTACCCTAAG 1320 CCTGCCTCTG TCCATTTCAA GGCTGACTCT GTCCATTTCA AGGGTGACTC TGTCCATTTC 1380 AAGCCTGACT CTGTTCATTT CAAGCCTGCT TCCAGCAACC CCAAGCCCAT CACTGGCCAC 1440

	CATGTCTC	TG C	TGGC	AGCC	A CI	CCAA	GTCI	GCC	TTCA	ATG	CTGC	CACC	AG C	CACC	CTAA	.A .:	1500
	CCCATCAA	GC C	AGCT	'ACCA	G CC	'ATGC	TGAG	CCC	'ACCA	.CTG	CTGA	.CTAI	'CC C	CAAGC	CTGC	!C I	1560
	ACTACCAG	CC A	.CCCT	'AAGC	C CG	CTGC	TGCT	' GAC	'AACC	CTG	AGCI	CTCT	'GC C	TCCC	ATTG	C 1	L <b>6</b> 20
	CCCGAGAT	CC C	TGCC	ATTG	c cc	ACCC	TGTG	TCI	'GACG	ACA	GTGA	CCTC	CC I	'GAGT	'CGGC	C 1	L680
5	TCTAGCCC	TG C	CGCT	GGGC	C CA	.CCAA	GCCT.	' GCT	GCCA	GCC	AGCT	GGAG	TC I	'GACA	CCAT	C 1	L740
	GCTGACCT	TC C	TGAC	CCTA	C TG	TAGT	CACT	' ACC	AGTA	CCA	ATGA	TTAC	CA T	'GATG	TCGT	G 1	1800
	GTTGTTGA	TG T	TGAA	GATG.	A TC	CTGA	TGAA	ATG	GCTG	TGT	GA					1	.842
	(217) IN	FORM	ATIO	N FO	R SE	Q ID	NO:	216:									
10	(i	(A (B (C	) LE: ) TY: ) ST:	CE CI NGTH PE: 7 RANDI POLO	: 61 amin EDNE	3 am o ac SS:	ino id	acid	ន								
	(i:	i) M	OLEC	ULE '	TYPE	: pr	otei:	n									
15				NCE I													
	Met 1	Gly	Pro	Thr	Leu 5	Ala	Val	Pro	Thr	Pro 10	Tyr	Gly	Cys	Ile	Gly 15	Cys	
	Lys	Leu	Pro	Gln 20	Pro	Glu	Tyr	Pro	Pro 25	Ala	Leu	Ile	Ile	Phe 30	Met	Phe	
20	Cys	Ala	Met 35	Val	Ile	Thr	Ile	Val 40	Val	Asp	Leu	Ile	Gly 45	Asn	Ser	Met	
	Val	Ile 50	Leu	Ala	Val	Thr	Lys 55	Asn	Lys	Lys	Leu	Arg 60	Asn	Ser	Gly	Asn	
25	Ile 65	Phe	Val	Val	Ser	Leu 70	Ser	Val	Ala	Asp	Met 75	Leu	Val	Ala	Ile	Tyr 80	
	Pro	Tyr	Pro	Leu	Met 85	Leu	His	Ala	Met	Ser 90	Ile	Gly	Gly	Trp	Asp 95	Leu	
	Ser	Gln	Leu	Gln 100	Cys	Gln	Met	Val	Gly 105	Phe	Ile	Thr	Gly	Leu 110	Ser	Val	
30	Val	Gly	Ser 115	Ile	Phe	Asn	Ile	Val 120	Ala	Ile	Ala	Ile	Asn 125	Arg	Tyr	Cys	
	Tyr	Ile 130	Cys	His	Ser	Leu	Gln 135	Tyr	Glu	Arg	Ile	Phe 140	Ser	Val	Arg	Asn	
35	Thr 145	Cys	Ile	Tyr	Leu	Val 150	Ile	Thr	Trp	Ile	Met 155	Thr	Val	Leu	Ala	Val 160	

	Leu	Pro	Asn	Met	Tyr 165	Ile	Gly	Thr	Ile	Glu 170	Tyr	Asp	Pro	Arg	Thr 175	
	Thr	Cys	Ile	Phe 180	Asn	Tyr	Leu	Asn	Asn 185	Pro	Val	Phe	Thr	Val 190	Thr	Ile
5	Val	Cys	Ile 195	His	Phe	Val	Leu	Pro 200	Leu	Leu	Ile	Val	Gly 205	Phe	Cys	Туг
	Val	Arg 210	Ile	Trp	Thr	Lys	Val 215	Leu	Ala	Ala	Arg	Asp 220	Pro	Ala	Gly	Glr
10	Asn 225	Pro	Asp	Asn	Gln	Leu 230	Ala	Glu	Val	Arg	Asn 235	Lys	Leu	Thr	Met	Phe 240
	Val	Ile	Phe	Leu	Leu 245	Phe	Ala	Val	Cys	Trp 250	Cys	Pro	Ile	Asn	Val 255	Let
	Thr	Val	Leu	Val 260	Ala	Val	Ser	Pro	Lys 265	Glu	Met	Ala	Gly	Lys 270	Ile	Pro
15	Asn	Trp	Leu 275	Tyr	Leu	Ala	Ala	Tyr 280	Phe	Ile	Ala	Tyr	Phe 285	Asn	Ser	Сув
	Leu	Asn 290	Ala	Val	Ile	Tyr	Gly 295	Leu	Leu	Asn	Glu	Asn 300	Phe	Arg	Arg	Glu
20	Tyr 305	Trp	Thr	Ile	Phe	His 310	Ala	Met	Arg	His	Pro 315	Ile	Ile	Phe	Phe	Ser 320
	Gly	Leu	Ile	Ser	Asp 325	Ile	Arg	Glu	Met	Gln 330	Glu	Ala	Arg	Thr	Leu 335	Ala
	Arg	Ala	Arg	Ala 340	His	Ala	Arg	Asp	Gln 345	Ala	Arg	Glu	Gln	Asp 350	Arg	Ala
25	His	Ala	Cys 355	Pro	Ala	Val	Glu	Glu 360	Thr	Pro	Met	Asn	Val 365	Arg	Asn	Val
	Pro	Leu 370	Pro	Gly	Asp	Ala	Ala 375	Ala	Gly	His	Pro	Asp 380	Arg	Ala	Ser	Gly
30	His 385	Pro	Lys	Pro	His	Ser 390	Arg	Ser	Ser	Ser	Ala 395	Tyr	Arg	Lys	Ser	Ala 400
	Ser	Thr	His	His	Lys 405	Ser	Val	Phe	Ser	His 410	Ser	Lys	Ala	Ala	Ser 415	Gly
	His	Leu	Lys	Pro 420	Val	Ser	Gly	His	Ser 425	Lys	Pro	Ala	Ser	Gly 430	His	Pro
35	Lys	Ser	Ala 435	Thr	Val	Tyr	Pro	Lys 440	Pro	Ala	Ser	Val	His 445	Phe	Lys	Ala
	Asp	Ser	Val	His	Phe	Lys	Gly	Asp	Ser	Val	His	Phe	Lys	Pro	Asp	Ser

		450					455					460				
	Val 465	His	Phe	Lys	Pro	Ala 470	Ser	Ser	Asn	Pro	Lys 475	Pro	Ile	Thr	Gly	His 480
5	His	Val	Ser	Ala	Gly 485	Ser	His	Ser	Lys	Ser 490	Ala	Phe	Asn	Ala	Ala 495	Thr
	Ser	His	Pro	Lys 500	Pro	Ile	Lys	Pro	Ala 505	Thr	Ser	His	Ala	Glu 510	Pro	Thr
	Thr	Ala	Asp 515	Tyr	Pro	Lys	Pro	Ala 520	Thr	Thr	Ser	His	Pro 525	Lys	Pro	Ala
10	Ala	Ala 530	Asp	Asn	Pro	Glu	Leu 535	Ser	Ala	Ser	His	Cys 540	Pro	Glu	Ile	Pro
	Ala 545	Ile	Ala	His	Pro	Val 550	Ser	Asp	Asp	Ser	Asp 555	Leu	Pro	Glu	Ser	Ala 560
15	Ser	Ser	Pro	Ala	Ala 565	Gly	Pro	Thr	Lys	Pro 570	Ala	Ala	Ser	Gln	Leu 575	Glu
	Ser	Asp	Thr	Ile 580	Ala	Asp	Leu	Pro	Asp 585	Pro	Thr	Val	Val	Thr 590	Thr	Ser
	Thr	Asn	Asp 595	Tyr	His	Asp	Val	Val 600	Val	Val	Asp	Val	Glu 605	Asp	Asp	Pro
20	Asp	Glu 610	Met	Ala	Val											
	(218) INF	ORMA	MOITA	I FOF	SEÇ	] ID	NO:2	217:								
25	(i)	(A) (B) (C)	UENC LEN TYP STR TOP	IGTH : PE : n LANDE	185 ucle	4 ba ic a S: s	se p cid ingl	airs	:							
	, , ,															
			LECU													
20			QUEN													
30	ATGGGGCCC															
	CCAGAATAC															
	GTAGACCTA															
	AATTCTGGC															
	CCATACCCT															
35	TGCCAGATG	G TC	GGGT	TCAT	CAC	AGGG	CTG	AGTG	TGGT	CG G	CTCC	ATCT	T CA	ACAT	CGTG	360

	GCAATCGCTA	TCAACCGTTA	CTGCTACATC	TGCCACAGCC	TCCAGTACGA	ACGGATCTTC	420
	AGTGTGCGCA	ATACCTGCAT	CTACCTGGTC	ATCACCTGGA	TCATGACCGT	CCTGGCTGTC	480
	CTGCCCAACA	TGTACATTGG	CACCATCGAG	TACGATCCTC	GCACCTACAC	CTGCATCTTC	540
	AACTATCTGA	ACAACCCTGT	CTTCACTGTT	ACCATCGTCT	GCATCCACTT	CGTCCTCCCT	600
5	CTCCTCATCG	TGGGTTTCTG	CTACGTGAGG	ATCTGGACCA	AAGTGCTGGC	GGCCCGTGAC	660
	CCTGCAGGGC	AGAATCCTGA	CAACCAACTT	GCTGAGGTTC	GCAATAAACT	AACCATGTTT	720
	GTGATCTTCC	TCCTCTTTGC	AGTGTGCTGG	TGCCCTATCA	ACGTGCTCAC	TGTCTTGGTG	780
	GCTGTCAGTC	CGAAGGAGAT	GGCAGGCAAG	ATCCCCAACT	GGCTTTATCT	TGCAGCCTAC	840
	TTCATAGCCT	ACTTCAACAG	CTGCCTCAAC	GCTGTGATCT	ACGGGCTCCT	CAATGAGAAT	900
10	TTCCGAAGAG	AATACTGGAC	CATCTTCCAT	GCTATGCGGC	ACCCTATCAT	ATTCTTCTCT	960
	GGCCTCATCA	GTGATATTCG	TGAGATGCAG	GAGGCCCGTA	CCCTGGCCCG	CGCCCGTGCC	1020
	CATGCTCGCG	ACCAAGCTCG	TGAACAAGAC	CGTGCCCATG	CCTGTCCTGC	TGTGGAGGAA	1080
	ACCCCGATGA	ATGTCCGGAA	TGTTCCATTA	CCTGGTGATG	CTGCAGCTGG	CCACCCGAC	1140
	CGTGCCTCTG	GCCACCCTAA	GCCCCATTCC	AGATCCTCCT	CTGCCTATCG	CAAATCTGCC	1200
15	TCTACCCACC	ACAAGTCTGT	CTTTAGCCAC	TCCAAGGCTG	CCTCTGGTCA	CCTCAAGCCT	1260
	GTCTCTGGCC	ACTCCAAGCC	TGCCTCTGGT	CACCCCAAGT	CTGCCACTGT	CTACCCTAAG	1320
	CCTGCCTCTG	TCCATTTCAA	GGCTGACTCT	GTCCATTTCA	AGGGTGACTC	TGTCCATTTC	1380
	AAGCCTGACT	CTGTTCATTT	CAAGCCTGCT	TCCAGCAACC	CCAAGCCCAT	CACTGGCCAC	1440
	CATGTCTCTG	CTGGCAGCCA	CTCCAAGTCT	GCCTTCAGTG	CTGCCACCAG	CCACCCTAAA	1500
20	CCCACCACTG	GCCACATCAA	GCCAGCTACC	AGCCATGCTG	AGCCCACCAC	TGCTGACTAT	1560
	CCCAAGCCTG	CCACTACCAG	CCACCCTAAG	CCCACTGCTG	CTGACAACCC	TGAGCTCTCT	1620
	GCCTCCCATT	GCCCCGAGAT	CCCTGCCATT	GCCCACCCTG	TGTCTGACGA	CAGTGACCTC	1680
	CCTGAGTCGG	CCTCTAGCCC	TGCCGCTGGG	CCCACCAAGC	CTGCTGCCAG	CCAGCTGGAG	1740
	TCTGACACCA	TCGCTGACCT	TCCTGACCCT	ACTGTAGTCA	CTACCAGTAC	CAATGATTAC	1800
25	CATGATGTCG	TGGTTGTTGA	TGTTGAAGAT	GATCCTGATG	AAATGGCTGT	GTGA	1854
	(219) INFOR	MATION FOR	SEQ ID NO:2	118:			

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 617 amino acids
  - (B) TYPE: amino acid

180

(C) STRANDEDNESS:

(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:218:

	(xi) SEQUENCE DESCRIPTION:							SEQ ID NO:218:								
5	Met 1	Gly	Pro	Thr	Leu 5	Ala	Val	Pro	Thr	Pro 10	Tyr	Gly	Cys	Ile	Gly 15	Cys
	Lys	Leu	Pro	Gln 20	Pro	Glu	Tyr	Pro	Pro 25	Ala	Leu	Ile	Ile	Phe 30	Met	Phe
10	Cys	Ala	Met 35	Val	Ile	Thr	Ile	Val 40	Val	Asp	Leu	Ile	Gly 45	Asn	Ser	Met
	Val	Ile 50	Leu	Ala	Val	Thr	Lys 55	Asn	Lys	Lys	Leu	Arg 60	Asn	Ser	Gly	Asn
	Ile 65	Phe	Val	Val	Ser	Leu 70	Ser	Val	Ala	Asp	Met 75	Leu	Val	Ala	Ile	Tyr 80
15	Pro	Tyr	Pro	Leu	Met 85	Leu	His	Ala	Met	Ser 90	Ile	Gly	Gly	Trp	Asp 95	Leu
	Ser	Gln	Leu	Gln 100	Cys	Gln	Met	Val	Gly 105	Phe	Ile	Thr	Gly	Leu 110	Ser	Val
20	Val	Gly	Ser 115	Ile	Phe	Asn	Ile	Val 120	Ala	Ile	Ala	Ile	Asn 125	Arg	Tyr	Cys
	Tyr	Ile 130	Cys	His	Ser	Leu	Gln 135	Tyr	Glu	Arg	Ile	Phe 140	Ser	Val	Arg	Asn
	Thr 145	Сув	Ile	Tyr	Leu	Val 150	Ile	Thr	Trp	Ile	Met 155	Thr	Val	Leu	Ala	Val 160
25	Leu	Pro	Asn	Met	Tyr 165	Ile	Gly	Thr	Ile	Glu 170	Tyr	Asp	Pro	Arg	Thr 175	Tyr
	Thr	Cys	Ile	Phe 180	Asn	Tyr	Leu	Asn	Asn 185	Pro	Val	Phe	Thr	Val 190	Thr	Ile
30	Val	Cys	Ile 195	His	Phe	Val	Leu	Pro 200	Leu	Leu	Ile	Val	Gly 205	Phe	Cys	Tyr
	Val	Arg 210	Ile	Trp	Thr	Lys	Val 215	Leu	Ala	Ala	Arg	Asp 220	Pro	Ala	Gly	Gln
	Asn 225	Pro	Asp	Asn	Gln	Leu 230	Ala	Glu	Val	Arg	Asn 235	Lys	Leu	Thr	Met	Phe 240
35	Val	Ile	Phe	Leu	Leu 245	Phe	Ala	Val	Cys	Trp 250	Cys	Pro	Ile	Asn	Val 255	Leu

	Thr	Val	Leu	Val 260	Ala	Val	Ser	Pro	Lys 265	Glu	Met	Ala	Gly	Lys 270	Ile	Pro
	Asn	Trp	Leu 275	Tyr	Leu	Ala	Ala	Tyr 280	Phe	Ile	Ala	Tyr	Phe 285	Asn	Ser	Cys
5	Leu	Asn 290	Ala	Val	Ile	Tyr	Gly 295	Leu	Leu	Asn	Glu	Asn 300	Phe	Arg	Arg	Glu
	Tyr 305	Trp	Thr	Ile	Phe	His 310	Ala	Met	Arg	His	Pro 315	Ile	Ile	Phe	Phe	Ser 320
10	Gly	Leu	Ile	Ser	Asp 325	Ile	Arg	Glu	Met	Gln 330	Glu	Ala	Arg	Thr	Leu 335	Ala
	Arg	Ala	Arg	Ala 340	His	Ala	Arg	Asp	Gln 345	Ala	Arg	Glu	Gln	Asp 350	Arg	Ala
	His	Ala	Cys 355	Pro	Ala	Val	Glu	Glu 360	Thr	Pro	Met	Asn	Val 365	Arg	Asn	Val
15	Pro	Leu 370	Pro	Gly	Asp	Ala	Ala 375	Ala	Gly	His	Pro	Asp 380	Arg	Ala	Ser	Gly
	His 385	Pro	Lys	Pro	His	Ser 390	Arg	Ser	Ser	Ser	Ala 395	Tyr	Arg	Lys	Ser	Ala 400
20	Ser	Thr	His	His	Lys 405	Ser	Val	Phe	Ser	His 410	Ser	Lys	Ala	Ala	Ser 415	Gly
	His	Leu	Lys	Pro 420	Val	Ser	Gly	His	Ser 425	Lys	Pro	Ala	Ser	Gly 430	His	Pro
	Lys	Ser	Ala 435	Thr	Val	Tyr	Pro	Lys 440	Pro	Ala	Ser	Val	His 445	Phe	Lys	Ala
25	Asp	Ser 450	Val	His	Phe	Lys	Gly 455	Asp	Ser	Val	His	Phe 460	Lys	Pro	Asp	Ser
	Val 465	His	Phe	Lys	Pro	Ala 470	Ser	Ser	Asn	Pro	Lys 475	Pro	Ile	Thr	Gly	His 480
30	His	Val	Ser	Ala	Gly 485	Ser	His	Ser	Lys	Ser 490	Ala	Phe	Ser	Ala	Ala 495	Thr
	Ser	His	Pro	Lys 500	Pro	Thr	Thr	Gly	His 505	Ile	Lys	Pro	Ala	Thr 510	Ser	His
	Ala	Glu	Pro 515	Thr	Thr	Ala	Asp	Tyr 520	Pro	Lys	Pro	Ala	Thr 525	Thr	Ser	His
35	Pro	Lys 530	Pro	Thr	Ala	Ala	Asp 535	Asn	Pro	Glu	Leu	Ser 540	Ala	Ser	His	Cys
	Pro	Glu	Ile	Pro	Ala	Ile	Ala	His	Pro	Val	Ser	Asp	Asp	Ser	Asp	Leu

	545		550		555	560
	Pro G		Ser Ser Pro 565	Ala Ala Gly 570	Pro Thr Lys	Pro Ala Ala 575
5	Ser G	Gln Leu Glu 580	Ser Asp Thr	Ile Ala Asp 585	Leu Pro Asp	Pro Thr Val
	Val T	Thr Thr Ser 595	Thr Asn Asp	Tyr His Asp	Val Val Val 605	Val Asp Val
		asp Asp Pro	Asp Glu Met 615	Ala Val		
10	(220) INFO	RMATION FOR	SEQ ID NO:	219:		
15	(ii)	(B) TYPE: n: (C) STRANDE: (D) TOPOLOG  MOLECULE T	1548 base pucleic acid DNESS: singl Y: linear YPE: DNA (ge	oairs Le	.9 :	
	ATGGGACATA	ACGGGAGCTG	GATCTCTCCA	AATGCCAGCG A	GCCGCACAA CG	CGTCCGGC 60
	GCCGAGGCTG	CGGGTGTGAA	CCGCAGCGCG	CTCGGGGAGT I	CGGCGAGGC GC	AGCTGTAC 120
20					CTCGCTGCT CG	
					TGTCACCAA CA	
					TGTGCCCTT CG	
					GCTCTTCTG CA	
					CTTCCCTGC TA	
25					ATCTGATGC CA	
					TGTCCCTGT GT	
					AGTCTGGAG CA	
					CATTGTGCC TG	
					CAGCCAGAA GA	
30					TCCCTATGC CT	
					CTTCATCTT GT	
					CCCTGACAC TT	

183

PCT/US99/23938

	TTGCTGC	TCA (	CTGCI	GTTT	'G GC	CTGCC	CAAA	GTC	TCCC	CTGC	TGGC	'AAAC	CCC 1	GTTC	CTCTI	T :	960
	CTTACTG	TGA A	ACAAA	ATCTG	T CC	CGCAA	GTGC	TTG	ATAG	GGA	CCCI	GGTG	GCA A	ACTAC	CACCA	C 1	020
	CGGTACA	GTC (	ECCGI	AATG	T GO	TCAG	TACA	GGG	AGTO	GCA	TGGC	TGAG	GC (	CAGCC	TGGA	A 1	080
	CCCAGCA	TAC G	CTCC	GGTA	G CC	AGCI	CCTG	GAG	ATGI	TCC	ACAT	TGGG	CA G	GCAGC	AGAT	'C 1:	<b>L4</b> 0
5	TTTAAGC	CCA C	CAGAG	GATG	A GG	AAGA	GAGT	' GAG	GCCA	AGT	ACAT	TGGC	TC P	GCTG	ACTT	'C 12	200
	CAGGCCA	AGG A	GATA	ATTT	G CA	CCTG	CCTG	GAG	GGAG	AGC	AGGG	GCCA	CA G	TTTG	CGCC	C 12	260
	TCTGCCC	CAC C	CCTG	AGCA	C AG	TGGA	CTCT	' GTA	TCCC	AGG	TGGC	ACCG	GC A	.GCCC	CTGT	G 13	320
	GAACCTG	AAA C	'ATTC	CCTG.	A TA	AGTA	TTCC	CTG	CAGT	TTG	GCTT	TGGG	CC I	TTTG	AGTT	G 13	80
	CCTCCTC	AGT G	GCTC	TCAG	A GA	.CCCG	AAAC	AGC	AAGA	AGC	GGCT	GCTT	CC C	CCCT	TGGG	C 14	40
10	AACACCC	CAG A	AGAG	CTGA'	r cc	AGAC	AAAG	GTG	CCCA	AGG	TAGG	CAGG	GT G	GAGC	GGAA	G 15	500
	ATGAGCAG	BAA A	.CAAT	AAAG'	T GA	GCAT	TTTT	CCA	AAGG	TGG	ATTC	CTAG				15	48
	(221) II	IFORM	ATIO	n fol	R SE	Q ID	NO:	220:									
	i)	.) SE		CE CI					c								
15		(B	) TY	PE: a	amin	o ac		acia	5								
				POLO			rele	vant									
	(i	.i) M	OLEC	ULE :	TYPE	: pr	otei	n									
	(×	:i) S	EQUE:	NCE I	DESC	RIPT	ION:	SEQ	ID 1	NO:2	20:						
20	Met 1	Gly	His	Asn	Gly 5	Ser	Trp	Ile	Ser	Pro 10	Asn	Ala	Ser	Glu	Pro 15	His	
	Asr	Ala	Ser	Gly 20	Ala	Glu	Ala	Ala	Gly 25	Val	Asn	Arg	Ser	Ala 30	Leu	Gly	
25	Glu	Phe	Gly 35	Glu	Ala	Gln	Leu	Tyr 40	Arg	Gln	Phe	Thr	Thr	Thr	Val	Gln	
	Val	Val 50	Ile	Phe	Ile	Gly	Ser 55	Leu	Leu	Gly	Asn	Phe 60	Met	Val	Leu	Trp	
	Ser 65	Thr	Cys	Arg	Thr	Thr	Val	Phe	Lys	Ser	Val 75	Thr	Asn	Arg	Phe	Ile 80	
30	Lys	Asn	Leu	Ala	Cys 85	Ser	Gly	Ile	Cys	Ala 90	Ser	Leu	Val	Cys	Val 95	Pro	
	Phe	Asp	Ile	Ile 100	Leu	Ser	Thr	Ser	Pro 105	His	Cys	Cys	Trp	Trp 110	Ile	Tyr	

	Thr	Met	Leu 115		Cys	Lys	Val	Val 120		Phe	Leu	His	Lys 125		Phe	Cys
	Ser	Val 130		Ile	Leu	Ser	Phe 135		Ala	Ile	Ala	Leu 140		Arg	Tyr	Tyr
5	Ser 145		Leu	Tyr	Pro	Leu 150	Glu	Arg	Lys	Ile	Ser 155		Ala	Lys	Ser	Arg 160
	Glu	Leu	Val	Met	Tyr 165	Ile	Trp	Ala	His	Ala 170		Val	Ala	Ser	Val 175	Pro
10	Val	Phe	Ala	Val 180	Thr	Asn	Val	Ala	Asp 185		Tyr	Ala	Thr	Ser 190		Cys
	Thr	Glu	Val 195	Trp	Ser	Asn	Ser	Leu 200	Gly	His	Leu	Val	Tyr 205	Val	Leu	Val
	Tyr	Asn 210	Ile	Thr	Thr	Val	Ile 215	Val	Pro	Val	Val	Val 220	Val	Phe	Leu	Phe
15	Leu 225	Ile	Leu	Ile	Arg	Arg 230	Ala	Leu	Ser	Ala	Ser 235	Gln	Lys	Lys	Lys	Val 240
	Ile	Ile	Ala	Ala	Leu 245	Arg	Thr	Pro	Gln	Asn 250	Thr	Ile	Ser	Ile	Pro 255	Tyr
20	Ala	Ser	Gln	Arg 260	Glu	Ala	Glu	Leu	Lys 265	Ala	Thr	Leu	Leu	Ser 270	Met	Val
	Met	Val	Phe 275	Ile	Leu	Cys	Ser	Val 280	Pro	Tyr	Ala	Thr	Leu 285	Val	Val	Tyr
	Gln	Thr 290	Val	Leu	Asn	Val	Pro 295	Asp	Thr	Ser	Val	Phe 300	Leu	Leu	Leu	Thr
25	Ala 305	Val	Trp	Leu	Pro	Lys 310	Val	Ser	Leu	Leu	Ala 315	Asn	Pro	Val	Leu	Phe 320
	Leu	Thr	Val	Asn	Lys 325	Ser	Val	Arg	Lys	Cys 330	Leu	Ile	Gly	Thr	Leu 335	Val
30	Gln	Leu	His	His 340	Arg	Tyr	Ser	Arg	Arg 345	Asn	Val	Val	Ser	Thr 350	Gly	Ser
	Gly	Met	Ala 355	Glu	Ala	Ser	Leu	Glu 360	Pro	Ser	Ile	Arg	Ser 365	Gly	Ser	Gln
	Leu	Leu 370	Glu	Met	Phe	His	Ile 375	Gly	Gln	Gln	Gln	Ile 380	Phe	Lys	Pro	Thr
35	Glu 385	Asp	Glu	Glu	Glu	Ser 390	Glu	Ala	Lys	Tyr	Ile 395	Gly	Ser	Ala	Asp	Phe 400
	Gln	Ala	Lys	Glu	Ile	Phe	Ser	Thr	Cys	Leu	Glu	Gly	Glu	Gln	Gly	Pro

					405					410					47 5		
															415		
	Gln	Phe	Ala	Pro 420	Ser	Ala	Pro	Pro	Leu 425	Ser	Thr	Val	Asp	Ser 430	Val	Ser	
5	Gln	Val	Ala 435	Pro	Ala	Ala	Pro	Val 440	Glu	Pro	Glu	Thr	Phe 445	Pro	Asp	Lys	
	Tyr	Ser 450	Leu	Gln	Phe	Gly	Phe 455	Gly	Pro	Phe	Glu	Leu 460	Pro	Pro	Gln	Trp	
	Leu 465	Ser	Glu	Thr	Arg	Asn 470	Ser	Lys	Lys	Arg	Leu 475	Leu	Pro	Pro	Leu	Gly 480	
10	Asn	Thr	Pro	Glu	Glu 485	Leu	Ile	Gln	Thr	Lys 490	Val	Pro	Lys	Val	Gly 495	Arg	
	Val	Glu	Arg	Lys 500	Met	Ser	Arg	Asn	Asn 505	Lys	Val	Ser	Ile	Phe 510	Pro	Lys	
15	Val	Asp	Ser 515														
	(222) INF	ORMZ	AUTUN	I FOR	SEC	מד (	NO · 2	21.									
20	(i)	(A) (B) (C)	UENC LEN TYF STR TOP	IGTH: PE: n RANDE	116 ucle DNES	i4 ba ic a S: s	se p cid ingl	airs	3								
	(ii	) MC	LECU	י אוו	'YPE ·	באכז	(ae	nomi	a)								
			QUEN														
	ATGAATCGG	C AC	CATC	TGCA	GGA	TCAC	TTT	CTGG	TAAA	'AG A	CAAG	AAGA	A CI	GCTG	TGTG	ł	60
25	TTCCGAGAT	'G AC	TTCA	TTGC	CAA	GGTG	TTG	CCGC	CGGT	'GT I	'GGGG	CTGG	A GT	TATT	CTTT	1	20
	GGGCTTCTG	G GC	'AATG	GCCT	TGC	CCTG	TGG	ATTT	TCTG	TT T	'CCAC	CTCA	A GT	CCTG	GAAA	. 1	.80
	TCCAGCCGG	A TT	TTCC	TGTT	CAA	CCTG	GCA	GTAG	CTGA	.CT T	TCTA	.CTGA	T CA	TCTG	CCTG	2	40
	CCGTTCGTG	A TG	GACT	'ACTA	TGT	GCGG	CGT	TCAG	ACTG	GA A	GTTT.	GGGG	A CA	TCCC	TTGC	3	00
	CGGCTGGTG	C TC	TTCA	TGTT.	TGC	CATG	AAC	CGCC	AGGG	CA G	CATC	ATCT	T CC	TCAC	GGTG	3	60
30	GTGGCGGTA	G AC	AGGT	ATTT	CCG	GGTG	GTC	CATC	CCCA	.CC A	.CGCC	CTGA	A CA	AGAT	CTCC	4	20
	AATTGGACA	G CA	.GCCA	TCAT	CTC	TTGC	CTT	CTGT	GGGG	CA T	CACT	GTTG	G CC	TAAC	AGTC	4	80
	CACCTCCTG	A AG	AAGA	AGTT	GCT	GATC	CAG	AATG	GCCC	TG C	AAAT	GTGT	G CA	TCAG	CTTC	5	40
	AGCATCTGC	C AT	ACCT	TCCG	GTG	GCAC	GAA	GCTA	TGTT	CC T	CCTG	GAGT	T CC	TCCT	GCCC	6	00

	CTGGGCATC	A TCCTO	STTCTG	CTCAGO	CAGA	LTA	'ATCI	'GGA	GCCI	GCGG	CA (	BAGAC	raaa:	G 660
	GACCGGCAT	G CCAAG	SATCAA	GAGAGO	CAAA	ACC	TTCA	TCA	TGGI	GGTG	GC (	CATCG	TCTT	T 720
	GTCATCTGC	T TCCTT	CCCAG	CGTGGT	TGTG	CGG	ATCC	GCA	TCTI	CTGG	CT (	CCTGC	'ACAC	T 780
	TCGGGCACG	C AGAAT	TGTGA	AGTGTA	.CCGC	TCG	GTGG	ACC	TGGC	'GTTC	TT T	ATCA	CTCT	'C 840
5	AGCTTCACC	T ACATG	SAACAG	CATGCT	'GGAC	CCC	'GTGG	TGT	ACTA	CTTC	TC C	CAGCC	CATC	900
	TTTCCCAAC	T TCTTC	TCCAC	TTTGAT	'CAAC	CGC	TGCC	TCC	AGAG	GAAG	AT C	SACAG	GTGA	.G 960
	CCAGATAAT	A ACCGC	AGCAC	GAGCGT	CGAG	CTC	ACAG	GGG	ACCC	CAAC	AA A	ACCA	GAGG	C 1020
	GCTCCAGAG	G CGTTA	ATGGC	CAACTC	CGGT	GAG	CCAT	GGA	GCCC	CTCT	TA I	'CTGG	GCCC	A 1080
	ACCTCAAAT	A ACCAT	TCCAA	GAAGGG	ACAT	TGT	CACC	AAG	AACC	AGCA	TC T	'CTGG	AGAA	A 1140
10	CAGTTGGGC	T GTTGC	ATCGA	GTAA										1164
	(223) INF	ORMATIO	N FOR	SEQ ID	NO:	222:								
15		(B) TY (C) ST	NGTH: PE: am RANDED POLOGY	387 am ino ac NESS: : not	ino a id rele	acid vant	s							
	(xi)	) SEQUE	NCE DE	SCRIPT	ION:	SEQ	ID 1	NO:2	22:					
20	Met <i>I</i> 1	Asn Arg	His H	is Leu	Gln	Asp	His	Phe 10	Leu	Glu	Ile	Asp	Lys 15	Lys
	Asn (	Cys Cys	Val Pl 20	ne Arg	Asp	Asp	Phe 25	Ile	Ala	Lys	Val	Leu 30	Pro	Pro
	Val I	Leu Gly 35	Leu G	lu Phe	Ile	Phe 40	Gly	Leu	Leu	Gly	Asn 45	Gly	Leu	Ala
25		Trp Ile 50	Phe Cy	ys Phe	His 55	Leu	Lys	Ser	Trp	Lys 60	Ser	Ser	Arg	Ile
	Phe I 65	Leu Phe	Asn Le	eu Ala 70	Val	Ala	Asp	Phe	Leu 75	Leu	Ile	Ile	Cys	Leu 80
30	Pro I	Phe Val	Met As		Tyr	Val	Arg	Arg 90	Ser	Asp	Trp	Lys	Phe 95	Gly
	Asp ]	Ile Pro	Cys Ar 100	g Leu	Val	Leu	Phe 105	Met	Phe	Ala	Met	Asn 110	Arg	Gln
	Gly S	Ser Ile 115	Ile Ph	ne Leu	Thr	Val 120	Val	Ala	Val	Asp	Arg 125	Tyr	Phe	Arg

	Val	Val 130	His	Pro	His	His	Ala 135	Leu	Asn	Lys	Ile	Ser 140	Asn	Trp	Thr	Ala
	Ala 145	Ile	Ile	Ser	Cys	Leu 150	Leu	Trp	Gly	Ile	Thr 155	Val	Gly	Leu	Thr	Val 160
5	His	Leu	Leu	Lys	Lys 165	Lys	Leu	Leu	Ile	Gln 170	Asn	Gly	Pro	Ala	Asn 175	Val
	Cys	Ile	Ser	Phe 180	Ser	Ile	Cys	His	Thr 185	Phe	Arg	Trp	His	Glu 190	Ala	Met
10	Phe	Leu	Leu 195	Glu	Phe	Leu	Leu	Pro 200	Leu	Gly	Ile	Ile	Leu 205	Phe	Cys	Ser
	Ala	Arg 210	Ile	Ile	Trp	Ser	Leu 215	Arg	Gln	Arg	Gln	Met 220	Asp	Arg	His	Ala
	Lys 225	Ile	Lys	Arg	Ala	Lys 230	Thr	Phe	Ile	Met	Val 235	Val	Ala	Ile	Val	Phe 240
15	Val	Ile	Cys	Phe	Leu 245	Pro	Ser	Val	Val	Val 250	Arg	Ile	Arg	Ile	Phe 255	Trp
	Leu	Leu	His	Thr 260	Ser	Gly	Thr	Gln	Asn 265	Cys	Glu	Val	Tyr	Arg 270	Ser	Val
20	Asp	Leu	Ala 275	Phe	Phe	Ile	Thr	Leu 280	Ser	Phe	Thr	Tyr	Met 285	Asn	Ser	Met
	Leu	Asp 290	Pro	Val	Val	Tyr	Tyr 295	Phe	Ser	Ser	Pro	Ser 300	Phe	Pro	Asn	Phe
	Phe 305	Ser	Thr	Leu	Ile	Asn 310	Arg	Cys	Leu	Gln	Arg 315	Lys	Met	Thr	Gly	Glu 320
25	Pro	Asp	Asn	Asn	Arg 325	Ser	Thr	Ser	Val	Glu 330	Leu	Thr	Gly	Asp	Pro 335	Asn
	Lys	Thr	Arg	Gly 340	Ala	Pro	Glu	Ala	Leu 345	Met	Ala	Asn	Ser	Gly 350	Glu	Pro
30	Trp	Ser	Pro 355	Ser	Tyr	Leu	Gly	Pro 360	Thr	Ser	Asn	Asn	His 365	Ser	Lys	Lys
	Gly	His 370	Cys	His	Gln	Glu	Pro 375	Ala	Ser	Leu	Glu	Lys 380	Gln	Leu	Gly	Cys
	Cys 385	Ile	Glu													
35	(224) IN	FORM	TION	FOF	SEÇ	] ID	NO:2	23:								

- - (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1212 base pairs

188

(B) TYPE: nucleic acid(C) STRANDEDNESS: single

(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: DNA (genomic)

5 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:223:

ATGGCTTGCA ATGGCAGTGC GGCCAGGGGG CACTTTGACC CTGAGGACTT GAACCTGACT 60 GACGAGGCAC TGAGACTCAA GTACCTGGGG CCCCAGCAGA CAGAGCTGTT CATGCCCATC 120 TGTGCCACAT ACCTGCTGAT CTTCGTGGTG GGCGCTGTGG GCAATGGGCT GACCTGTCTG 180 GTCATCCTGC GCCACAAGGC CATGCGCACG CCTACCAACT ACTACCTCTT CAGCCTGGCC 10 GTGTCGGACC TGCTGGTGCT GCTGGTGGGC CTGCCCCTGG AGCTCTATGA GATGTGGCAC AACTACCCCT TCCTGCTGGG CGTTGGTGGC TGCTATTTCC GCACGCTACT GTTTGAGATG GTCTGCCTGG CCTCAGTGCT CAACGTCACT GCCCTGAGCG TGGAACGCTA TGTGGCCGTG GTGCACCCAC TCCAGGCCAG GTCCATGGTG ACGCGGGCCC ATGTGCGCCG AGTGCTTGGG GCCGTCTGGG GTCTTGCCAT GCTCTGCTCC CTGCCCAACA CCAGCCTGCA CGGCATCCGG 540 CAGCTGCACG TGCCCTGCCG GGGCCCAGTG CCAGACTCAG CTGTTTGCAT GCTGGTCCGC 15 600 CCACGGGCCC TCTACAACAT GGTAGTGCAG ACCACCGCGC TGCTCTTCTT CTGCCTGCCC 660 ATGGCCATCA TGAGCGTGCT CTACCTGCTC ATTGGGCTGC GACTGCGGCG GGAGAGGCTG CTGCTCATGC AGGAGGCCAA GGGCAGGGGC TCTGCAGCAG CCAGGTCCAG ATACACCTGC 780 AGGCTCCAGC AGCACGATCG GGGCCGGAGA CAAGTGAAGA AGATGCTGTT TGTCCTGGTC 20 GTGGTGTTTG GCATCTGCTG GGCCCCGTTC CACGCCGACC GCGTCATGTG GAGCGTCGTG 900 TCACAGTGGA CAGATGGCCT GCACCTGGCC TTCCAGCACG TGCACGTCAT CTCCGGCATC TTCTTCTACC TGGGCTCGGC GGCCAACCCC GTGCTCTATA GCCTCATGTC CAGCCGCTTC 1020 CGAGAGACCT TCCAGGAGGC CCTGTGCCTC GGGGGCCTGCT GCCATCGCCT CAGACCCCGC 1080 CACAGCTCCC ACAGCCTCAG CAGGATGACC ACAGGCAGCA CCCTGTGTGA TGTGGGCTCC 1140 25 CTGGGCAGCT GGGTCCACCC CCTGGCTGGG AACGATGGCC CAGAGGCGCA GCAAGAGACC 1200 GATCCATCCT GA 1212

(225) INFORMATION FOR SEQ ID NO:224:

30

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 403 amino acids

(B) TYPE: amino acid

- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:224:

	(	_,	-×	.,			-011.	DDQ	10.							
5	Met 1	Ala	Cys	Asn	Gly 5	Ser	Ala	Ala	Arg	Gly 10	His	Phe	Asp	Pro	Glu 15	Asp
	Leu	Asn	Leu	Thr 20	Asp	Glu	Ala	Leu	Arg 25	Leu	Lys	Tyr	Leu	Gly 30	Pro	Gln
10	Gln	Thr	Glu 35	Leu	Phe	Met	Pro	Ile 40	Cys	Ala	Thr	Tyr	Leu 45	Leu	Ile	Phe
	Val	Val 50	Gly	Ala	Val	Gly	Asn 55	Gly	Leu	Thr	Cys	Leu 60	Val	Ile	Leu	Arg
	His 65	Lys	Ala	Met	Arg	Thr 70	Pro	Thr	Asn	Tyr	Tyr 75	Leu	Phe	Ser	Leu	Ala 80
15	Val	Ser	Asp	Leu	Leu 85	Val	Leu	Leu	Val	Gly 90	Leu	Pro	Leu	Glu	Leu 95	Tyr
	Glu	Met	Trp	His 100	Asn	Tyr	Pro	Phe	Leu 105	Leu	Gly	Val	Gly	Gly 110	Cys	Tyr
20	Phe	Arg	Thr 115	Leu	Leu	Phe	Glu	Met 120	Val	Cys	Leu	Ala	Ser 125	Val	Leu	Asn
	Val	Thr 130	Ala	Leu	Ser	Val	Glu 135	Arg	Tyr	Val	Ala	Val 140	Val	His	Pro	Leu
	Gln 145	Ala	Arg	Ser	Met	Val 150	Thr	Arg	Ala	His	Val 155	Arg	Arg	Val	Leu	Gly 160
25	Ala	Val	Trp	Gly	Leu 165	Ala	Met	Leu	Cys	Ser 170	Leu	Pro	Asn	Thr	Ser 175	Leu
	His	Gly	Ile	Arg 180	Gln	Leu	His	Val	Pro 185	Cys	Arg	Gly	Pro	Val 190	Pro	Asp
30	ser	Ala	Val 195	Cys	Met	Leu	Val	Arg 200	Pro	Arg	Ala	Leu	Tyr 205	Asn	Met	Val
	Val	Gln 210	Thr	Thr	Ala	Leu	Leu 215	Phe	Phe	Cys	Leu	Pro 220	Met	Ala	Ile	Met
	Ser 225	Val	Leu	Tyr	Leu	Leu 230	Ile	Gly	Leu	Arg	Leu 235	Arg	Arg	Glu	Arg	Leu 240
35	Leu	Leu	Met	Gln	Glu 245	Ala	Lys	Gly	Arg	Gly 250	Ser	Ala	Ala	Ala	Arg 255	Ser

	Arg	Tyr	Thr	Cys 260	Arg	Leu	Gln	Gln	His 265	Asp	Arg	Gly	Arg	Arg 270	Gln	Val
	Lys	Lys	Met 275	Leu	Phe	Val	Leu	Val 280	Val	Val	₽he	Gly	Ile 285	Cys	Trp	Ala
5	Pro	Phe 290	His	Ala	Asp	Arg	Val 295	Met	Trp	Ser	Val	Val 300	Ser	Gln	Trp	Thr
	Asp 305	Gly	Leu	His	Leu	Ala 310	Phe	Gln	His	Val	His 315	Val	Ile	Ser	Gly	Ile 320
10	Phe	Phe	Tyr	Leu	Gly 325	Ser	Ala	Ala	Asn	Pro 330	Val	Leu	Tyr	Ser	Leu 335	Met
	Ser	Ser	Arg	Phe 340	Arg	Glu	Thr	Phe	Gln 345	Glu	Ala	Leu	Cys	Leu 350	Gly	Ala
	Cys	Cys	His 355	Arg	Leu	Arg	Pro	Arg 360	His	Ser	Ser	His	Ser 365	Leu	Ser	Arg
15	Met	Thr 370	Thr	Gly	Ser	Thr	Leu 375	Cys	Asp	Val	Gly	Ser 380	Leu	Gly	Ser	Trp
	Val 385	His	Pro	Leu	Ala	Gly 390	Asn	Asp	Gly	Pro	Glu 395	Ala	Gln	Gln	Glu	Thr 400
20	Asp	Pro	Ser													
	(226) INE	FORM	OITA	1 FOR	SEÇ	) ID	NO:2	25:								
25	(i)	(A) (B) (C)	LEN TYE STR	CE CH IGTH: PE: n RANDE POLOG	109 ucle	08 ba eic a SS: s	se p cid ingl	airs	3							
	(ii	.) MC	LECU	JLE T	YPE :	DNA	(ge	nomi	.c)							
	(xi	.) SE	EQUEN	ICE D	ESCR	IPTI	ON:	SEQ	ID N	10:22	5:					
	ATGGGGAAC	A TO	ACTO	CAGA	CAA	CTCC	TCG:	ATGA	GCTG	TA C	CATC	GACC	А ТА	CCAT	CCAC	60
30	CAGACGCTG	G CC	CCGG	TGGT	' CTA	TGTT	'ACC	GTGC	TGGT	GG T	'GGGC	TTCC	C GG	CCAA	CTGC	120
	CTGTCCCTC	T AC	TTCG	GCTA	CCI	'GCAG	ATC	AAGG	CCCG	GA A	CGAG	CTGG	G CG	TGTA	CCTG	180
	TGCAACCTG	A CG	GTGG	CCGA	. CCT	'CTTC	TAC	ATCT	'GCTC	GC I	'GCCC	TTCT	G GC	TGCA	GTAC	240
	GTGCTGCAG															
	CTGTACGAG	A AC	ATCT	'ACAT	CAG	CGTG	GGC	TTCC	TCTG	CT G	CATC	TCCG	T GG	ACCG	CTAC	360
35	CTGGCTGTG	G CC	CATC	CCTT	CCG	CTTC	CAC	CAGT	TCCG	GA C	CCTG	AAGG	C GG	CCGT	'CGGC	420

101

				171			
	GTCAGCGTGG	TCATCTGGGC	CAAGGAGCTG	CTGACCAGCA	TCTACTTCCT	GATGCACGAG	480
	GAGGTCATCG	AGGACGAGAA	CCAGCACCGC	GTGTGCTTTG	AGCACTACCC	CATCCAGGCA	540
	TGGCAGCGCG	CCATCAACTA	CTACCGCTTC	CTGGTGGGCT	TCCTCTTCCC	CATCTGCCTG	600
	CTGCTGGCGT	CCTACCAGGG	CATCCTGCGC	GCCGTGCGCC	GGAGCCACGG	CACCCAGAAG	660
5	AGCCGCAAGG	ACCAGATCAA	GCGGCTGGTG	CTCAGCACCG	TGGTCATCTT	CCTGGCCTGC	720
	TTCCTGCCCT	ACCACGTGTT	GCTGCTGGTG	CGCAGCGTCT	GGGAGGCCAG	CTGCGACTTC	780
	GCCAAGGGCG	TTTTCAACGC	CTACCACTTC	TCCCTCCTGC	TCACCAGCTT	CAACTGCGTC	840
	GCCGACCCCG	TGCTCTACTG	CTTCGTCAGC	GAGACCACCC	ACCGGGACCT	GGCCCGCCTC	900
	CGCGGGGCCT	GCCTGGCCTT	CCTCACCTGC	TCCAGGACCG	GCCGGGCCAG	GGAGGCCTAC	960
10	CCGCTGGGTG	CCCCGAGGC	CTCCGGGAAA	AGCGGGGCCC	AGGGTGAGGA	GCCCGAGCTG	1020
	TTGACCAAGC	TCCACCCGGC	CTTCCAGACC	CCTAACTCGC	CAGGGTCGGG	CGGGTTCCCC	1080
	ACGGGCAGGT	TGGCCTAG					1098
	(227) INFOR	RMATION FOR	SEQ ID NO:2	26:			
15	(	EQUENCE CHA (A) LENGTH: (B) TYPE: am	365 amino a				

- (C) STRANDEDNESS:
- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein
- 20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:226:

Met Gly Asn Ile Thr Ala Asp Asn Ser Ser Met Ser Cys Thr Ile Asp

His Thr Ile His Gln Thr Leu Ala Pro Val Val Tyr Val Thr Val Leu

25 Val Val Gly Phe Pro Ala Asn Cys Leu Ser Leu Tyr Phe Gly Tyr Leu 40

Gln Ile Lys Ala Arg Asn Glu Leu Gly Val Tyr Leu Cys Asn Leu Thr

Val Ala Asp Leu Phe Tyr Ile Cys Ser Leu Pro Phe Trp Leu Gln Tyr 30

> Val Leu Gln His Asp Asn Trp Ser His Gly Asp Leu Ser Cys Gln Val 90

> Cys Gly Ile Leu Leu Tyr Glu Asn Ile Tyr Ile Ser Val Gly Phe Leu

192

					100					105					110		
	C	/S	Cys	Ile 115	Ser	Val	Asp	Arg	Tyr 120	Leu	Ala	Val	Ala	His 125	Pro	Phe	Arg
5	Pł	ne	His 130	Gln	Phe	Arg	Thr	Leu 135	Lys	Ala	Ala	Val	Gly 140	Val	Ser	Val	Val
	1] 14		Trp	Ala	Lys	Glu	Leu 150	Leu	Thr	Ser	Ile	Tyr 155	Phe	Leu	Met	His	Glu 160
	G]	.u	Val	Ile	Glu	Asp 165	Glu	Asn	Gln	His	Arg 170	Val	Сув	Phe	Glu	His 175	Tyr
10	Pı	0.	Ile	Gln	Ala 180	Trp	Gln	Arg	Ala	Ile 185	Asn	Tyr	Tyr	Arg	Phe 190	Leu	Val
	G]	-У	Phe	Leu 195	Phe	Pro	Ile	Cys	Leu 200	Leu	Leu	Ala	Ser	Tyr 205	Gln	Gly	Ile
15	L€	u	Arg 210	Ala	Val	Arg	Arg	Ser 215	His	Gly	Thr	Gln	Lys 220	Ser	Arg	Lys	Asp
	Gl 22		Ile	Lys	Arg	Leu	Val 230	Leu	Ser	Thr	Val	Val 235	Ile	Phe	Leu	Ala	Cys 240
	Ph	ıe	Leu	Pro	Tyr	His 245	Val	Leu	Leu	Leu	Val 250	Arg	Ser	Val	Trp	Glu 255	Ala
20	Se	er	Cys	Asp	Phe 260	Ala	Lys	Gly	Val	Phe 265	Asn	Ala	Tyr	His	Phe 270	Ser	Leu
	L∈	u	Leu	Thr 275	Ser	Phe	Asn	Cys	Val 280	Ala	Asp	Pro	Val	Leu 285	Tyr	Cys	Phe
25	Va		Ser 290	Glu	Thr	Thr	His	Arg 295	Asp	Leu	Ala	Arg	Leu 300	Arg	Gly	Ala	Cys
	Le 30		Ala	Phe	Leu		Cys 310		Arg	Thr	Gly	Arg 315	Ala	Arg	Glu	Ala	Tyr 320
	Pr	Ю	Leu	Gly	Ala	Pro 325	Glu	Ala	Ser	Gly	Lys 330	Ser	Gly	Ala	Gln	Gly 335	Glu
30	Gl	u	Pro	Glu	Leu 340	Leu	Thr	Lys	Leu	His 345	Pro	Ala	Phe	Gln	Thr 350	Pro	Asn
	Se	r	Pro	Gly 355	Ser	Gly	Gly	Phe	Pro 360	Thr	Gly	Arg	Leu	Ala 365			
	(228) I	NF	ORMA	TION	FOR	SEÇ	) ID	NO:2	27:								
15	1	÷١	QE/C	TIENC	יב כני	מסמר	י משייי	· emr	·c .								

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 1416 base pairs

- (B) TYPE: nucleic acid

193

(C) STRANDEDNESS: single(D) TOPOLOGY: linear

- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:227:

5	ATGGATATTC	TTTGTGAAGA	AAATACTTCT	TTGAGCTCAA	CTACGAACTC	CCTAATGCAA	60
	TTAAATGATG	ACAACAGGCT	CTACAGTAAT	GACTTTAACT	CCGGAGAAGC	TAACACTTCT	120
	GATGCATTTA	ACTGGACAGT	CGACTCTGAA	AATCGAACCA	ACCTTTCCTG	TGAAGGGTGC	180
	CTCTCACCGT	CGTGTCTCTC	CTTACTTCAT	CTCCAGGAAA	AAAACTGGTC	TGCTTTACTG	240
	ACAGCCGTAG	TGATTATTCT	AACTATTGCT	GGAAACATAC	TCGTCATCAT	GGCAGTGTCC	300
10	CTAGAGAAAA	AGCTGCAGAA	TGCCACCAAC	TATTTCCTGA	TGTCACTTGC	CATAGCTGAT	360
	ATGCTGCTGG	GTTTCCTTGT	CATGCCCGTG	TCCATGTTAA	CCATCCTGTA	TGGGTACCGG	420
	TGGCCTCTGC	CGAGCAAGCT	TTGTGCAGTC	TGGATTTACC	TGGACGTGCT	CTTCTCCACG	480
	GCCTCCATCA	TGCACCTCTG	CGCCATCTCG	CTGGACCGCT	ACGTCGCCAT	CCAGAATCCC	540
	ATCCACCACA	GCCGCTTCAA	CTCCAGAACT	AAGGCATTTC	TGAAAATCAT	TGCTGTTTGG	600
15	ACCATATCAG	TAGGTATATC	CATGCCAATA	CCAGTCTTTG	GGCTACAGGA	CGATTCGAAG	660
	GTCTTTAAGG	AGGGGAGTTG	CTTACTCGCC	GATGATAACT	TTGTCCTGAT	CGGCTCTTTT	720
	GTGTCATTTT	TCATTCCCTT	AACCATCATG	GTGATCACCT	ACTTTCTAAC	TATCAAGTCA	780
	CTCCAGAAAG	AAGCTACTTT	GTGTGTAAGT	<b>GATCT</b> TGGCA	CACGGGCCAA	ATTAGCTTCT	840
	TTCAGCTTCC	TCCCTCAGAG	TTCTTTGTCT	TCAGAAAAGC	TCTTCCAGCG	GTCGATCCAT	900
20	AGGGAGCCAG	GGTCCTACAC	AGGCAGGAGG	ACTATGCAGT	CCATCAGCAA	TGAGCAAAAG	960
	GCAAAGAAGG	TGCTGGGCAT	CGTCTTCTTC	CTGTTTGTGG	TGATGTGGTG	CCCTTTCTTC	1020
	ATCACAAACA	TCATGGCCGT	CATCTGCAAA	GAGTCCTGCA	ATGAGGATGT	CATTGGGGCC	1080
	CTGCTCAATG	TGTTTGTTTG	GATCGGTTAT	CTCTCTTCAG	CAGTCAACCC	ACTAGTCTAC	1140
	ACACTGTTCA	ACAAGACCTA	TAGGTCAGCC	TTTTCACGGT	ATATTCAGTG	TCAGTACAAG	1200
25	GAAAACAAAA	AACCATTGCA	GTTAATTTTA	GTGAACACAA	TACCGGCTTT	GGCCTACAAG	1260
	TCTAGCCAAC	TTCAAATGGG	ACAAAAAAAG	AATTCAAAGC	AAGATGCCAA	GACAACAGAT	1320
	AATGACTGCT	CAATGGTTGC	TCTAGGAAAG	CAGTATTCTG	AAGAGGCTTC	TAAAGACAAT	1380
	AGCGACGGAG	TGAATGAAAA	GGTGAGCTGT	GTGTGA			1416

194

(229)	INFORMATION	FOR	SEQ	ID	NO:228:
-------	-------------	-----	-----	----	---------

- (i) SEQUENCE CHARACTERISTICS:
  (A) LENGTH: 470 amino acids
  - (B) TYPE: amino acid
- (C) STRANDEDNESS:

5

225

- (D) TOPOLOGY: not relevant
- (ii) MOLECULE TYPE: protein

		(x	i) s	EQUE	NCE :	DESC	RIPT	ION:	SEQ	ID :	NO:2	28:					
10	1	Met	Asp		Leu 5	Cys	Glu	Glu		Thr 10	Ser	Leu	Ser		Thr 15	Thr	Asn
		Ser		Met 20	Gln	Leu	Asn		Asp 25	Asn	Arg	Leu				Asp	Phe
		Asn	Ser	Gly 35	Glu	Ala	Asn	Thr	Ser 40	Asp	Ala	Phe	Asn	Trp 45	Thr	Val	Asp
15		Ser	Glu 50	Asn	Arg	Thr	Asn	Leu 55	Ser	Cys	Glu	Gly	Cys 60	Leu	Ser	Pro	Ser
		Cys 65	Leu	Ser	Leu	Leu	His 70	Leu	Gln	Glu	Lys	Asn 75	Trp	Ser	Ala	Leu	Leu 80
20		Thr	Ala	Val	Val	Ile 85	Ile	Leu	Thr	Ile	Ala 90	Gly	Asn	Ile	Leu	Val 95	Ile
		Met	Ala	Val	Ser 100	Leu	Glu	Lys	Lys	Leu 105	Gln	Asn	Ala	Thr	Asn 110	Tyr	Phe
		Leu	Met	Ser 115	Leu	Ala	Ile	Ala	Asp 120	Met	Leu	Leu	Gly	Phe 125	Leu	Val	Met
25		Pro	Val 130	Ser	Met	Leu	Thr	Ile 135	Leu	Tyr	Gly	Tyr	Arg 140	Trp	Pro	Leu	Pro
		Ser 145	Lys	Leu	Cys	Ala	Val 150	Trp	Ile	Tyr	Leu	Asp 155	Val	Leu	Phe	Ser	Thr 160
30		Ala	Ser	Ile	Met	His 165	Leu	Cys	Ala	Ile	Ser 170	Leu	Asp	Arg	Tyr	Val 175	Ala
		Ile	Gln	Asn	Pro 180	Ile	His	His	Ser	Arg 185	Phe	Asn	Ser	Arg	Thr 190	Lys	Ala
		Phe	Leu	Lys 195	Ile	Ile	Ala	Val	Trp 200	Thr	Ile	Ser	Val	Gly 205	Ile	Ser	Met
35		Pro	Ile 210	Pro	Val	Phe	Gly	Leu 215	Gln	Asp	Asp	Ser	Lys 220	Val	Phe	Lys	Glu
		Gly 225	Ser	Cys	Leu			Asp		Asn		Val	Leu	Ile	Gly	Ser	Phe

230

		Val	Ser	Phe	Phe	Ile 245	Pro	Leu	Thr	Ile	Met 250	Val	Ile	Thr	Tyr	Phe 255	Leu
		Thr	Ile	Lys	Ser 260	Leu	Gln	Lys	Glu	Ala 265	Thr	Leu	Cys	Val	Ser 270	Asp	Leu
5		Gly	Thr	Arg 275	Ala	Lys	Leu	Ala	Ser 280	Phe	Ser	Phe	Leu	Pro 285	Gln	Ser	Ser
		Leu	Ser 290	Ser	Glu	Lys	Leu	Phe 295	Gln	Arg	Ser	Ile	His 300	Arg	Glu	Pro	Gly
10		Ser 305	Tyr	Thr	Gly	Arg	Arg 310	Thr	Met	Gln	Ser	Ile 315	Ser	Asn	Glu	Gln	Lys 320
		Ala	Lys	Lys	Val	Leu 325	Gly	Ile	Val	Phe	Phe 330	Leu	Phe	Val	Val	Met 335	Trp
		Cys	Pro	Phe	Phe 340	Ile	Thr	Asn	Ile	Met 345	Ala	Val	Ile	Cys	Lys 350	Glu	Ser
15		Cys	Asn	Glu 355	Asp	Val	Ile	Gly	Ala 360	Leu	Leu	Asn	Val	Phe 365	Val	Trp	Ile
		Gly	Tyr 370	Leu	Ser	Ser	Ala	Val 375	Asn	Pro	Leu	Val	Tyr 380	Thr	Leu	Phe	Asn
20		Lys 385	Thr	Tyr	Arg	Ser	Ala 390	Phe	Ser	Arg	Tyr	Ile 395	Gln	Cys	Gln	Tyr	Lys 400
		Glu	Asn	Lys	Lys	Pro 405	Leu	Gln	Leu	Ile	Leu 410	Val	Asn	Thr	Ile	Pro 415	Ala
		Leu	Ala	Tyr	Lys 420	Ser	Ser	Gln	Leu	Gln 425	Met	Gly	Gln	Lys	Lys 430	Asn	Ser
25		Lys	Gln	Asp 435	Ala	Lys	Thr	Thr	Asp 440	Asn	Asp	Cys	Ser	Met 445	Val	Ala	Leu
		Gly	Lys 450	Gln	Tyr	Ser	Glu	Glu 455	Ala	Ser	Lys	Asp	Asn 460	Ser	Asp	Gly	Val
30		Asn 465	Glu	Lys	Val	Ser	Cys 470	Val									
	(230)	INE	FORMA	MOITA	I FOR	SEÇ	] ID	NO:2	29:								
35		(i)	(B)	LEN TYF STR	CE CHIGTH: PE: n	137 ucle DNES	77 ba ic a Ss: s	se p cid singl	airs	1							
		(ii	_) MC	LECU	JLE T	'YPE:	DNA	ı (ge	nomi	c)							

(xi)	SEQUENCE	DESCRIPTION:	SEQ	ID	NO:229:

		GGTGGTTTCP	1100110100	ACCIAATIGG	CCIAIIGGII	6 (
TGGCAATGTG	ATATTTCTGT	GAGCCCAGTA	GCAGCTATAG	TAACTGACAT	TTTCAATACC	120
TCCGATGGTG	GACGCTTCAA	ATTCCCAGAC	GGGGTACAAA	ACTGGCCAGC	ACTTTCAATC	180
GTCATCATAA	TAATCATGAC	AATAGGTGGC	AACATCCTTG	TGATCATGGC	AGTAAGCATG	240
GAAAAGAAAC	TGCACAATGC	CACCAATTAC	TTCTTAATGT	CCCTAGCCAT	TGCTGATATG	300
CTAGTGGGAC	TACTTGTCAT	GCCCCTGTCT	CTCCTGGCAA	TCCTTTATGA	TTATGTCTGG	360
CCACTACCTA	GATATTTGTG	CCCCGTCTGG	ATTTCTTTAG	ATGTTTTATT	TTCAACAGCG	420
TCCATCATGC	ACCTCTGCGC	TATATCGCTG	GATCGGTATG	TAGCAATACG	TAATCCTATT	480
GAGCATAGCC	GTTTCAATTC	GCGGACTAAG	GCCATCATGA	AGATTGCTAT	TGTTTGGGCA	540
ATTTCTATAG	GTGTATCAGT	TCCTATCCCT	GTGATTGGAC	TGAGGGACGA	AGAAAAGGTG	600
TTCGTGAACA	ACACGACGTG	CGTGCTCAAC	GACCCAAATT	TCGTTCTTAT	TGGGTCCTTC	660
GTAGCTTTCT	TCATACCGCT	GACGATTATG	GTGATTACGT	ATTGCCTGAC	CATCTACGTT	720
CTGCGCCGAC	AAGCTTTGAT	GTTACTGCAC	GGCCACACCG	AGGAACCGCC	TGGACTAAGT	780
CTGGATTTCC	TGAAGTGCTG	CAAGAGGAAT	ACGGCCGAGG	AAGAGAACTC	TGCAAACCCT	840
AACCAAGACC	AGAACGCACG	CCGAAGAAAG	AAGAAGGAGA	GACGTCCTAG	GGGCACCATG	900
CAGGCTATCA	ACAATGAAAG	AAAAGCTAAG	AAAGTCCTTG	GGATTGTTTT	CTTTGTGTTT	960
CTGATCATGT	GGTGCCCATT	TTTCATTACC	AATATTCTGT	CTGTTCTTTG	TGAGAAGTCC	1020
TGTAACCAAA	AGCTCATGGA	AAAGCTTCTG	AATGTGTTTG	TTTGGATTGG	CTATGTTTGT	1080
TCAGGAATCA	ATCCTCTGGT	GTATACTCTG	TTCAACAAAA	TTTACCGAAG	GGCATTCTCC	1140
AACTATTTGC	GTTGCAATTA	TAAGGTAGAG	AAAAAGCCTC	CTGTCAGGCA	GATTCCAAGA	1200
GTTGCCGCCA	CTGCTTTGTC	TGGGAGGGAG	CTTAATGTTA	ACATTTATCG	GCATACCAAT	1260
GAACCGGTGA	TCGAGAAAGC	CAGTGACAAT	GAGCCCGGTA	TAGAGATGCA	AGTTGAGAAT	1320
TTAGAGTTAC	CAGTAAATCC	CTCCAGTGTG	GTTAGCGAAA	GGATTAGCAG	TGTGTGA	1377
	TGGCAATGTG TCCGATGGTG GTCATCATAA GAAAAGAAAC CTAGTGGGAC CCACTACCTA TCCATCATGC GAGCATAGCC ATTTCTATAG TTCGTGAACA GTAGCTTTCT CTGCGCCGAC CTGGATTTCC AACCAAGACC CAGGCTATCA CTGATCATGT TGTAACCAAA TCAGGAATCA AACTATTTGC GTTGCCGCCA GAACCGGTGA	TGGCAATGTG GACGCTTCAA CGACGATGGTG GACGCTTCAA GTCATCATAA TAATCATGAC GAAAAGAAAC TGCACAATGC CTAGTGGGAC TACTTGTCAT CCACTACCTA GATATTTGTG TCCATCATGC ACCTCTGCGC GAGCATAGCC GTTTCAATTC ATTCTATAG GTGTATCAGT TTCGTGAACA ACACGACGTG CTGGATTTCT TGAAGTGCT AACCAAGACC AGAACGCACG CAGGCTATCA ACAATGAAAG CTGATCATG GGTGCCCATT TGTAACCAAA AGCTCATGGA TCAGGAATCA ACCTCTGGT AACTATTGC GTTGCAATTA CTGAGAATCA ATCCTCTGGT AACTATTTGC GTTGCAATTA GTTGCCGCCA CTGCTTTGTC GAACCGGTGA CTGCTTTGTC	TGGCAATGTG GACGCTTCAA ATTCCCAGAC GTCATCATAA TAATCATGAC CACCAATTAC GAAAAGAAAC TGCACAATGC CACCAATTAC CTAGTGGGAC TACTTGTCAT GCCCCGTCTG CCACTACCTA GATATTTGTG CCCCGTCTGG GAGCATAGCC ACCTCTGCGC TATTACCGCTG GAGCATAGCC GTTTCAATTC GCGGACTAAG ATTTCTATAG GTGTATCAGT TCCTATCCCT TTCGTGAACA ACACGACGTG GACGATTATG CTGCGCCGAC AAGCTTTGAT GTTACTGCAC CTGGATTTCC TGAAGTGCTG GAAGAGAAAG CAGGCTATCA ACAATGAAAG CAAGAGAAAG CAGGCTATCA ACAATGAAAG AAAAGCTAAG CTGATCATG GGTGCCCATT TTTCATTACC TGTAACCAAA AGCTCATGGA AAAGCTTCTG ACCAAGAACA ACCCATGGA AAAGCTTCTG TCAGGAATCA ATCCTCTGGT GTATACTCTG AACTATTTGC GTTGCAATTA TAAGGTAGAG GTTGCCGCCA CTGCTTTGTC TGGGAGGGAG GAACCGGTGA TCGAGAAAAGC CAGTGACAAT	TGGCAATGTGATATTTCTGTGAGCCCAGTAGCAGCTTATAGTCCGATGGTGGACGCTTCAAATTCCCAGACGGGGTACAAAGTCATCATAATAATCATGACAATAGGTGGCAACATCCTTGGAAAAGAAACTGCACAATGCCACCAATTACTTCTTAATGTCTAGTGGGACTACTTGTCATGCCCCTGTCTCTCCTGGCAACCACTACCTAGATATTTGTGCCCCGTCTGGATTTCTTTAGTCCATCATGCACCTCTGCGCTATATCGCTGGATCGGTATGGAGCATAGCCGTTTCAATTCGCGGACTAAGGCCATCATGAATTTCTATAGGTGTATCAGTTCCTATCCCTGTGATTGGACTTCGTGAACAACACGACGTGCGTGCTCAACGACCCAAATTGTAGCTTTCTTCATACCGCTGACGATTATGGTGATTACGTCTGCGCCGACAAGCTTTGATGTTACTGCACGGCCACACCGCTGGATTTCCTGAAGTGCTGCAAGAGGAAAAAGAAAGGAGAAACCAAGACCAGAACGCACGCCGAAGAAAGAAGAAAGGAGACAGGCTATCAACAATGAAAGAAAAGCTTAGAATATTCTGTTGTAACCAAAAGCTCATGGAAAAGCTTCTGAATGTGTTTGTCAGGAAATCAATCCTCTGGTGTATACTCTGTTCAACAAAAAACTATTTGCGTTGCAATTATAAGGTAGAGAAAAAGCCTCGTTGCCGCCACTGCTTTGTCTGGGAGGGAGCTTAATGTTAGAACCGGTGATCGAGAAAGCCAGTGACAATGAGCCCGGTA	TGGCAATGTG ATATTTCTGT GAGCCCAGTA GCAGCTATAG TAACTGACAT TCCGATGGTG GACGCTTCAA ATTCCCAGAC GGGGTACAAA ACTGGCCAGC GTCATCATAA TAATCATGAC AATAGGTGGC AACATCCTTG TGATCATGGC GAAAAGAAAC TGCACAATGC CACCAATTAC TTCTTAATGT CCCTAGCCAT CTAGTGGGAC TACTTGTCAT GCCCCTGTCT CTCCTGGCAA TCCTTTATGA CCACTACCTA GATATTTGTG CCCCGTCTG ATTCTTTAG ATGTTTTATT TCCATCATGC ACCTCTGCGC TATATCGCTG GATCGGTATG TAGCAATACG GAGCATAGCC GTTTCAATTC GCGGACTAAG GCCATCATGA AGATTGCTAT ATTTCTATAG GTGTATCAGT TCCTATCCCT GTGATTGGAC TGGGGACGA TTCGTGAACA ACACGACGTG CGTGCTCAAC GACCCAAATT TCGTTCTTAT GTAGCTTTCT TCATACCGCT GACGATTAG GTGATTACGT ATTGCCTGAC CTGGCCCGAC AAGCTTTGAT GTTACTGCAC GGCCACACCG AGGAACCGCC CTGGATTTCC TGAAGTGCTG CAAGAGGAAT ACGGCCGAGG AAGAGAACTC CAGGCTATCA ACAATGAAAG AAAAGCTAAG AAGAGCACAG GACCTCTAG CAGGCTATCA ACAATGAAAG AAAAGCTAAG AAAGTCCTTG GGATTGTTT CTGATCATGT GGTGCCCATT TTTCATTACC AATTATCTG CTGTTCTTTG TGTAACCAAA AGCTCATGGA AAAGCTTCG TTCAACAAAA TTTACCGAAG AACTAATTGC GTTGCAATTA TAAGGTAGAG AAAAAGCCTC CTGTCAGGCA AACTATTTGC GTTGCAATTA TAAGGTAGAG AAAAAGCCTC CTGTCAGGCA GTTGCCGCCA CTGCTTTGTC TGGGAGGAG CTTAATGTTA ACATTTATCG GAACCGGTGA TCGAGAAAGC CAGTGACAAA TTTACCGAAG AACTATTTGC GTTGCAATTA TAAGGTAGAG AAAAAGCCTC CTGTCAGGCA GTTGCCGCCA CTGCTTTGTC TGGGAGGAG CTTAATGTTA ACATTTATCG GAACCGGTGA TCGAGAAAGC CAGTGACAAA TTTACCGAAG AACTATTTGC GTTGCAATTA TAAGGTAGAG CTTAAATGTTA ACATTTATCG GAACCGGTGA TCGAGAAAGC CAGTGACAAA TAAAAGCCTC CTGTCAGGCA GTTGCCGCCA CTGCTTTGTC TGGGAGGAGG CTTAATGTTA ACATTTATCG GAACCGGTGA TCGAGAAAGC CAGTGACAAA TAAAAGCCTC CTGTCAGGCA GTTGCCGCCA CTGCTTTGTC TGGGAGGAG CTTAATGTTA ACATTTATCG GAACCGGTGA TCGAGAAAGC CAGTGACAAA GAGCCCGGTA TAGAGATGCA	TGGCAATGTG ATATTCTGT GAGCCAGTA GCAGCTATAG TAACTGACAT TTCCAATACC TCCGATGGTG GACGCTTCAA ATTCCCAGAC GGGGTACAAA ACTGGCCAGC ACTTTCAATACC TCCGATGGTG GACGCTTCAA ATTCCCAGAC GGGGTACAAA ACTGGCCAGC ACTTTCAATCC GTCATCATAA TAATCATGAC AATAGGTGGC AACATCCTTG TGATCATGC AGTAAGCAT GAAAAGAAAC TGCACAATGC CACCAATTAC TTCTTAATGT CCCTAGCCAT TGCTGATATG CTAGTGGGAC TACTTGTCAT GCCCCTGTCT CTCCTGGCAA TCCTTTATGA TTATGTCTGG CCACTACCTA GATATTTGTG CCCCGTCTG ATTCTTAA ATGTTTATT TTCAACAGCG TCCATCATGC ACCTCTGCCC TATATCGCTG GATCGGTATG TAGCAATACG TAATCCTATT GAGCATAGCC GTTCAATTC GCGGACTAAG GCCATCATGA AGATTGCTAT TGTTTGGGCA ATTTCTATAG GTGTATCAGT TCCTATCCCT GTGATTGGAC AGAAAAGGTG TTCGTGGAACA ACACGACGTG CGTGCTCAAC GACCCAAATT TCGTTCTTAT TGGGTCCTTC GTAGCTTTCT TCATACCGCT GACGATTAG GTGATTACGT ATTGCCTGAC GTAGCTTTCT TCATACCGCT GACGATTATG GTGATTACGT ATTGCCTGAC CTGCGCCGAC AACCTTTGAT GTTACTGCAC GGCCACACCG AGGAACCGC TGGACTAAGT CTGGATTTCC TGAAGTGCTG CAAGAGGAAT ACGGCCGAGG AGAGAACCCC TGGACTAAGT CTGGATTCC TGAAGTGCTG CAAGAGGAAT ACGGCCGAGG AGAGAACCCC TGCACACCT AACCAAGACC AGAACGACG CCGAAGAAAA ACGGCCGAGG AAGAGAACCC TGCAAACCCT AACCAAGACC AGAACGACG CCGAAGAAAG AAGAAGGAGA GACGTCCTAG GGGCACCATG CAGGCTATCA ACAATGAAAG AAAAGCTAAG AAGATCCTTG GGATTGTTT CTTTGTTTTT CTGATCAAAA ACCTCATGGA AAAAGCTACA AAAATCTCTG TTCATTCGT TTTCATTACC AATATTCTG TTTTGTTTTT TCAGGGAACCA ACCTCTGGA AAAGCTTCTG AATGTTTTT TTTGGTTTTT TCAGGGAACCA ACCTCTTGGA AAAGCTTCTG AATGTTTTT TTTGGATTGG CTATGTTTTT TCAGGGAACCA ACCTCTTGGT GTATACCTCT TTCAACAAAA TTTACCGAAG GGCATTCTCC AACCTATTGC GTTGCAATTA TAAGGTAGAG AAAAAGCCTC CTGTCCAGGCA GATTCCCAAGA GTTGCCGCCA CTGCTTTGTC TGGGAGGGAG CTTAATGTTTA ACCATTTACCG GCATTACCAAT GAACCAGTGA TCGAGAAAGC CTGCTTTGTC TGGGAGGAG CTTAATGTTTA ACATTTACCG GCATTCCCAATG GAACCGGTGA TCGAGAAAGC CTGCATGTGA AAAAAGCCTC CTGTCAGGCA GATTCCCAAGA GTTGCCGCCA CTGCTTTGTC TGGGAGGGAG CTTAATGTTTA ACATTTACCG GCATTCCCAAGA GTTGCAGCAA CCGTGTTTC TGGGAGGGAG CTTAATGTTA ACATTTACCG GCATTCCCAAGA GAACCGGTGA TCGAGAAAAC CTCCAGTGTG GAGCCCGGTA TAGAGAATG TGTGTGA

- 25 (231) Information for SEQ ID NO:230:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 458 amino acids
    - (B) TYPE: amino acid
    - (C) STRANDEDNESS:

197

(D) TOPOLOGY: not relevant

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:230:

Met Val Asn Leu Arg Asn Ala Val His Ser Phe Leu Val His Leu Ile 5 Gly Leu Leu Val Trp Gln Cys Asp Ile Ser Val Ser Pro Val Ala Ala Ile Val Thr Asp Ile Phe Asn Thr Ser Asp Gly Gly Arg Phe Lys Phe 10 Pro Asp Gly Val Gln Asn Trp Pro Ala Leu Ser Ile Val Ile Ile Ile Ile Met Thr Ile Gly Gly Asn Ile Leu Val Ile Met Ala Val Ser Met 75 Glu Lys Lys Leu His Asn Ala Thr Asn Tyr Phe Leu Met Ser Leu Ala 15 90 Ile Ala Asp Met Leu Val Gly Leu Leu Val Met Pro Leu Ser Leu Leu Ala Ile Leu Tyr Asp Tyr Val Trp Pro Leu Pro Arg Tyr Leu Cys Pro 120 20 Val Trp Ile Ser Leu Asp Val Leu Phe Ser Thr Ala Ser Ile Met His 130 1.35 Leu Cys Ala Ile Ser Leu Asp Arg Tyr Val Ala Ile Arg Asn Pro Ile 150 155 Glu His Ser Arg Phe Asn Ser Arg Thr Lys Ala Ile Met Lys Ile Ala 25 170 Ile Val Trp Ala Ile Ser Ile Gly Val Ser Val Pro Ile Pro Val Ile 180 Gly Leu Arg Asp Glu Glu Lys Val Phe Val Asn Asn Thr Thr Cys Val 200 30 Leu Asn Asp Pro Asn Phe Val Leu Ile Gly Ser Phe Val Ala Phe Phe 210 215 Ile Pro Leu Thr Ile Met Val Ile Thr Tyr Cys Leu Thr Ile Tyr Val 230 235 Leu Arg Arg Gln Ala Leu Met Leu Leu His Gly His Thr Glu Glu Pro 35 250 Pro Gly Leu Ser Leu Asp Phe Leu Lys Cys Cys Lys Arg Asn Thr Ala

				260					265					270			
	Glu	Glu	Glu 2 <b>7</b> 5	Asn	Ser	Ala	Asn	Pro 280	Asn	Gln	Asp	Gln	Asn 285	Ala	Arg	Arg	
5	Arg	Lys 290	Lys	Lys	Glu	Arg	Arg 295	Pro	Arg	Gly	Thr	Met 300	Gln	Ala	Ile	Asn	
	Asn 305	Glu	Arg	Lys	Ala	Lys 310	Lys	Val	Leu	Gly	Ile 315	Val	Phe	Phe	Val	Phe 320	
	Leu	Ile	Met	Trp	Cys 325	Pro	Phe	Phe	Ile	Thr 330	Asn	Ile	Leu	Ser	Val 335	Leu	
10	Cys	Glu	Lys	Ser 340	Cys	Asn	Gln	Lys	Leu 345	Met	Glu	Lys	Leu	Leu 350	Asn	Val	
	Phe	Val	Trp 355	Ile	Gly	Tyr	Val	Cys 360	Ser	Gly	Ile	Asn	Pro 365	Leu	Val	Tyr	
15	Thr	Leu 370	Phe	Asn	Lys	Ile	Tyr 375	Arg	Arg	Ala	Phe	Ser 380	Asn	Tyr	Leu	Arg	
	Cys 385	Asn	Tyr	Lys	Val	Glu 390	Lys	Lys	Pro	Pro	Val 395	Arg	Gln	Ile	Pro	Arg 400	
	Val	Ala	Ala	Thr	Ala 405	Leu	Ser	Gly	Arg	Glu 410	Leu	Asn	Val	Asn	Ile 415	Tyr	
20	Arg	His	Thr	Asn 420	Glu	Pro	Val	Ile	Glu 425	Lys	Ala	Ser	Asp	Asn 430	Glu	Pro	
	Gly	Ile	Glu 435	Met	Gln	Val	Glu	Asn 440	Leu	Glu	Leu	Pro	Val 445	Asn	Pro	Ser	
25	Ser	Val 450	Val	Ser	Glu	Arg	Ile 455	Ser	Ser	Val							
	(232) INE	FORM	1OIT	I FOF	SEÇ	OID	NO:2	231:									
30	(i)	(A) (B) (C)	QUENC LEN TYI STF	GTH: PE: r RANDE	106 nucle	8 ba ic a SS: s	nse p ncid singl	airs	3								
	(ii	L) MC	LECU	TE 1	YPE:	DNA	4 (ge	nomi	.c)								
	ix)	l) se	EQUEN	ICE I	DESCR	IPTI	ON:	SEQ	ID N	10:23	31:						
	ATGGATCAG	T TO	CCTG	BAATO	AGT	GACA	AGAA	AACI	TTG	AGT I	CGAT	'GAT'I	T GO	CTG#	AGGCC	2	60
35	TGTTATATT	G GG	GACA	ATCGI	GGI	CTTI	GGG	ACTG	TGTI	CC I	GTCC	'ATA'	T CI	ACTO	CCGTC	. 1	20
	ATCTTTGCC	'A T'I	rggcc	TGGT	GGG	TAAA	TTG	TTGG	TAGI	GT I	TGCC	CTCA	C CA	ACAG	CAAG	. 1	80

199

	AAGCCCAAGA GTGTCACCGA CATTTACCTC CTGAACCTGG CCTTGTCTGA TCTGCTGTTT	240
	GTAGCCACTT TGCCCTTCTG GACTCACTAT TTGATAAATG AAAAGGGCCT CCACAATGCC	300
	ATGTGCAAAT TCACTACCGC CTTCTTCTTC ATCGGCTTTT TTGGAAGCAT ATTCTTCATC	360
	ACCGTCATCA GCATTGATAG GTACCTGGCC ATCGTCCTGG CCGCCAACTC CATGAACAAC	420
5	CGGACCGTGC AGCATGGCGT CACCATCAGC CTAGGCGTCT GGGCAGCAGC CATTTTGGTG	480
	GCAGCACCCC AGTTCATGTT CACAAAGCAG AAAGAAAATG AATGCCTTGG TGACTACCCC	540
	GAGGTCCTCC AGGAAATCTG GCCCGTGCTC CGCAATGTGG AAACAAATTT TCTTGGCTTC	600
	CTACTCCCCC TGCTCATTAT GAGTTATTGC TACTTCAGAA TCATCCAGAC GCTGTTTTCC	660
	TGCAAGAACC ACAAGAAAGC CAAAGCCAAG AAACTGATCC TTCTGGTGGT CATCGTGTTT	720
10	TTCCTCTTCT GGACACCCTA CAACGTTATG ATTTTCCTGG AGACGCTTAA GCTCTATGAC	780
	TTCTTTCCCA GTTGTGACAT GAGGAAGGAT CTGAGGCTGG CCCTCAGTGT GACTGAGACG	840
	GTTGCATTTA GCCATTGTTG CCTGAATCCT CTCATCTATG CATTTGCTGG GGAGAAGTTC	900
	AGAAGATACC TTTACCACCT GTATGGGAAA TGCCTGGCTG TCCTGTGTGG GCGCTCAGTC	960
	CACGTTGATT TCTCCTCATC TGAATCACAA AGGAGCAGGC ATGGAAGTGT TCTGAGCAGC	1020
15	AATTTTACTT ACCACACGAG TGATGGAGAT GCATTGCTCC TTCTCTGA	1068
	(233) INFORMATION FOR SEQ ID NO:232:	
	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 355 amino acids	
20	(B) TYPE: amino acid (C) STRANDEDNESS:	
	(D) TOPOLOGY: not relevant	
	(ii) MOLECULE TYPE: protein	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:232:	
25	Met Asp Gln Phe Pro Glu Ser Val Thr Glu Asn Phe Glu Tyr Asp As 1 5 10 15	\$p
	Leu Ala Glu Ala Cys Tyr Ile Gly Asp Ile Val Val Phe Gly Thr Va 20 25 30	11
	Phe Leu Ser Ile Phe Tyr Ser Val Ile Phe Ala Ile Gly Leu Val Gl 35 40 45	-у
30	Asn Leu Leu Val Val Phe Ala Leu Thr Asn Ser Lys Lys Pro Lys Se 50 55 60	er

Val Thr Asp Ile Tyr Leu Leu Asn Leu Ala Leu Ser Asp Leu Leu Phe

	65					70					75					80
	Val	Ala	Thr	Leu	Pro 85	Phe	Trp	Thr	His	Tyr 90	Leu	Ile	Asn	. Glu	. Lys 95	Gly
5	Leu	His	Asn	Ala 100		Cys	Lys	Phe	Thr 105	Thr	Ala	Phe	Phe	Phe		Gly
	Phe	Phe	Gly 115	Ser	Ile	Phe	Phe	Ile 120		Val	Ile	Ser	Ile 125		Arg	Tyr
	Leu	Ala 130		Val	Leu	Ala	Ala 135		Ser	Met	Asn	Asn 140	Arg	Thr	Val	Gln
10	His 145		Val	Thr	Ile	Ser 150	Leu	Gly	Val	Trp	Ala 155	Ala	Ala	Ile	Leu	Val 160
	Ala	Ala	Pro	Gln	Phe 165	Met	Phe	Thr	Lys	Gln 170	Lys	Glu	Asn	Glu	Cys 175	Leu
15	Gly	Asp	Tyr	Pro 180	Glu	Val	Leu	Gln	Glu 185	Ile	Trp	Pro	Val	Leu 190	Arg	Asn
	Val	Glu	Thr 195	Asn	Phe	Leu	Gly	Phe 200	Leu	Leu	Pro	Leu	Leu 205	Ile	Met	Ser
	Tyr	Cys 210	Tyr	Phe	Arg	Ile	Ile 215	Gln	Thr	Leu	Phe	Ser 220	Cys	Lys	Asn	His
20	Lys 225	Lys	Ala	Lys	Ala	Lys 230	Lys	Leu	Ile	Leu	Leu 235	Val	Val	Ile	Val	Phe 240
	Phe	Leu	Phe	Trp	Thr 245	Pro	Tyr	Asn	Val	Met 250	Ile	Phe	Leu	Glu	Thr 255	Leu
25	Lys	Leu	Tyr	Asp 260	Phe	Phe	Pro	Ser	Cys 265	Asp	Met	Arg	Lys	Asp 270	Leu	Arg
	Leu	Ala	Leu 275	Ser	Val	Thr	Glu	Thr 280	Val	Ala	Phe	Ser	His 285	Cys	Cys	Leu
	Asn	Pro 290	Leu	Ile	Tyr	Ala	Phe 295	Ala	Gly	Glu	Lys	Phe 300	Arg	Arg	Tyr	Leu
30	Tyr 305	His	Leu	Tyr	Gly	Lys 310	Cys	Leu	Ala	Val	Leu 315	Суз	Gly	Arg	Ser	Val 320
	His	Val	Asp	Phe	Ser 325	Ser	Ser	Glu	Ser	Gln 330	Arg	Ser	Arg	His	Gly 335	Ser
35	Val	Leu	Ser	Ser 340	Asn	Phe	Thr	Tyr	His 345	Thr	Ser	Asp	Gly	Asp 350	Ala	Leu
	Leu	Leu	Leu 355													

	(234) INFORMATION FOR SEQ ID NO:233:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 29 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iv) ANTI-SENSE: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:233:	
10	GGCTTAAGAG CATCATCGTG GTGCTGGTG	29
	(235) INFORMATION FOR SEQ ID NO:234:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 34 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(iv) ANTI-SENSE: YES	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:234:	
20	GTCACCACCA GCACCACGAT GATGCTCTTA AGCC	34
	(236) INFORMATION FOR SEQ ID NO:235:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 31 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:235:	
	CAAAGAAAGT ACTGGGCATC GTCTTCTTCC T	31
30	(237) INFORMATION FOR SEQ ID NO:236:	
<b>1</b> ~	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 30 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li></ul>	
35	(D) TOPOLOGY: linear	
	(ii) MOLECULE TYPE: DNA (genomic)	

202

PCT/US99/23938

	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:236:	
	TGCTCTAGAT TCCAGATAGG TGAAAACTTG	30
	(238) INFORMATION FOR SEQ ID NO.237:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 50 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
10	(iv) ANTI-SENSE: NO	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:237:	
	CTAGGGGCAC CATGCAGGCT ATCAACAATG AAAGAAAAGC TAAGAAAGTC	50
	(239) INFORMATION FOR SEQ ID NO:238:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 50 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(iv) ANTI-SENSE: YES	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:238:	
	CAAGGACTTT CTTAGCTTTT CTTTCATTGT TGATAGCCTG CATGGTGCCC	50
	(240) INFORMATION FOR SEQ ID NO:239:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 35 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
30	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:239:	
	CGGCGGCAGA AGGCGAAACG CATGATCCTC GCGGT	35
	(241) INFORMATION FOR SEQ ID NO:240:	
	(i) SEQUENCE CHARACTERISTICS:	
35	(A) LENGTH: 35 base pairs (B) TYPE: nucleic acid	

		(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:240:	
5	ACCGC	GAGGA TCATGCGTTT CGCCTTCTGC CGCCG	35
	(242)	INFORMATION FOR SEQ ID NO:241:	
10		(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 24 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:241:	
	GAGAC	ATATT ATCTGCCACG GAGG	24
15	(243)	INFORMATION FOR SEQ ID NO:242:	
20		(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 24 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:242:	
	TTGGC	ATAGA AACCGGACCC AAGG	24
	(244)	INFORMATION FOR SEQ ID NO:243:	
25		<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 28 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
30		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:243:	
	TAAGA	ATTCC ATAAAATTA TGGAATGG	28
	(245)	INFORMATION FOR SEQ ID NO:244:	
		(i) SEQUENCE CHARACTERISTICS:	

	<ul><li>(A) LENGTH: 30 base pairs</li><li>(B) TYPE: nucleic acid</li><li>(C) STRANDEDNESS: single</li><li>(D) TOPOLOGY: linear</li></ul>	
5	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:244:	
	CCAGGATCCA GCTGAAGTCT TCCATCATTC	30
	(246) INFORMATION FOR SEQ ID NO:245:	
10	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1071 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
15	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:245:	
	ATGAATGGGG TCTCGGAGGG GACCAGAGGC TGCAGTGACA GGCAACCTGG GGTCCTGACA	60
	CGTGATCGCT CTTGTTCCAG GAAGATGAAC TCTTCCGGAT GCCTGTCTGA GGAGGTGGGG	120
	TCCCTCCGCC CACTGACTGT GGTTATCCTG TCTGCGTCCA TTGTCGTCGG AGTGCTGGGC	180
	AATGGGCTGG TGCTGTGGAT GACTGTCTTC CGTATGGCAC GCACGGTCTC CACCGTCTGC	240
20	TTCTTCCACC TGGCCCTTGC CGATTTCATG CTCTCACTGT CTCTGCCCAT TGCCATGTAC	300
	TATATTGTCT CCAGGCAGTG GCTCCTCGGA GAGTGGGCCT GCAAACTCTA CATCACCTTT	360
	GTGTTCCTCA GCTACTTTGC CAGTAACTGC CTCCTTGTCT TCATCTCTGT GGACCGTTGC	420
	ATCTCTGTCC TCTACCCCGT CTGGGCCCTG AACCACCGCA CTGTGCAGCG GGCGAGCTGG	480
	CTGGCCTTTG GGGTGTGGCT CCTGGCCGCC GCCTTGTGCT CTGCGCACCT GAAATTCCGG	540
25	ACAACCAGAA AATGGAATGG CTGTACGCAC TGCTACTTGG CGTTCAACTC TGACAATGAG	600
	ACTGCCCAGA TTTGGATTGA AGGGGTCGTG GAGGGACACA TTATAGGGAC CATTGGCCAC	660
	TTCCTGCTGG GCTTCCTGGG GCCCTTAGCA ATCATAGGCA CCTGCGCCCCA CCTCATCCGG	720
	GCCAAGCTCT TGCGGGAGGG CTGGGTCCAT GCCAACCGGC CCGCGAGGCT GCTGCTGGTG	780
	CTGGTGAGCG CTTTCTTAT CTTCTGGTCC CCGTTTAACG TGGTGCTGTT GGTCCATCTG	840
30	TGGCGACGGG TGATGCTCAA GGAAATCTAC CACCCCGGA TGCTGCTCAT CCTCCAGGCT	900
	AGCTTTGCCT TGGGCTGTGT CAACAGCAGC CTCAACCCCT TCCTCTACGT CTTCGTTGGC	960

205

AGAGATTTCC AAGAAAAGTT TTTCCAGTCT TTGACTTCTG CCCTGGCGAG GGCGTTTGGA 1020 GAGGAGGAGT TTCTGTCATC CTGTCCCCGT GGCAACGCCC CCCGGGAATG A 1071 (247) INFORMATION FOR SEQ ID NO:246: (i) SEQUENCE CHARACTERISTICS: 5 (A) LENGTH: 356 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: (D) TOPOLOGY: not relevant (ii) MOLECULE TYPE: protein 10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:246: Met Asn Gly Val Ser Glu Gly Thr Arg Gly Cys Ser Asp Arg Gln Pro Gly Val Leu Thr Arg Asp Arg Ser Cys Ser Arg Lys Met Asn Ser Ser 15 Gly Cys Leu Ser Glu Glu Val Gly Ser Leu Arg Pro Leu Thr Val Val Ile Leu Ser Ala Ser Ile Val Val Gly Val Leu Gly Asn Gly Leu Val Leu Trp Met Thr Val Phe Arg Met Ala Arg Thr Val Ser Thr Val Cys 20 Phe Phe His Leu Ala Leu Ala Asp Phe Met Leu Ser Leu Pro 90 Ile Ala Met Tyr Tyr Ile Val Ser Arg Gln Trp Leu Leu Gly Glu Trp 100 25 Ala Cys Lys Leu Tyr Ile Thr Phe Val Phe Leu Ser Tyr Phe Ala Ser 120 Asn Cys Leu Leu Val Phe Ile Ser Val Asp Arg Cys Ile Ser Val Leu 135 Tyr Pro Val Trp Ala Leu Asn His Arg Thr Val Gln Arg Ala Ser Trp 30 145 150 155 Leu Ala Phe Gly Val Trp Leu Leu Ala Ala Leu Cys Ser Ala His 170 Leu Lys Phe Arg Thr Thr Arg Lys Trp Asn Gly Cys Thr His Cys Tyr 180 35 Leu Ala Phe Asn Ser Asp Asn Glu Thr Ala Gln Ile Trp Ile Glu Gly 195 200

		Val	Val 210	Glu	Gly	His	Ile	Ile 215	Gly	Thr	Ile	Gly	His 220	Phe	Leu	Leu	Gly	
		Phe 225	Leu	Gly	Pro	Leu	Ala 230	Ile	Ile	Gly	Thr	Cys 235	Ala	His	Leu	Ile	Arg 240	
5		Ala	Lys	Leu	Leu	Arg 245	Glu	Gly	Trp	Val	His 250	Ala	Asn	Arg	Pro	Ala 255	Arg	
	:	Leu	Leu	Leu	Val 260	Leu	Val	Ser	Ala	Phe 265	Phe	Ile	Phe	Trp	Ser 270	Pro	Phe	
10		Asn	Val	Val 275	Leu	Leu	Val	His	Leu 280	Trp	Arg	Arg	Val	Met 285	Leu	Lys	Glu	
		Ile	Tyr 290	His	Pro	Arg	Met	Leu 295	Leu	Ile	Leu	Gln	Ala 300	Ser	Phe	Ala	Leu	
		Gly 305	Cys	Val	Asn	Ser	Ser 310	Leu	Asn	Pro	Phe	Leu 315	Tyr	Val	Phe	Val	Gly 320	
15	į	Arg	Asp	Phe	Gln	Glu 325	Lys	Phe	Phe	Gln	Ser 330	Leu	Thr	Ser	Ala	Leu 335	Ala	
	i	Arg	Ala	Phe	Gly 340	Glu	Glu	Glu	Phe	Leu 345	Ser	Ser	Cys	Pro	Arg 350	Gly	Asn	
20	i	Ala	Pro	Arg 355	Glu													
	(248)	INF	ORMA	TION	I FOR	SEÇ	) ID	NO:2	247:									
25	(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 32 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear																	
		(ii	.) MC	LECU	LE I	YPE:	DNA	(ge	nomi	.c)								
		(xi	) SE	QUEN	ICE D	ESCR	IPTI	ON:	SEQ	ID N	O:24	7:						
	GCAGAZ	ATTC	'G GC	:GGCC	CCAT	' GGA	CCTG	CCC	CC									32
30	(249)	INF	'ORMA	MOIT	FOR	SEÇ	ID	NO:2	48:									
35		(i)	(A) (B) (C)	LEN TYF STR	E CH IGTH: E: n ANDE POLOG	30 ucle	base ic a S: s	pai cid ingl	rs.									
		(ii	) MC	LECU	LE T	YPE:	DNA	(ge	nomi	.c)								
		(xi	) SF	OTEN	CE D	ESCR	тртт	• I/IO:	SEO	א חד	m·24	Ω.						

	GCTGGATCCC CCGAGCAGTG GCGTTACTTC	30
	(250) INFORMATION FOR SEQ ID NO:249:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 903 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:249:	
10	ATGGACCTGC CCCCGCAGCT CTCCTTCGGC CTCTATGTGG CCGCCTTTGC GCTGGGCTTC	60
	CCGCTCAACG TCCTGGCCAT CCGAGGCGCG ACGGCCCACG CCCGGCTCCG TCTCACCCCT	120
	AGCCTGGTCT ACGCCCTGAA CCTGGGCTGC TCCGACCTGC TGCTGACAGT CTCTCTGCCC	180
	CTGAAGGCGG TGGAGGCGCT AGCCTCCGGG GCCTGGCCTC TGCCGGCCTC GCTGTGCCCC	240
	GTCTTCGCGG TGGCCCACTT CTTCCCACTC TATGCCGGCG GGGGCTTCCT GGCCGCCCTG	300
15	AGTGCAGGCC GCTACCTGGG AGCAGCCTTC CCCTTGGGCT ACCAAGCCTT CCGGAGGCCG	360
	TGCTATTCCT GGGGGGTGTG CGCGGCCATC TGGGCCCTCG TCCTGTGTCA CCTGGGTCTG	420
	GTCTTTGGGT TGGAGGCTCC AGGAGGCTGG CTGGACCACA GCAACACCTC CCTGGGCATC	480
	AACACACCGG TCAACGGCTC TCCGGTCTGC CTGGAGGCCT GGGACCCGGC CTCTGCCGGC	540
	CCGGCCCGCT TCAGCCTCTC TCTCCTGCTC TTTTTTCTGC CCTTGGCCAT CACAGCCTTC	600
20	TGCTACGTGG GCTGCCTCCG GGCACTGGCC CGCTCCGGCC TGACGCACAG GCGGAAGCTG	660
	CGGGCCGCCT GGGTGGCCGG CGGGGCCCTC CTCACGCTGC TGCTCTGCGT AGGACCCTAC	720
	AACGCCTCCA ACGTGGCCAG CTTCCTGTAC CCCAATCTAG GAGGCTCCTG GCGGAAGCTG	780
	GGGCTCATCA CGGGTGCCTG GAGTGTGGTG CTTAATCCGC TGGTGACCGG TTACTTGGGA	840
	AGGGGTCCTG GCCTGAAGAC AGTGTGTGCG GCAAGAACGC AAGGGGGCAA GTCCCAGAAG	900
25	TAA	903
	(251) INFORMATION FOR SEQ ID NO:250:	
30	<ul><li>(i) SEQUENCE CHARACTERISTICS:</li><li>(A) LENGTH: 300 amino acids</li><li>(B) TYPE: amino acid</li><li>(C) STRANDEDNESS:</li><li>(D) TOPOLOGY: not relevant</li></ul>	

208

(ii) MOLECULE TYPE: protein (xi) SEQUENCE DESCRIPTION: SEQ ID NO:250: Met Asp Leu Pro Pro Gln Leu Ser Phe Gly Leu Tyr Val Ala Ala Phe 10 5 Ala Leu Gly Phe Pro Leu Asn Val Leu Ala Ile Arg Gly Ala Thr Ala His Ala Arg Leu Arg Leu Thr Pro Ser Leu Val Tyr Ala Leu Asn Leu Gly Cys Ser Asp Leu Leu Leu Thr Val Ser Leu Pro Leu Lys Ala Val 10 55 Glu Ala Leu Ala Ser Gly Ala Trp Pro Leu Pro Ala Ser Leu Cys Pro Val Phe Ala Val Ala His Phe Phe Pro Leu Tyr Ala Gly Gly Phe 90 15 Leu Ala Ala Leu Ser Ala Gly Arg Tyr Leu Gly Ala Ala Phe Pro Leu Gly Tyr Gln Ala Phe Arg Arg Pro Cys Tyr Ser Trp Gly Val Cys Ala Ala Ile Trp Ala Leu Val Leu Cys His Leu Gly Leu Val Phe Gly Leu 20 135 Glu Ala Pro Gly Gly Trp Leu Asp His Ser Asn Thr Ser Leu Gly Ile 145 150 155 Asn Thr Pro Val Asn Gly Ser Pro Val Cys Leu Glu Ala Trp Asp Pro 170 25 Ala Ser Ala Gly Pro Ala Arg Phe Ser Leu Ser Leu Leu Leu Phe Phe Leu Pro Leu Ala Ile Thr Ala Phe Cys Tyr Val Gly Cys Leu Arg Ala 200 Leu Ala Arg Ser Gly Leu Thr His Arg Arg Lys Leu Arg Ala Ala Trp 30 215 Val Ala Gly Gly Ala Leu Leu Thr Leu Leu Leu Cys Val Gly Pro Tyr 225 230 235 Asn Ala Ser Asn Val Ala Ser Phe Leu Tyr Pro Asn Leu Gly Gly Ser 250 35 Trp Arg Lys Leu Gly Leu Ile Thr Gly Ala Trp Ser Val Val Leu Asn 265 270 Pro Leu Val Thr Gly Tyr Leu Gly Arg Gly Pro Gly Leu Lys Thr Val

	275 280 285	
	Cys Ala Ala Arg Thr Gln Gly Gly Lys Ser Gln Lys 290 295 300	
	(252) INFORMATION FOR SEQ ID NO:251:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 31 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:251:	
	CTCAAGCTTA CTCTCTCA CCAGTGGCCA C	31
	(253) INFORMATION FOR SEQ ID NO:252:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 24 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:252:	
	CCCTCCTCCC CCGGAGGACC TAGC	24
	(254) INFORMATION FOR SEQ ID NO:253:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1041 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:253:	
30	ATGGATACAG GCCCCGACCA GTCCTACTTC TCCGGCAATC ACTGGTTCGT CTTCTCGGTG	60
	TACCTTCTCA CTTTCCTGGT GGGGCTCCCC CTCAACCTGC TGGCCCTGGT GGTCTTCGTG	120
	GGCAAGCTGC AGCGCCGCCC GGTGGCCGTG GACGTGCTCC TGCTCAACCT GACCGCCTCG	180
	GACCTGCTCC TGCTGCTGTT CCTGCCTTTC CGCATGGTGG AGGCAGCCAA TGGCATGCAC	240
	TGGCCCCTGC CCTTCATCCT CTGCCCACTC TCTGGATTCA TCTTCTTCAC CACCATCTAT	300

	CTCACCGC	CCC I	CTTC	CTGG	C AG	CTGI	'GAGC	ATI	'GAAC	CGCT	TCCT	GAGT	'GT G	GCCC	ACCC	!A 3	60
	CTGTGGT	ACA A	GACC	CGGC	C GA	GGCT	'GGGG	CAG	GCAG	GTC	TGGT	GAGT	GT G	GCCI	GCTG	G 4	20
	CTGTTGGC	CCT C	TGCT	'CACT	G CA	GCGT	GGTC	TAC	GTCA	TAG	PLAA	CTCA	.GG G	GACA	TCTC	C 4	80
	CACAGCCA	AGG G	CACC	'AATG	G GA	CCTG	CTAC	CTG	GAGI	TCC	GGAA	GGAC	CA G	CTAG	CCAT	C 5	40
5	CTCCTGCC	CG I	'GCGG	CTGG	A GA	TGGC	TGTG	GTC	CTCT	TTG	TGGT	cccg	CT G	ATCA	TCAC	C 6	00
	AGCTACTG	CT A	CAGC	CGCC.	r gg	TGTG	GATC	CTC	GGCA	.GAG	GGGG	CAGC	CA C	CGCC	GGCA	G 6	60
	AGGAGGGT	GG C	GGGG	CTGT	r gg	CGGC	CACG	CTG	CTCA	ACT	TCCT	TGTC	TG C	TTTG	GGCC	C 7	20
	TACAACGT	GT C	CCAT	GTCGT	r GG	GCTA	TATC	TGC	GGTG	AAA	GCCC	GGCA	TG G	AGGA	TCTA	C 7	80
	GTGACGCT	TC T	CAGC	ACCCT	r ga	ACTC	CTGT	GTC	GACC	CCT	TTGT	CTAC	TA C	TTCT	CCTC	C 8	40
10	TCCGGGTT	CC A	AGCC	GACTI	TC	ATGA	GCTG	CTG	AGGA	GGT	TGTG	TGGG	CT C	TGGG	GCCA	G 9	00
	TGGCAGCA	.GG A	GAGC	AGCAT	GG.	AGCT	GAAG	GAG	CAGA	AGG	GAGG	GGAG	GA G	CAGA	GAGC	G 9	60
	GACCGACC	AG C	TGAA	AGAAA	A GA	CCAG	TGAA	CAC	TCAC	AGG	GCTG	TGGA	AC T	GGTG	GCCA	G 10	20
	GTGGCCTG	TG C	TGAA	AGCTA	A G											10	41
	(255) IN	FORM	ATIO:	N FOR	SE	Q ID	NO:	254:									
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 346 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS:</li> <li>(D) TOPOLOGY: not relevant</li> </ul>																
20	(i	i) M	OLEC	ULE I	'YPE	: pro	otei	1									
	(x	i) S	EQUEI	NCE D	ESC	RIPT	ION:	SEQ	ID 1	NO:2	54:						
	Met 1	Asp	Thr	Gly	Pro 5	Asp	Gln	Ser	Tyr	Phe 10	Ser	Gly	Asn	His	Trp 15	Phe	
25	Val	Phe	Ser	Val 20	Tyr	Leu	Leu	Thr	Phe 25	Leu	Val	Gly	Leu	Pro 30	Leu	Asn	
	Leu	Leu	Ala 35	Leu	Val	Val	Phe	Val 40	Gly	Lys	Leu	Gln	Arg 45	Arg	Pro	Val	
	Ala	Val 50	Asp	Val	Leu	Leu	Leu 55	Asn	Leu	Thr	Ala	Ser 60	Asp	Leu	Leu	Leu	
30	Leu 65	Leu	Phe	Leu	Pro	Phe 70	Arg	Met	Val	Glu	Ala 75	Ala	Asn	Gly	Met	His 80	
	Trp	Pro	Leu	Pro	Phe 85	Ile	Leu	Cys	Pro	Leu 90	Ser	Gly	Phe	Ile	Phe 95	Phe	

211

		Thr	Thr	Ile	Tyr 100	Leu	Thr	Ala	Leu	Phe 105		Ala	Ala	Val	Ser		Glu
		Arg	Phe	Leu 115	Ser	Val	Ala	His	Pro 120	Leu	Trp	Tyr	Lys	Thr 125	Arg	Pro	Arg
5		Leu	Gly 130	Gln	Ala	Gly	Leu	Val 135	Ser	Val	Ala	Cys	Trp 140	Leu	Leu	Ala	Ser
		Ala 145	His	Cys	Ser	Val	Val 150	Tyr	Val	Ile	Glu	Phe 155	Ser	Gly	Asp	Ile	Ser 160
10	;	His	Ser	Gln	Gly	Thr 165	Asn	Gly	Thr	Cys	Tyr 170	Leu	Glu	Phe	Arg	Lys 175	Asp
	(	Gln	Leu	Ala	Ile 180	Leu	Leu	Pro	Val	Arg 185	Leu	Glu	Met	Ala	Val 190	Val	Leu
	1	Phe	Val	Val 195	Pro	Leu	Ile	Ile	Thr 200	Ser	Tyr	Cys	Tyr	Ser 205	Arg	Leu	Val
15	:	Trp	Ile 210	Leu	Gly	Arg	Gly	Gly 215	Ser	His	Arg	Arg	Gln 220	Arg	Arg	Val	Ala
		31y 225	Leu	Leu	Ala	Ala	Thr 230	Leu	Leu	Asn	Phe	Leu 235	Val	Cys	Phe	Gly	Pro 240
20	7	Гуr	Asn	Val	Ser	His 245	Val	Val	Gly	Tyr	Ile 250	Cys	Gly	Glu	Ser	Pro 255	Ala
	ם	rp	Arg	Ile	Tyr 260	Val	Thr	Leu	Leu	Ser 265	Thr	Leu	Asn	Ser	Cys 270	Val	Asp
	I	Pro		Val 275	Tyr	Tyr	Phe	Ser	Ser 280	Ser	Gly	Phe	Gln	Ala 285	Asp	Phe	His
25	G		Leu 290	Leu	Arg	Arg	Leu	Cys 295	Gly	Leu	Trp	Gly	Gln 300	Trp	Gln	Gln	Glu
	3	Ser 805	Ser	Met	Glu	Leu	Lys 310	Glu	Gln	Lys	Gly	Gly 315	Glu	Glu	Gln	Arg	Ala 320
30	2	asp .	Arg	Pro	Ala	Glu 325	Arg	Lys	Thr	Ser	Glu 330	His	Ser	Gln	Gly	Cys 335	Gly
	T	hr (	Gly	Gly	Gln 340	Val	Ala	Cys	Ala	Glu 345	Ser						
	(256)	INF	ORMA	TION	FOR	SEQ	ID	NO:2	55:								
35		(i)	(A)	LEN	E CH GTH: E: n	31	base	pai									

(C) STRANDEDNESS: single(D) TOPOLOGY: linear

	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:255:	
	TTTAAGCTTC CCCTCCAGGA TGCTGCCGGA C	31
	(257) INFORMATION FOR SEQ ID NO:256:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 31 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: not relevant</li> </ul>	
10	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:256:	
	GGCGAATTCT GAAGGTCCAG GGAAACTGCT A	31
	(258) INFORMATION FOR SEQ ID NO:257:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 993 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
20	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:257:	
	ATGCTGCCGG ACTGGAAGAG CTCCTTGATC CTCATGGCTT ACATCATCAT CTTCCTCACT	60
	GGCCTCCCTG CCAACCTCCT GGCCCTGCGG GCCTTTGTGG GGCGGATCCG CCAGCCCCAG	120
	CCTGCACCTG TGCACATCCT CCTGCTGAGC CTGACGCTGG CCGACCTCCT CCTGCTGCTG	180
	CTGCTGCCCT TCAAGATCAT CGAGGCTGCG TCGAACTTCC GCTGGTACCT GCCCAAGGTC	240
25	GTCTGCGCCC TCACGAGTTT TGGCTTCTAC AGCAGCATCT ACTGCAGCAC GTGGCTCCTG	300
	GCGGGCATCA GCATCGAGCG CTACCTGGGA GTGGCTTTCC CCGTGCAGTA CAAGCTCTCC	360
	CGCCGGCCTC TGTATGGAGT GATTGCAGCT CTGGTGGCCT GGGTTATGTC CTTTGGTCAC	420
	TGCACCATCG TGATCATCGT TCAATACTTG AACACGACTG AGCAGGTCAG AAGTGGCAAT	480
	GAAATTACCT GCTACGAGAA CTTCACCGAT AACCAGTTGG ACGTGGTGCT GCCCGTGCGG	540
30	CTGGAGCTGT GCCTGGTGCT CTTCTTCATC CCCATGGCAG TCACCATCTT CTGCTACTGG	600
	CGTTTTGTGT GGATCATGCT CTCCCAGCCC CTTGTGGGGG CCCAGAGGCG GCGCCGAGCC	660
	GTGGGGCTGG CTGTGGTGAC GCTGCTCAAT TTCCTGGTGT GCTTCGGACC TTACAACGTG	720

	TCCCACCT	'GG I	'GGGC	TATC	CA CC	CAGAC	XAAA	A AGO	CCCC	rggt	GGC	GTC2	AAT A	AGCCC	TGGT	rg	780
	TTCAGTTC	AC I	CAAC	CGCCA	G TO	CTGG	ACCC(	CTC	CTC	TTCT	ATT	CTCT	TTC T	TCAC	TGGT	TG	840
	CGCAGGGC	T TA	TGGG	AGAG	G GC	TGCA	AGGTO	СТС	GCGGI	ATC	AGGG	CTCC	CTC (	CCTGT	TGGG	SA.	900
	CGCAGAGG	CA A	AGAC	ACAG	C AG	AGGG	GACA	raa A	GAGG	ACA	GGGG	STGTO	GG 1	CAAC	GAGA	ιA	960
5	GGGATGCC	AA G	TTCG	GACT	T CA	CTAC	AGAG	TAG	;								993
	(259) IN	FORM	ATIC	N FO	R SE	Q ID	NO:	258:									
10	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 362 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS:</li> <li>(D) TOPOLOGY: not relevant</li> </ul>																
	(i:	i) M	OLEC	ULE	TYPE	: pr	otei	n									
	(x:	i) S	EQUE	NCE :	DESC	RIPT	ION:	SEQ	ID	NO:2	58:						
15	Met 1	Leu	Pro	Asp	Trp 5	Lys	Ser	Ser	Leu	Ile 10	Leu	Met	Ala	Tyr	Ile 15	Ile	
	Ile	Phe	Leu	Thr 20	Gly	Leu	Pro	Ala	Asn 25	Leu	Leu	Ala	Leu	Arg 30	Ala	Phe	
	Val	Gly	Arg 35	Ile	Arg	Gln	Pro	Gln 40	Pro	Ala	Pro	Val	His 45	Ile	Leu	Leu	
20	Leu	Ser 50	Leu	Thr	Leu	Ala	Asp 55	Leu	Leu	Leu	Leu	Leu 60	Leu	Leu	Pro	Phe	
	Lys 65	Ile	Ile	Glu	Ala	Ala 70	Ser	Asn	Phe	Arg	Trp 75	Tyr	Leu	Pro	Lys	Val 80	
25	Val	Cys	Ala	Leu	Thr 85	Ser	Phe	Gly	Phe	Tyr 90	Ser	Ser	Ile	Tyr	Cys 95	Ser	
	Thr	Trp	Leu	Leu 100	Ala	Gly	Ile	Ser	Ile 105	Glu	Arg	Tyr	Leu	Gly 110	Val	Ala	
	Phe	Pro	Val 115	Gln	Tyr	Lys	Leu	Ser 120	Arg	Arg	Pro	Leu	Tyr 125	Gly	Val	Ile	
30	Ala	Ala 130	Leu	Val	Ala	Trp	Val 135	Met	Ser	Phe	Gly	His 140	Cys	Thr	Ile	Val	
	Ile 145	Ile	Val	Gln	Tyr	Leu 150	Asn	Thr	Thr	Glu	Gln 155	Val	Arg	Ser	Gly	Asn 160	
35	Glu	Ile	Thr	Cys	Tyr 165	Glu	Asn	Phe	Thr	Asp 170	Asn	Gln	Leu	Asp	Val 175	Val	

		Leu	Pro	Val	Arg 180	Leu	Glu	Leu	Cys	Leu 185	Val	Leu	Phe	Phe	Ile 190	Pro	Met	
		Ala	Val	Thr 195	Ile	Phe	Cys	Tyr	Trp 200	Arg	Phe	Val	Trp	Ile 205	Met	Leu	Ser	
5		Gln	Pro 210	Leu	Val	Gly	Ala	Gln 215	Arg	Arg	Arg	Arg	Ala 220	Val	Gly	Leu	Ala	
		Val 225	Val	Thr	Leu	Leu	Asn 230	Phe	Leu	Val	Cys	Phe 235	Gly	Pro	Tyr	Asn	Val 240	
10		Ser	His	Leu	Val	Gly 245	Tyr	His	Gln	Arg	Lys 250	Ser	Pro	Trp	Trp	Arg 255	Ser	
		Ile	Ala	Val	Val 260	Phe	Ser	Ser	Leu	Asn 265	Ala	Ser	Leu	Asp	Pro 270	Leu	Leu	
		Phe	Tyr	Phe 275	Ser	Ser	Ser	Val	Val 280	Arg	Arg	Ala	Phe	Gly 285	Arg	Gly	Leu	
15		Gln	Val 290	Leu	Arg	Asn	Gln	Gly 295	Ser	Ser	Leu	Leu	Gly 300	Arg	Arg	Gly	Lys	
		Asp 305	Thr	Ala	Glu	Gly	Thr 310	Asn	Glu	Asp	Arg	Gly 315	Val	Gly	Gln	Gly	Glu 320	
20	•	Gly	Met	Pro	Ser	Ser 325	Asp	Phe	Thr	Thr	Glu 330							
	(260)	INF	ORMA	MOITA	I FOR	. SEÇ	) ID	NO:2	:59:									
25		(i)	(A) (B) (C)	LEN TYP STR	E CH IGTH: PE: n PANDE POLOG	30 ucle DNES	base ic a S: s	pai cid ingl	rs.									
		(ii	) MC	LECU	LE T	YPE:	DNA	(ge	nomi	c)								
		(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:25	9:						
	CCCAA	GCTT	C GG	GCAC	CATG	GAC	ACCT	CCC										3 (
30	(261)	INF	ORMA	TION	FOR	SEQ	ID	NO:2	60:									
35		(i)	(A) (B) (C)	LEN TYP STR	E CH GTH: E: n ANDE OLOG	30 ucle DNES	base ic a S: s	pai cid ingl	rs									
		(ii	) MO	LECU	LE T	YPE:	DNA	(ge	nomi	c)								
		(xi	) SE	OHEN	CE D	ESCP	דיזים ד	ON.	CEO.	דר אי	0.26	Λ.						

	ACAGGATCCA AATGCACAGC ACTGGTAAGC	30
	(262) INFORMATION FOR SEQ ID NO:261:	
5	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 25 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:261:	
10	CTATAACTGG GTTACATGGT TTAAC	25
	(263) INFORMATION FOR SEQ ID NO:262:	
15	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:262:	
	TTTGAATTCA CATATTAATT AGAGACATGG	30
20	(264) INFORMATION FOR SEQ ID NO:263:	
25	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 2724 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(ii) MOLECULE TYPE: DNA (genomic)	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:263:	
	ATGGACACCT CCCGGCTCGG TGTGCTCCTG TCCTTGCCTG TGCTGCTGCA GCTGGCGACC	60
	GGGGGCAGCT CTCCCAGGTC TGGTGTGTTG CTGAGGGGCT GCCCCACACA CTGTCATTGC	120
30	GAGCCCGACG GCAGGATGTT GCTCAGGGTG GACTGCTCCG ACCTGGGGCT CTCGGAGCTG	180
	CCTTCCAACC TCAGCGTCTT CACCTCCTAC CTAGACCTCA GTATGAACAA CATCAGTCAG	240
	CTGCTCCCGA ATCCCCTGCC CAGTCTCCGC TTCCTGGAGG AGTTACGTCT TGCGGGAAAC	300
	GCTCTGACAT ACATTCCCAA GGGAGCATTC ACTGGCCTTT ACAGTCTTAA AGTTCTTATG	360

	CTGCAGAATA	ATCAGCTAAG	ACACGTACCC	ACAGAAGCTC	TGCAGAATTI	GCGAAGCCTT	420
	CAATCCCTGC	GTCTGGATGC	TAACCACATC	AGCTATGTGC	CCCCAAGCTG	TTTCAGTGGC	480
	CTGCATTCCC	TGAGGCACCT	GTGGCTGGAT	GACAATGCGT	TAACAGAAAT	' CCCCGTCCAG	540
	GCTTTTAGAA	GTTTATCGGC	ATTGCAAGCC	ATGACCTTGG	CCCTGAACAA	AATACACCAC	600
5	ATACCAGACT	ATGCCTTTGG	AAACCTCTCC	AGCTTGGTAG	TTCTACATCT	CCATAACAAT	660
	AGAATCCACT	CCCTGGGAAA	GAAATGCTTT	GATGGGCTCC	ACAGCCTAGA	GACTTTAGAT	720
	TTAAATTACA	ATAACCTTGA	TGAATTCCCC	ACTGCAATTA	GGACACTCTC	CAACCTTAAA	780
	GAACTAGGAT	TTCATAGCAA	CAATATCAGG	TCGATACCTG	AGAAAGCATT	TGTAGGCAAC	840
	CCTTCTCTTA	TTACAATACA	TTTCTATGAC	AATCCCATCC	AATTTGTTGG	GAGATCTGCT	900
10	TTTCAACATT	TACCTGAACT	AAGAACACTG	ACTCTGAATG	GTGCCTCACA	AATAACTGAA	960
	TTTCCTGATT	TAACTGGAAC	TGCAAACCTG	GAGAGTCTGA	CTTTAACTGG	AGCACAGATC	1020
	TCATCTCTTC	CTCAAACCGT	CTGCAATCAG	TTACCTAATC	TCCAAGTGCT	AGATCTGTCT	1080
	TACAACCTAT	TAGAAGATTT	ACCCAGTTTT	TCAGTCTGCC	AAAAGCTTCA	GAAAATTGAC	1140
	CTAAGACATA	ATGAAATCTA	CGAAATTAAA	GTTGACACTT	TCCAGCAGTT	GCTTAGCCTC	1200
15	CGATCGCTGA	ATTTGGCTTG	GAACAAAATT	GCTATTATTC	ACCCCAATGC	ATTTTCCACT	1260
	TTGCCATCCC	TAATAAAGCT	GGACCTATCG	TCCAACCTCC	TGTCGTCTTT	TCCTATAACT	1320
	GGGTTACATG	GTTTAACTCA	CTTAAAATTA	ACAGGAAATC	ATGCCTTACA	GAGCTTGATA	1380
	TCATCTGAAA	ACTTTCCAGA	ACTCAAGGTT	ATAGAAATGC	CTTATGCTTA	CCAGTGCTGT	1440
	GCATTTGGAG	TGTGTGAGAA	TGCCTATAAG	ATTTCTAATC	AATGGAATAA	AGGTGACAAC	1500
20	AGCAGTATGG	ACGACCTTCA	TAAGAAAGAT	GCTGGAATGT	TTCAGGCTCA	AGATGAACGT	1560
	GACCTTGAAG	ATTTCCTGCT	TGACTTTGAG	GAAGACCTGA	AAGCCCTTCA	TTCAGTGCAG	1620
	TGTTCACCTT	CCCCAGGCCC	CTTCAAACCC	TGTGAACACC	TGCTTGATGG	CTGGCTGATC	1680
	AGAATTGGAG	TGTGGACCAT	AGCAGTTCTG	GCACTTACTT	GTAATGCTTT	GGTGACTTCA	1740
	ACAGTTTTCA	GATCCCCTCT	GTACATTTCC	CCCATTAAAC	TGTTAATTGG	GGTCATCGCA	1800
25	GCAGTGAACA	TGCTCACGGG	AGTCTCCAGT	GCCGTGCTGG	CTGGTGTGGA	TGCGTTCACT	1860
	TTTGGCAGCT	TTGCACGACA	TGGTGCCTGG	TGGGAGAATG	GGGTTGGTTG	CCATGTCATT	1920
	GGTTTTTTGT	CCATTTTTGC	TTCAGAATCA	TCTGTTTTCC	TGCTTACTCT	GGCAGCCCTG	1980
	GAGCGTGGGT	TCTCTGTGAA	ATATTCTGCA	AAATTTGAAA	CGAAAGCTCC	ATTTTCTAGC	2040

	CTGA	AAGT	r AA'	'CATT	'TTGC	T CI	GTGC	CCTG	CTC	GCCI	TGA	CCAT	GGCC	GC I	AGTTC	CCCI	G 2	2100
	CTGG	GTGG	CA C	CAAG	TATG	G CG	CCTC	CCCT	CTC	TGCC	TGC	CTTI	GCCI	TT 1	rgggg	AGCC	CC 2	2160
	AGCA	CCAT	GG G	CTAC	ATGG	T CG	CTCT	CATC	TTG	CTCA	ATT	CCCI	TTGC	TT C	CCTCA	TGAT	G 2	2220
	ACCA'	TTGC	CT A	CACC	AAGC	T CI	'ACTG	CAAT	TTG	GACA	AGG	GAGA	CCTC	GA C	SAATA	TTTG	lG 2	280
5	GACT	GCTC	TA T	'GGTA	AAAC	A CA	TTGC	CCTG	TTG	CTCT	TCA	CCAA	.CTGC	'AT C	CTAA	ACTG	IC 2	340
	CCTG'	TGGC	TT T	'CTTG	TCCT	T CI	'CCTC	TTTA	ATA	AACC	ATT	CATT	TATC	AG I	CCTG	AAGT	'A 2	400
	ATTA	AGTT	TA T	CCTT	CTGG	T GG	TAGT	CCCA	CTT	CCTG	CAT	GTCT	CAAT	ac c	CTTC	TCTA	.C 2	460
	ATCT"	IGTT	CA A	TCCT	CACT'	г та	AGGA	.GGAT	CTG	GTGA	GCC	TGAG	AAAG	CA A	ACCT	ACGT	'C 2	520
	TGGA	CAAG	AT C	AAAA	CACC	C AA	GCTT	GATG	TCA	ATTA	ACT	CTGA	TGAT	GT C	GAAA	AACA	.G 2	580
10	TCCT	GTGA	CT C	AACT	CAAG	C CT	TGGT	AACC	TTT	ACCA	GCT	CCAG	CATC	AC T	TATG	ACCT	G 2	640
	CCTC	CCAG'	TT C	CGTG	CCAT	C AC	CAGC	TTAT	CCA	GTGA	CTG	AGAG	CTGC	CA T	CTTT	CCTC	Т 2	700
	GTGG	CATT'	TG T	CCCA'	TGTC'	r cr	AA										2	724
	(265)	IN:	FORM	ATIO	N FOI	R SE	Q ID	NO:	264:									
		(i)	) SE	QUEN	CE CI	IARA	CTER	ISTI	CS:									
15					NGTH:				acid	s								
			(C	) STI	RANDI POLO	EDNE	SS:		rant									
		(;;			JLE :													
20							_											
20					NCE I													
		Met 1	Asp	Thr	Ser	Arg 5	Leu	Gly	Val	Leu	Leu 10	Ser	Leu	Pro	Val	Leu 15	Leu	
		Gln	Leu	Ala	Thr 20	Gly	Gly	Ser	Ser	Pro 25	Arg	Ser	Gly	Val	Leu 30	Leu	Arg	
25		Gly	Cys	Pro 35	Thr	His	Cys	His	Cys 40	Glu	Pro	Asp	Gly	Arg 45	Met	Leu	Leu	
		Arg	Val 50	Asp	Cys	Ser	Asp	Leu 55	Gly	Leu	Ser	Glu	Leu 60	Pro	Ser	Asn	Leu	
30		Ser 65	Val	Phe	Thr	Ser	Tyr 70	Leu	Asp	Leu	Ser	Met 75	Asn	Asn	Ile	Ser	Gln 80	
		Leu	Leu	Pro	Asn	Pro 85	Leu	Pro	Ser	Leu	Arg 90	Phe	Leu	Glu	Glu	Leu 95	Arg	
		Leu	Ala	Gly	Asn	Ala	Leu	Thr	Tyr	Ile	Pro	Lys	Gly	Ala	Phe	Thr	Gly	

			100	)				105					110	)	
	Leu :	Tyr S 1	er Leu 15	ı Lys	Val	Leu	Met 120		Gln	Asn	Asn	Gln 125		Arg	His
5	Val I	Pro T 130	hr Glu	ı Ala	. Leu	Gln 135	Asn	Leu	Arg	Ser	Leu 140	Gln	Ser	Leu	Arg
	Leu <i>F</i> 145	Asp A	la Asr	His	Ile 150	Ser	Tyr	Val	Pro	Pro 155	Ser	Cys	Phe	Ser	Gly 160
	Leu H	His S	er Leu	Arg 165	His	Leu	Trp	Leu	Asp 170	Asp	Asn	Ala	Leu	Thr 175	Glu
10	Ile F	Pro Va	al Gln 180	Ala	Phe	Arg	Ser	Leu 185	Ser	Ala	Leu	Gln	Ala 190	Met	Thr
	Leu A	Ala Le 19	eu Asn 95	Lys	Ile	His	His 200	Ile	Pro	Asp	Tyr	Ala 205	Phe	Gly	Asn
15		er Se 10	er Leu	Val	Val	Leu 215	His	Leu	His	Asn	Asn 220	Arg	Ile	His	Ser
	Leu G 225	ly Ly	s Lys	Сув	Phe 230	Asp	Gly	Leu	His	Ser 235	Leu	Glu	Thr	Leu	Asp 240
	Leu A	sn Ty	r Asn	Asn 245	Leu	Asp	Glu	Phe	Pro 250	Thr	Ala	Ile	Arg	Thr 255	Leu
20	Ser A	sn Le	u Lys 260	Glu	Leu	Gly	Phe	His 265	Ser	Asn	Asn	Ile	Arg 270	Ser	Ile
	Pro G	lu Ly 27		Phe	Val	Gly	Asn 280	Pro	Ser	Leu	Ile	Thr 285	Ile	His	Phe
25	Tyr A	sp As 90	n Pro	Ile	Gln	Phe 295	Val	Gly	Arg	Ser	Ala 300	Phe	Gln	His	Leu
	Pro G	lu Le	u Arg		Leu 310	Thr	Leu	Asn	Gly	Ala 315	Ser	Gln	Ile	Thr	Glu 320
	Phe P	ro As	p Leu	Thr 325	Gly	Thr	Ala	Asn	Leu 330	Glu	Ser	Leu	Thr	Leu 335	Thr
30	Gly A	la Gl	n Ile 340	Ser	Ser	Leu	Pro	Gln 345	Thr	Val	Cys	Asn	Gln 350	Leu	Pro
	Asn Le	eu Gl 35	n Val 5	Leu	Asp	Leu	Ser 360	Tyr	Asn	Leu	Leu	Glu 365	Asp	Leu	Pro
35	Ser Pl	he Se 70	r Val	Cys	Gln	Lys 375	Leu	Gln	Lys	Ile	Asp 380	Leu	Arg	His	Asn
	Glu II 385	le Ty	r Glu	Ile	Lys 390	Val	Asp	Thr		Gln 395	Gln	Leu	Leu	Ser	Leu 400

	Arg	Ser	Leu	Asn	Leu 405	Ala	Trp	Asn	Lys	Ile 410		Ile	: Ile	His	Pro 415	Asn
	Ala	Phe	Ser	Thr 420		Pro	Ser	Leu	Ile 425		Leu	. Asp	Leu	Ser 430		Asn
5	Leu	Leu	Ser 435	Ser	Phe	Pro	Ile	Thr 440	Gly	Leu	His	Gly	Leu 445		His	Leu
	Lys	Leu 450	Thr	Gly	Asn	His	Ala 455		Gln	Ser	Leu	Ile 460		Ser	Glu	Asn
10	Phe 465	Pro	Glu	Leu	Lys	Val 470		Glu	Met	Pro	Tyr 475	Ala	Tyr	Gln	Cys	Cys 480
	Ala	Phe	Gly	Val	Cys 485	Glu	Asn	Ala	Tyr	Lys 490	Ile	Ser	Asn	Gln	Trp 495	Asn
	Lys	Gly	Asp	Asn 500	Ser	Ser	Met	Asp	Asp 505	Leu	His	Lys	Lys	Asp 510	Ala	Gly
15	Met	Phe	Gln 515	Ala	Gln	Asp	Glu	Arg 520	Asp	Leu	Glu	Asp	Phe 525	Leu	Leu	Asp
	Phe	Glu 530	Glu	Asp	Leu	Lys	Ala 535	Leu	His	Ser	Val	Gln 540	Cys	Ser	Pro	Ser
20	Pro 545	Gly	Pro	Phe	Lys	Pro 550	Суз	Glu	His	Leu	Leu 555	Asp	Gly	Trp	Leu	Ile 560
	Arg	Ile	Gly	Val	Trp 565	Thr	Ile	Ala	Val	Leu 570	Ala	Leu	Thr	Cys	Asn 575	Ala
	Leu	Val	Thr	Ser 580	Thr	Val	Phe	Arg	Ser 585	Pro	Leu	Tyr	Ile	Ser 590	Pro	Ile
25	Lys	Leu	Leu 595	Ile	Gly	Val	Ile	Ala 600	Ala	Val	Asn	Met	Leu 605	Thr	Gly	Val
	Ser	Ser 610	Ala	Val	Leu	Ala	Gly 615	Val	Asp	Ala	Phe	Thr 620	Phe	Gly	Ser	Phe
30	Ala 625	Arg	His	Gly	Ala	Trp 630	Trp	Glu	Asn	Gly	Val 635	Gly	Cys	His	Val	Ile 640
	Gly	Phe	Leu	Ser	Ile 645	Phe	Ala	Ser	Glu	Ser 650	Ser	Val	Phe	Leu	Leu 655	Thr
	Leu	Ala	Ala	Leu 660	Glu	Arg	Gly	Phe	Ser 665	Val	Lys	Tyr	Ser	Ala 670	Lys	Phe
35	Glu	Thr	Lys 675	Ala	Pro	Phe	Ser	Ser 680	Leu	Lys	Val	Ile	Ile 685	Leu	Leu	Cys
	Ala	Leu	Leu	Ala	Leu	Thr	Met	Ala	Ala	Val	Pro	Leu	Leu	Glv	Glv	Ser

		690					695						700				
	Lys 705	Tyr	Gly	Ala	Ser	Pro 710	Leu	Cys	Leu	Pro	Leu 715	Pro	Phe	Gly	Glu	Pro 720	
5	Ser	Thr	Met	Gly	Tyr 725	Met	Val	Ala	Leu	Ile 730	Leu	Leu	Asn	Ser	Leu 735	Суз	
	Phe	Leu	Met	Met 740	Thr	Ile	Ala	Tyr	Thr 745	Lys	Leu	Tyr	Cys	Asn 750	Leu	Asp	
	Lys	Gly	Asp 755	Leu	Glu	Asn	Ile	Trp 760	Asp	Cys	Ser	Met	Val 765	Lys	His	Ile	
10	Ala	Leu 770	Leu	Leu	Phe	Thr	Asn 775	Cys	Ile	Leu	Asn	Cys 780	Pro	Val	Ala	Phe	
	Leu 785	Ser	Phe	Ser	Ser	Leu 790	Ile	Asn	Leu	Thr	Phe 795	Ile	Ser	Pro	Glu	Val 800	
15	Ile	Lys	Phe	Ile	Leu 805	Leu	Val	Val	Val	Pro 810	Leu	Pro	Ala	Cys	Leu 815	Asn	
	Pro	Leu	Leu	Tyr 820	Ile	Leu	Phe	Asn	Pro 825	His	Phe	Lys	Glu	Asp 830	Leu	Val	
	Ser	Leu	Arg 835	Lys	Gln	Thr	Tyr	Val 840	Trp	Thr	Arg	Ser	Lys 845	His	Pro	Ser	
20	Leu	Met 850	Ser	Ile	Asn	Ser	Asp 855	Asp	Val	Glu	Lys	Gln 860	Ser	Cys	Asp	Ser	
	Thr 865	Gln	Ala	Leu	Val	Thr 870	Phe	Thr	Ser	Ser	Ser 875	Ile	Thr	Tyr	Asp	Leu 880	
25	Pro	Pro	Ser	Ser	Val 885	Pro	Ser	Pro	Ala	Tyr 890	Pro	Val	Thr		Ser 895	Cys	
	His	Leu	Ser	Ser 900	Val	Ala	Phe	Val	Pro 905	Cys	Leu						
	(266) INF	ORMA	TION	FOR	SEQ	ID	NO:2	65:									
30	(i)	(B)	UENC LEN TYP STR TOP	GTH: E: n ANDE	30 ucle DNES	base ic a S: s	pai cid ingl	rs							·		
	(ii	) MO	LECU	LE T	YPE:	DNA	(ge	nomi	c)								
35	(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:26	5:						

PCT/US99/23938

	(267)	INFORMATION FOR SEQ ID NO:266:	
5		(i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 27 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	
		<pre>(ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:266:</pre>	
	CAGAG	GAGGG TGAAGGGGCT GTTGGCG	27
10	(268)	INFORMATION FOR SEQ ID NO:267:	
15		<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 30 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:267:	
	GGCGG	CGCCG AGCCAAGGGG CTGGCTGTGG	30
	(269)	INFORMATION FOR SEQ ID NO:268:	
20		<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 32 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
25		(ii) MOLECULE TYPE: DNA (genomic)	
		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:268:	
	GGGACI	GCTC TATGAAAAA CACATTGCCC TG	32
	(270)	INFORMATION FOR SEQ ID NO:269:	
30		<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 1071 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
		(ii) MOLECULE TYPE: DNA (genomic)	
35		(xi) SEQUENCE DESCRIPTION: SEQ ID NO:269:	
	ATGAAT	GGGG TCTCGGAGGG GACCAGAGGC TGCAGTGACA GGCAACCTGG GGTCCTGACA	60

	CGTGATCGCT	CTTGTTCCAG	GAAGATGAAC	TCTTCCGGAT	GCCTGTCTGA	GGAGGTGGG	120
	TCCCTCCGCC	CACTGACTGT	GGTTATCCTG	TCTGCGTCCA	TTGTCGTCGG	AGTGCTGGGC	180
	AATGGGCTGG	TGCTGTGGAT	GACTGTCTTC	CGTATGGCAC	GCACGGTCTC	CACCGTCTGC	240
	TTCTTCCACC	TGGCCCTTGC	CGATTTCATG	CTCTCACTGT	CTCTGCCCAT	TGCCATGTAC	300
5	TATATTGTCT	CCAGGCAGTG	GCTCCTCGGA	GAGTGGGCCT	GCAAACTCTA	CATCACCTTI	360
	GTGTTCCTCA	GCTACTTTGC	CAGTAACTGC	CTCCTTGTCT	TCATCTCTGT	GGACCGTTGC	420
	ATCTCTGTCC	TCTACCCCGT	CTGGGCCCTG	AACCACCGCA	CTGTGCAGCG	GGCGAGCTGG	480
	CTGGCCTTTG	GGGTGTGGCT	CCTGGCCGCC	GCCTTGTGCT	CTGCGCACCT	GAAATTCCGG	540
	ACAACCAGAA	AATGGAATGG	CTGTACGCAC	TGCTACTTGG	CGTTCAACTC	TGACAATGAG	600
10	ACTGCCCAGA	TTTGGATTGA	AGGGGTCGTG	GAGGGACACA	TTATAGGGAC	CATTGGCCAC	660
	TTCCTGCTGG	GCTTCCTGGG	GCCCTTAGCA	ATCATAGGCA	CCTGCGCCCA	CCTCATCCGG	720
	GCCAAGCTCT	TGCGGGAGGG	CTGGGTCCAT	GCCAACCGGC	CCAAGAGGCT	GCTGCTGGTG	780
	CTGGTGAGCG	CTTTCTTTAT	CTTCTGGTCC	CCGTTTAACG	TGGTGCTGTT	GGTCCATCTG	840
	TGGCGACGGG	TGATGCTCAA	GGAAATCTAC	CACCCCGGA	TGCTGCTCAT	CCTCCAGGCT	900
15	AGCTTTGCCT	TGGGCTGTGT	CAACAGCAGC	CTCAACCCCT	TCCTCTACGT	CTTCGTTGGC	960
	AGAGATTTCC	AAGAAAAGTT	TTTCCAGTCT	TTGACTTCTG	CCCTGGCGAG	GGCGTTTGGA	1020
	GAGGAGGAGT	TTCTGTCATC	CTGTCCCCGT	GGCAACGCCC	CCCGGGAATG	А	1071
	(271) INFOR	MATION FOR	SEQ ID NO:2	70:			
20	(, (	EQUENCE CHA A) LENGTH: B) TYPE: am C) STRANDED D) TOPOLOGY	356 amino a ino acid NESS:	cids			
	(ii)	MOLECULE TY	PE: protein				
25	(xi)	SEQUENCE DE	SCRIPTION:	SEQ ID NO:2	70:		
	Met As:	n Gly Val S 5		Thr Arg Gly	Cys Ser As		Pro
	•			10		15	

Gly Cys Leu Ser Glu Glu Val Gly Ser Leu Arg Pro Leu Thr Val Val 30 40 45

20

Gly Val Leu Thr Arg Asp Arg Ser Cys Ser Arg Lys Met Asn Ser Ser

	Ile	Leu 50	Ser	Ala	Ser	Ile	Val 55	Val	Gly	Val	Leu	Gly 60	Asn	Gly	Leu	. Val
	Leu 65	Trp	Met	Thr	Val	Phe 70	Arg	Met	Ala	Arg	Thr 75	Val	Ser	Thr	Val	Cys 80
5	Phe	Phe	His	Leu	Ala 85	Leu	Ala	Asp	Phe	Met 90	Leu	Ser	Leu	Ser	Leu 95	Pro
	Ile	Ala	Met	Tyr 100	Tyr	Ile	Val	Ser	Arg 105	Gln	Trp	Leu	Leu	Gly 110	Glu	Trp
10	Ala	Cys	Lys 115	Leu	Tyr	Ile	Thr	Phe 120	Val	Phe	Leu	Ser	Tyr 125	Phe	Ala	Ser
	Asn	Cys 130	Leu	Leu	Val	Phe	Ile 135	Ser	Val	Asp	Arg	Cys 140	Ile	Ser	Val	Leu
	Tyr 145	Pro	Val	Trp	Ala	Leu 150	Asn	His	Arg	Thr	Val 155	Gln	Arg	Ala	Ser	Trp 160
15	Leu	Ala	Phe	Gly	Val 165	Trp	Leu	Leu	Ala	Ala 170	Ala	Leu	Cys	Ser	Ala 175	His
	Leu	Lys	Phe	Arg 180	Thr	Thr	Arg	Lys	Trp 185	Asn	Gly	Cys	Thr	His 190	Cys	Tyr
20	Leu	Ala	Phe 195	Asn	Ser	Asp	Asn	Glu 200	Thr	Ala	Gln	Ile	Trp 205	Ile	Glu	Gly
	Val	Val 210	Glu	Gly	His	Ile	Ile 215	Gly	Thr	Ile	Gly	His 220	Phe	Leu	Leu	Gly
	Phe 225	Leu	Gly	Pro	Leu	Ala 230	Ile	Ile	Gly	Thr	Cys 235	Ala	His	Leu	Ile	Arg 240
25	Ala	Lys	Leu	Leu	Arg 245	Glu	Gly	Trp	Val	His 250	Ala	Asn	Arg	Pro	Lys 255	Arg
	Leu	Leu	Leu	Val 260	Leu	Val	Ser	Ala	Phe 265	Phe	Ile	Phe	Trp	Ser 270	Pro	Phe
30	Asn	Val	Val 275	Leu	Leu	Val	His	Leu 280	Trp	Arg	Arg	Val	Met 285	Leu	Lys	Glu
	Ile	Tyr 290	His	Pro	Arg	Met	Leu 295	Leu	Ile	Leu	Gln	Ala 300	Ser	Phe	Ala	Leu
	Gly 305	Cys	Val	Asn	Ser	Ser 310	Leu	Asn	Pro	Phe	Leu 315	Tyr	Val	Phe	Val	Gly 320
35	Arg	Asp	Phe	Gln	Glu 325	Lys	Phe	Phe	Gln	Ser 330	Leu	Thr	Ser	Ala	Leu 335	Ala
	Arg	Ala	Phe	Gly	Glu	Glu	Glu	Phe	Leu	Ser	Ser	Cys	Pro	Arg	Gly	Asn

224

340 345 350

Ala Pro Arq Glu 355

## (272) INFORMATION FOR SEO ID NO:271:

5 (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 903 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

10

20

- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:271:

ATGGACCTGC CCCCGCAGCT CTCCTTCGGC CTCTATGTGG CCGCCTTTGC GCTGGGCTTC 60 CCGCTCAACG TCCTGGCCAT CCGAGGCGCG ACGGCCCACG CCCGGCTCCG TCTCACCCCT 120 15 AGCCTGGTCT ACGCCCTGAA CCTGGGCTGC TCCGACCTGC TGCTGACAGT CTCTCTGCCC 180 CTGAAGGCGG TGGAGGCGCT AGCCTCCGGG GCCTGGCCTC TGCCGGCCTC GCTGTGCCCC 240 GTCTTCGCGG TGGCCCACTT CTTCCCACTC TATGCCGGCG GGGGCTTCCT GGCCGCCCTG 300 AGTGCAGGCC GCTACCTGGG AGCAGCCTTC CCCTTGGGCT ACCAAGCCTT CCGGAGGCCG 360 TGCTATTCCT GGGGGGTGTG CGCGGCCATC TGGGCCCTCG TCCTGTGTCA CCTGGGTCTG 420 GTCTTTGGGT TGGAGGCTCC AGGAGGCTGG CTGGACCACA GCAACACCTC CCTGGGCATC 480 AACACACCGG TCAACGGCTC TCCGGTCTGC CTGGAGGCCT GGGACCCGGC CTCTGCCGGC 540 CCGGCCCGCT TCAGCCTCTC TCTCCTGCTC TTTTTTCTGC CCTTGGCCAT CACAGCCTTC 600 TGCTACGTGG GCTGCCTCCG GGCACTGGCC CGCTCCGGCC TGACGCACAG GCGGAAGCTG 660 CGGGCCAAAT GGGTGGCCGG CGGGGCCCTC CTCACGCTGC TGCTCTGCGT AGGACCCTAC 720 25 AACGCCTCCA ACGTGGCCAG CTTCCTGTAC CCCAATCTAG GAGGCTCCTG GCGGAAGCTG 780 GGGCTCATCA CGGGTGCCTG GAGTGTGGTG CTTAATCCGC TGGTGACCGG TTACTTGGGA AGGGGTCCTG GCCTGAAGAC AGTGTGTGCG GCAAGAACGC AAGGGGGGCAA GTCCCAGAAG 900 TAA 903

## (273) INFORMATION FOR SEQ ID NO:272:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 300 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS:

225

(D) TOPOLOGY: not relevant

- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:272:

Met Asp Leu Pro Pro Gln Leu Ser Phe Gly Leu Tyr Val Ala Ala Phe 5 Ala Leu Gly Phe Pro Leu Asn Val Leu Ala Ile Arg Gly Ala Thr Ala 25 His Ala Arg Leu Arg Leu Thr Pro Ser Leu Val Tyr Ala Leu Asn Leu . 40 10 Gly Cys Ser Asp Leu Leu Leu Thr Val Ser Leu Pro Leu Lys Ala Val 55 Glu Ala Leu Ala Ser Gly Ala Trp Pro Leu Pro Ala Ser Leu Cys Pro 70 Val Phe Ala Val Ala His Phe Phe Pro Leu Tyr Ala Gly Gly Phe 15 Leu Ala Ala Leu Ser Ala Gly Arg Tyr Leu Gly Ala Ala Phe Pro Leu Gly Tyr Gln Ala Phe Arg Arg Pro Cys Tyr Ser Trp Gly Val Cys Ala 115 120 20 Ala Ile Trp Ala Leu Val Leu Cys His Leu Gly Leu Val Phe Gly Leu 135 Glu Ala Pro Gly Gly Trp Leu Asp His Ser Asn Thr Ser Leu Gly Ile 150 155 Asn Thr Pro Val Asn Gly Ser Pro Val Cys Leu Glu Ala Trp Asp Pro 25 Ala Ser Ala Gly Pro Ala Arg Phe Ser Leu Ser Leu Leu Leu Phe Phe 185 Leu Pro Leu Ala Ile Thr Ala Phe Cys Tyr Val Gly Cys Leu Arg Ala 195 200 30 Leu Ala Arg Ser Gly Leu Thr His Arg Arg Lys Leu Arg Ala Lys Trp 215 Val Ala Gly Gly Ala Leu Leu Thr Leu Leu Leu Cys Val Gly Pro Tyr 230 235 Asn Ala Ser Asn Val Ala Ser Phe Leu Tyr Pro Asn Leu Gly Gly Ser 35 245 250

Trp Arg Lys Leu Gly Leu Ile Thr Gly Ala Trp Ser Val Val Leu Asn

226

260 265 270 Pro Leu Val Thr Gly Tyr Leu Gly Arg Gly Pro Gly Leu Lys Thr Val 280 Cys Ala Ala Arg Thr Gln Gly Gly Lys Ser Gln Lys 5 (274) INFORMATION FOR SEQ ID NO:273: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1041 base pairs (B) TYPE: nucleic acid 10 (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (xi) SEQUENCE DESCRIPTION: SEQ ID NO:273: ATGGATACAG GCCCCGACCA GTCCTACTTC TCCGGCAATC ACTGGTTCGT CTTCTCGGTG 60 TACCTTCTCA CTTTCCTGGT GGGGCTCCCC CTCAACCTGC TGGCCCTGGT GGTCTTCGTG 120 GGCAAGCTGC AGCGCCGCCC GGTGGCCGTG GACGTGCTCC TGCTCAACCT GACCGCCTCG 180 GACCTGCTCC TGCTGCTGTT CCTGCCTTTC CGCATGGTGG AGGCAGCCAA TGGCATGCAC 240 TGGCCCCTGC CCTTCATCCT CTGCCCACTC TCTGGATTCA TCTTCTTCAC CACCATCTAT 300 CTCACCGCCC TCTTCCTGGC AGCTGTGAGC ATTGAACGCT TCCTGAGTGT GGCCCACCCA 360 20 CTGTGGTACA AGACCCGGCC GAGGCTGGGG CAGGCAGGTC TGGTGAGTGT GGCCTGCTGG 420 CTGTTGGCCT CTGCTCACTG CAGCGTGGTC TACGTCATAG AATTCTCAGG GGACATCTCC 480 CACAGCCAGG GCACCAATGG GACCTGCTAC CTGGAGTTCC GGAAGGACCA GCTAGCCATC 540 CTCCTGCCCG TGCGGCTGGA GATGGCTGTG GTCCTCTTTG TGGTCCCGCT GATCATCACC 600 AGCTACTGCT ACAGCCGCCT GGTGTGGATC CTCGGCAGAG GGGGCAGCCA CCGCCGGCAG 660 25 AGGAGGGTGA AGGGGCTGTT GGCGGCCACG CTGCTCAACT TCCTTGTCTG CTTTGGGCCC 720 TACAACGTGT CCCATGTCGT GGGCTATATC TGCGGTGAAA GCCCGGCATG GAGGATCTAC 780 GTGACGCTTC TCAGCACCCT GAACTCCTGT GTCGACCCCT TTGTCTACTA CTTCTCCTCC 840 TCCGGGTTCC AAGCCGACTT TCATGAGCTG CTGAGGAGGT TGTGTGGGCT CTGGGGCCAG 900 TGGCAGCAGG AGAGCAGCAT GGAGCTGAAG GAGCAGAAGG GAGGGGAGGA GCAGAGAGCG 960 30 GACCGACCAG CTGAAAGAAA GACCAGTGAA CACTCACAGG GCTGTGGAAC TGGTGGCCAG 1020 GTGGCCTGTG CTGAAAGCTA G

227

# (275) INFORMATION FOR SEQ ID NO:274:

5	(i	(A (B (C	QUEN ) LE ) TY ) ST ) TO	NGTH PE: RAND	: 34 amin EDNE	6 am o ac SS:	ino id	acid	s							
	(i	i) M	OLEC	ULE '	TYPE	: pr	otei	n								
	(x	i) s	EQUE	NCE I	DESC:	RIPT	ION:	SEQ	ID :	NO:2	74:					
10	Met 1	Asp	Thr	Gly	Pro 5	Asp	Gln	Ser	Tyr	Phe 10	Ser	Gly	Asn	His	Trp 15	Phe
	Val	Phe	Ser	Val 20	Tyr	Leu	Leu	Thr	Phe 25	Leu	Val	Gly	Leu	Pro 30	Leu	Asn
	Leu	Leu	Ala 35	Leu	Val	Val	Phe	Val 40	Gly	Lys	Leu	Gln	Arg 45	Arg	Pro	Val
15	Ala	Val 50	Asp	Val	Leu	Leu	Leu 55	Asn	Leu	Thr	Ala	Ser 60	Asp	Leu	Leu	Leu
	Leu 65	Leu	Phe	Leu	Pro	Phe 70	Arg	Met	Val	Glu	Ala 75	Ala	Asn	Gly	Met	His 80
20	Trp	Pro	Leu	Pro	Phe 85	Ile	Leu	Cys	Pro	Leu 90	Ser	Gly	Phe	Ile	Phe 95	Phe
	Thr	Thr	Ile	Tyr 100	Leu	Thr	Ala	Leu	Phe 105	Leu	Ala	Ala	Val	Ser 110	Ile	Glu
	Arg	Phe	Leu 115	Ser	Val	Ala	His	Pro 120	Leu	Trp	Tyr	Lys	Thr 125	Arg	Pro	Arg
25	Leu	Gly 130	Gln	Ala	Gly	Leu	Val 135	Ser	Val	Ala	Cys	Trp 140	Leu	Leu	Ala	Ser
	Ala 145	His	Cys	Ser	Val	Val 150	Tyr	Val	Ile	Glu	Phe 155	Ser	Gly	Asp	Ile	Ser 160
30	His	Ser	Gln	Gly	Thr 165	Asn	Gly	Thr	Cys	Tyr 170	Leu	Glu	Phe	Arg	Lys 175	Asp
	Gln	Leu	Ala	Ile 180	Leu	Leu	Pro	Val	Arg 185	Leu	Glu	Met	Ala	Val 190	Val	Leu
	Phe	Val	Val 195	Pro	Leu	Ile	Ile	Thr 200	Ser	Tyr	Cys	Tyr	Ser 205	Arg	Leu	Val
35	Trp	Ile 210	Leu	Gly	Arg	Gly	Gly 215	Ser	His	Arg	Arg	Gln 220	Arg	Arg	Val	Lys
	Gly	Leu	Leu	Ala	Ala	Thr	Leu	Leu	Asn	Phe	Leu	Val	Cys	Phe	Gly	Pro

	225			230					235					240	
	Tyr A	Asn Val	Ser His		Val	Gly	Tyr	Ile 250	Cys	Gly	Glu	Ser	Pro 255	Ala	
5	Trp A	Arg Ile	Tyr Va. 260	l Thr	Leu	Leu	Ser 265	Thr	Leu	Asn	Ser	Cys 270	Val	Asp	
	Pro E	he Val 275	Tyr Tyr	. Phe	Ser	Ser 280	Ser	Gly	Phe	Gln	Ala 285	Asp	Phe	His	
		Leu Leu 290	Arg Arg	j Leu	Cys 295	Gly	Leu	Trp	Gly	Gln 300	Trp	Gln	Gln	Glu	
10	Ser S 305	Ser Met	Glu Let	1 Lys 310	Glu	Gln	Lys	Gly	Gly 315	Glu	Glu	Gln	Arg	Ala 320	
	Asp A	Arg Pro	Ala Glu 325		Lys	Thr	Ser	Glu 330	His	Ser	Gln	Gly	Cys 335	Gly	
15	Thr G	Sly Gly	Gln Val	Ala	Cys	Ala	Glu 345	Ser							
	(276) INFO	RMATION	FOR SE	Q ID	NO:2	275:									
	(i)		E CHARA IGTH: 99 E: nucl	3 ba	se pa										
20			RANDEDNE POLOGY:		_	le									
	(ii)	MOLECU	LE TYPE	: DNZ	A (ge	enomi	.c)								
	(xi)	SEQUEN	ICE DESC	RIPT	ION:	SEQ	ID N	10:27	75:						
	ATGCTGCCGG	G ACTGGA	AGAG CI	CCTT	GATC	CTCA	TGGC	CTT A	CATO	CATCA	T CI	TCCI	CACI		60
25	GGCCTCCCTG	CCAACC	TCCT GO	CCCT	GCGG	GCCI	TTGI	GG G	GCGG	ATCC	G CC	CAGCO	CCAG	; 1	L20
	CCTGCACCTG	GTGCACA	TCCT CC	TGCT	GAGC	CTGA	CGCI	GG C	CCGAC	CTCC	T CC	CTGCT	GCTG	: 1	180
	CTGCTGCCCT	TCAAGA	TCAT CO	AGGC'	rgcg	TCGA	ACTI	CC G	CTGG	TACC	T GO	CCAA	GGTC	2	240
	GTCTGCGCCC	TCACGA	GTTT TO	GCTT	CTAC	AGCA	GCAI	CT A	CTGC	AGCA	C GI	GGCT	CCTG	; 3	300
	GCGGGCATCA	GCATCG	AGCG CI	'ACCT(	GGGA	GTGG	CTTI	CC C	CGTG	CAGT	'A CA	AGCI	CTCC	: 3	860
30	CGCCGGCCTC	TGTATG	GAGT GA	TTGC	AGCT	CTGG	TGGC	CT G	GGTT	'ATGT	C CI	TTGG	TCAC	: 4	20
	TGCACCATCG	TGATCA	TCGT TC	'AATAC	CTTG	AACA	CGAC	TG A	GCAG	GTCA	G AA	GTGG	CAAT	' 4	80
	GAAATTACCT	GCTACG	AGAA CI	TCAC(	CGAT	AACC	AGTT	GG A	CGTG	GTGC	T GC	CCGI	GCGG	5	40
	CTGGAGCTGT	GCCTGG	TGCT CI	TCTT(	CATC	CCCA	TGGC	AG I	'CACC	'ATCI	T CI	GCTA	CTGG	; 6	00

	CGTTTTGT	GT (	GATO	CATGO	T CI	CCCZ	AGCCC	CTT	GTGG	GGG	CCCI	AGAGO	GCG (	GCGCC	CGAG	CC	660
	AAGGGGCT	GG (	CTGTG	GTGA	C GC	CTGCT	CAAT	TTC	CTGG	TGT	GCTT	CGGZ	CC 1	TACE	ACGI	ſĠ	720
	TCCCACCT	GG 1	rgggg	TATC	A CC	CAGAG	JAAA	A AGO	CCCI	GGT	GGCG	GTC	AT A	AGCC6	TGGT	.G	780
	TTCAGTTC	AC I	CAAC	GCCA	G TC	TGGA	cccc	CTG	CTCT	TCT	ATTI	CTCI	TC 1	TCAG	TGGT	.G	840
5	CGCAGGGC	I TA	TGGG	AGAG	G GC	TGCA	GGTG	CTG	CGGA	ATC	AGGG	CTCC	TC C	CTGT	TGGG	<b>!</b> A	900
	CGCAGAGG	CA A	AGAC	'ACAG	C AG	AGGG	GACA	LAA A	'GAGG	ACA	GGGG	TGTG	GG I	CAAG	GAGA	<b>.</b> A	960
	GGGATGCC	AA G	TTCG	GACT	T CA	.CTAC	AGAG	TAG	ł								993
	(277) IN	FORM	ATIO	N FO	R SE	Q ID	NO:	276:									
10		(A (B (C	LE TY ST TO	CE C NGTH PE: 6 RAND POLO ULE '	: 33 amin ED <b>N</b> E GY:	0 am o ac SS: not	ino id rele	acid vant									
15	(x:	i) s	EQUE	NCE 1	DESC	RIPT	ION:	SEQ	ID:	NO : 2	76:						
	Met 1	Leu	Pro	Asp	Trp 5	Lys	Ser	Ser	Leu	Ile 10	Leu	Met	Ala	Tyr	Ile 15	Ile	
	Ile	Phe	Leu	Thr 20	Gly	Leu	Pro	Ala	Asn 25	Leu	Leu	Ala	Leu	Arg 30	Ala	Phe	
20	Val	Gly	Arg 35	Ile	Arg	Gln	Pro	Gln 40	Pro	Ala	Pro	Val	His 45	Ile	Leu	Leu	
	Leu	Ser 50	Leu	Thr	Leu	Ala	Asp 55	Leu	Leu	Leu	Leu	Leu 60	Leu	Leu	Pro	Phe	
25	Lys 65	Ile	Ile	Glu	Ala	Ala 70	Ser	Asn	Phe	Arg	Trp 75	Tyr	Leu	Pro	Lys	Val 80	
	Val	Сув	Ala	Leu	Thr 85	Ser	Phe	Gly	Phe	Tyr 90	Ser	Ser	Ile	Tyr	Сув 95	Ser	
	Thr	Trp	Leu	Leu 100	Ala	Gly	Ile	Ser	Ile 105	Glu	Arg	Tyr	Leu	Gly 110	Val	Ala	
30	Phe	Pro	Val 115	Gln	Tyr	Lys	Leu	Ser 120	Arg	Arg	Pro	Leu	Tyr 125	Gly	Val	Ile	
	Ala	Ala 130	Leu	Val	Ala	Trp	Val 135	Met	Ser	Phe	Gly	His 140	Cys	Thr	Ile	Val	
35	Ile 145	Ile	Val	Gln	Tyr	Leu 150	Asn	Thr	Thr	Glu	Gln 155	Val	Arg	Ser	Gly	Asn 160	

	Glu	Ile	Thr	Cys	Tyr 165	Glu	Asn	Phe	Thr	Asp 170	Asn	Gln	Leu	Asp	Val 175	Val
	Leu	Pro	Val	Arg 180	Leu	Glu	Leu	Cys	Leu 185	Val	Leu	Phe	Phe	Ile 190	Pro	Met
5	Ala	Val	Thr 195	Ile	Phe	Cys	Tyr	Trp 200	Arg	Phe	Val	Trp	Ile 205	Met	Leu	Ser
	Gln	Pro 210	Leu	Val	Gly	Ala	Gln 215	Arg	Arg	Arg	Arg	Ala 220	Lys	Gly	Leu	Ala
10	Val 225	Val	Thr	Leu	Leu	Asn 230	Phe	Leu	Val	Cys	Phe 235	Gly	Pro	Tyr	Asn	Val 240
	Ser	His	Leu	Val	Gly 245	Tyr	His	Gln	Arg	Lys 250	Ser	Pro	Trp	Trp	Arg 255	Ser
	Ile	Ala	Val	Val 260	Phe	Ser	Ser	Leu	Asn 265	Ala	Ser	Leu	Asp	Pro 270	Leu	Leu
15	Phe	Tyr	Phe 275	Ser	Ser	Ser	Val	Val 280	Arg	Arg	Ala	Phe	Gly 285	Arg	Gly	Leu
	Gln	Val 290	Leu	Arg	Asn	Gln	Gly 295	Ser	Ser	Leu	Leu	Gly 300	Arg	Arg	Gly	Lys
20	Asp 305	Thr	Ala	Glu	Gly	Thr 310	Asn	Glu	Asp	Arg	Gly 315	Val	Gly	Gln	Gly	Glu 320
	Gly	Met	Pro	Ser	Ser 325	Asp	Phe	Thr		Glu 330						
	(278) INF	ORMA	TION	I FOR	SEÇ	) ID	NO:2	77:								
25	(i)	(A) (B)	LEN TYP STR	CE CHIGTH: PE: IN PANDE	272 ucle DNES	4 ba ic a S: s	se p cid ingl	airs								
	(ii	.) MC	LECU	LE T	YPE:	DNA	. (ge	nomi	c)							
30	(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:27	7:					
	ATGGACACC	T CC	CGGC	TCGG	TGT	GCTC	CTG	TCCT	TGCC	TG T	GCTG	CTGC.	A GC	TGGC	GACC	60
	GGGGGCAGC	T CT	CCCA	.GGTC	TGG	TGTG	TTG	CTGA	GGGG	CT G	cccc.	ACAC.	A CT	GTCA'	TTGC	120
	GAGCCCGAC	G GC	AGGA	TGTT	GCT	CAGG	GTG (	GACT	GCTC	CG A	CCTG	GGGC'	T CT	CGGA	GCTG	180
	CCTTCCAAC	C TC	AGCG	TCTT	CAC	CTCC	TAC	CTAG	ACCT	CA G	TATG	AACA	A CA	TCAG'	TCAG	240
35	CTGCTCCCG	A AT	cccc	TGCC	CAG	TCTC	CGC '	TTCC'	TGGA(	GG A	GTTA	CGTC'	T TG	CGGG	AAAC	300

	GCTCTGACAT	' ACATTCCCAA	GGGAGCATTC	ACTGGCCTTT	ACAGTCTTAA	AGTTCTTATG	360
	CTGCAGAATA	ATCAGCTAAG	ACACGTACCC	ACAGAAGCTC	TGCAGAATTT	GCGAAGCCTT	420
	CAATCCCTGC	GTCTGGATGC	TAACCACATC	AGCTATGTGC	CCCCAAGCTG	TTTCAGTGGC	430
	CTGCATTCCC	TGAGGCACCT	GTGGCTGGAT	GACAATGCGT	TAACAGAAAT	CCCCGTCCAG	540
5	GCTTTTAGAA	GTTTATCGGC	ATTGCAAGCC	ATGACCTTGG	CCCTGAACAA	AATACACCAC	600
	ATACCAGACT	ATGCCTTTGG	AAACCTCTCC	AGCTTGGTAG	TTCTACATCT	CCATAACAAT	660
	AGAATCCACT	CCCTGGGAAA	GAAATGCTTT	GATGGGCTCC	ACAGCCTAGA	GACTTTAGAT	720
	TTAAATTACA	ATAACCTTGA	TGAATTCCCC	ACTGCAATTA	GGACACTCTC	CAACCTTAAA	780
	GAACTAGGAT	TTCATAGCAA	CAATATCAGG	TCGATACCTG	AGAAAGCATT	TGTAGGCAAC	840
10	CCTTCTCTTA	TTACAATACA	TTTCTATGAC	AATCCCATCC	AATTTGTTGG	GAGATCTGCT	900
	TTTCAACATT	TACCTGAACT	AAGAACACTG	ACTCTGAATG	GTGCCTCACA	AATAACTGAA	960
	TTTCCTGATT	TAACTGGAAC	TGCAAACCTG	GAGAGTCTGA	CTTTAACTGG	AGCACAGATC	1020
	TCATCTCTTC	CTCAAACCGT	CTGCAATCAG	TTACCTAATC	TCCAAGTGCT	AGATCTGTCT	1080
	TACAACCTAT	TAGAAGATTT	ACCCAGTTTT	TCAGTCTGCC	AAAAGCTTCA	GAAAATTGAC	1140
15	CTAAGACATA	ATGAAATCTA	CGAAATTAAA	GTTGACACTT	TCCAGCAGTT	GCTTAGCCTC	1200
	CGATCGCTGA	ATTTGGCTTG	GAACAAAATT	GCTATTATTC	ACCCCAATGC	ATTTTCCACT	1260
	TTGCCATCCC	TAATAAAGCT	GGACCTATCG	TCCAACCTCC	TGTCGTCTTT	TCCTATAACT	1320
	GGGTTACATG	GTTTAACTCA	CTTAAAATTA	ACAGGAAATC	ATGCCTTACA	GAGCTTGATA	1380
	TCATCTGAAA	ACTTTCCAGA	ACTCAAGGTT	ATAGAAATGC	CTTATGCTTA	CCAGTGCTGT	1440
20	GCATTTGGAG	TGTGTGAGAA	TGCCTATAAG	ATTTCTAATC	AATGGAATAA	AGGTGACAAC	1500
	AGCAGTATGG	ACGACCTTCA	TAAGAAAGAT	GCTGGAATGT	TTCAGGCTCA	AGATGAACGT	1560
	GACCTTGAAG	ATTTCCTGCT	TGACTTTGAG	GAAGACCTGA	AAGCCCTTCA	TTCAGTGCAG	1620
	TGTTCACCTT	CCCCAGGCCC	CTTCAAACCC	TGTGAACACC	TGCTTGATGG	CTGGCTGATC	1680
	AGAATTGGAG	TGTGGACCAT	AGCAGTTCTG	GCACTTACTT	GTAATGCTTT	GGTGACTTCA	1740
25	ACAGTTTTCA	GATCCCCTCT	GTACATTTCC	CCCATTAAAC	TGTTAATTGG	GGTCATCGCA	1800
	GCAGTGAACA	TGCTCACGGG	AGTCTCCAGT	GCCGTGCTGG	CTGGTGTGGA	TGCGTTCACT	1860
	TTTGGCAGCT	TTGCACGACA	TGGTGCCTGG	TGGGAGAATG	GGGTTGGTTG	CCATGTCATT	1920
	GGTTTTTTGT	CCATTTTTGC	TTCAGAATCA	TCTGTTTTCC	TGCTTACTCT	GGCAGCCCTG	1980

	GAGC	GTGG	GT I	CTCI	'GTGA	ra a	ATTC	TGCA	AAA	TTTG	AAA	CGAA	AGCT	CC A	TTTI	CTAG	IC 2	2040
	CTGA	AAGT.	AA T	'CATI	TTGC	T CI	GTGC	CCTG	CTG	GCCI	'TGA	CCAT	GGCC	GC A	GTTC	CCCT	'G 2	2100
	CTGG	GTGG	CA G	CAAG	TATG	G CC	CCTC	CCCT	CTC	TGCC	TGC	CTTT	GCCT	TT I	GGGG	AGCC	.c 2	2160
	AGCA	CCAT	GG G	CTAC	ATGG	T CG	CTCT	CATC	TTG	CTCA	ATT	CCCT	TTGC	TT C	CTCA	TGAT	'G 2	2220
5	ACCAT	rtgc	CT A	CACC	AAGC	T CI	ACTG	CAAT	TTG	GACA	AGG	GAGA	CCTG	GA G	AATA	TTTG	G 2	280
	GACTO	GCTC'	TA T	GAAA	AAAC.	A CA	TTGC	CCTG	TTG	CTCT	TCA	CCAA	CTGC	AT C	'CTAA	ACTG	C 2	340
	CCTGT	rggc'	TT T	CTTG	TCCT	r cr	CCTC	TTTA	ATA	AACC	TTA	CATT	TATC	AG T	CCTG	AAGT	A 2	400
	ATTA	\GTT	га т	CCTT	CTGG'	r gg	TAGT	CCCA	CTT	CCTG	CAT	GTCT	CAAT	cc c	CTTC	TCTA	C 2	460
	ATCTI	GTT	CA A	TCCT	CACT'	г та	AGGA	GGAT	CTG	GTGA	GCC	TGAG	AAAG	CA A	ACCT	ACGT	C 2	520
10	TGGAC	CAAG	AT C	AAAA	CACC	C AA	GCTT	GATG	TCA	ATTA	ACT	CTGA	TGAT	GT C	GAAA	AACA	G 2	580
	TCCTG	TGA	CT C.	AACT	CAAG	C CT	TGGT.	AACC	TTT	ACCA	GCT	CCAG	CATC.	AC T	TATG	ACCT	G 2	640
	CCTCC	CAG!	IT C	CGTG	CCAT	C AC	CAGC	TTAT	CCA	GTGA	CTG	AGAG	CTGC	CA T	CTTT	CCTC'	Т 2	700
	GTGGC	ATT:	rg T	CCCA'	TGTC	ГСТ	AA								*		2	724
	(279)	IN	FORM	ATIO	N FOI	R SE	Q ID	NO:	278:									
15		(i)	(A (B (C	) LEI ) TY: ) STI	CE CI NGTH PE: & RANDI POLOC	: 90 amin EDNE	7 am o ac. SS:	ino a id	acid	s								
20		(ii	L) MO	OLEC	JLE 1	YPE	: pro	oteir	n									
		(xi	L) SI	EQUEI	NCE I	)ESC	RIPT	ION:	SEQ	ID 1	NO:2	78:						
		Met 1	Asp	Thr	Ser			Gly					Leu	Pro		Leu 15	Leu	
25		Gln	Leu	Ala	Thr 20	Gly	Gly	Ser	Ser	Pro 25	Arg	Ser	Gly	Val	Leu 30	Leu	Arg	
		Gly	Cys	Pro 35	Thr	His	Cys	His	Cys 40	Glu	Pro	Asp	Gly	Arg 45	Met	Leu	Leu	
		Arg	Val 50	Asp	Cys	Ser	Asp	Leu 55	Gly	Leu	Ser	Glu	Leu 60	Pro	Ser	Asn	Leu	
30		Ser 65	Val	Phe	Thr	Ser	Tyr 70	Leu	Asp	Leu	Ser	Met 75	Asn	Asn	Ile	Ser	Gln 80	
	:	Leu	Leu	Pro	Asn	Pro 85	Leu	Pro	Ser	Leu	Arg 90	Phe	Leu	Glu	Glu	Leu 95	Arg	

	Leu	Ala	GIÀ	Asn 100	Ala	Leu	Thr	Tyr	Ile 105	Pro	Lys	Gly	Ala	Phe 110	Thr	Glγ
	Leu	Tyr	Ser 115	Leu	Lys	Val	Leu	Met 120	Leu	Gln	Asn	Asn	Gln 125	Leu	Arg	His
5	Val	Pro 130	Thr	Glu	Ala	Leu	Gln 135	Asn	Leu	Arg	Ser	Leu 140	Gln	Ser	Leu	Arg
	Leu 145	Asp	Ala	Asn	His	Ile 150	Ser	Tyr	Val	Pro	Pro 155	Ser	Cys	Phe	Ser	Gly 160
10	Leu	His	Ser	Leu	Arg 165	His	Leu	Trp	Leu	Asp 170	Asp	Asn	Ala	Leu	Thr 175	Glu
	Ile	Pro	Val	Gln 180	Ala	Phe	Arg	Ser	Leu 185	Ser	Ala	Leu	Gln	Ala 190	Met	Thr
	Leu	Ala	Leu 195	Asn	Lys	Ile	His	His 200	Ile	Pro	Asp	Tyr	Ala 205	Phe	Gly	Asn
15	Leu	Ser 210	Ser	Leu	Val	Val	Leu 215	His	Leu	His	Asn	Asn 220	Arg	Ile	His	Ser
	Leu 225	Gly	Lys	Lys	Cys	Phe 230	Asp	Gly	Leu	His	Ser 235	Leu	Glu	Thr	Leu	Asp 240
20	Leu	Asn	Tyr	Asn	Asn 245	Leu	Asp	Glu	Phe	Pro 250	Thr	Ala	Ile	Arg	Thr 255	Leu
	Ser	Asn	Leu	Lys 260	Glu	Leu	Gly	Phe	His 265	Ser	Asn	Asn	Ile	Arg 270	Ser	Ile
	Pro	Glu	Lys 275	Ala	Phe	Val	Gly	Asn 280	Pro	Ser	Leu	Ile	Thr 285	Ile	His	Phe
25	Tyr	Asp 290	Asn	Pro	Ile	Gln	Phe 295	Val	Gly	Arg	Ser	Ala 300	Phe	Gln	His	Leu
	Pro 305	Glu	Leu	Arg	Thr	Leu 310	Thr	Leu	Asn	Gly	Ala 315	Ser	Gln	Ile	Thr	Glu 320
30	Phe	Pro	Asp	Leu	Thr 325	Gly	Thr	Ala	Asn	Leu 330	Glu	Ser	Leu	Thr	Leu 335	Thr
	Gly	Ala	Gln	Ile 340	Ser	Ser	Leu	Pro	Gln 345	Thr	Val	Cys	Asn	Gln 350	Leu	Pro
	Asn	Leu	Gln 355	Val	Leu	Asp	Leu	Ser 360	Tyr	Asn	Leu	Leu	Glu 365	Asp	Leu	Pro
35	Ser	Phe 370	Ser	Val	Cys	Gln	Lys 375	Leu	Gln	Lys	Ile	Asp 380	Leu	Arg	His	Asn
	Glu	Ile	Tyr	Glu	Ile	Lys	Val	Asp	Thr	Phe	Gln	Gln	Leu	Leu	Ser	Leu

	385					390					395					400
	Arg	Ser	Leu	Asn	Leu 405	Ala	Trp	Asn	Lys	Ile 410	Ala	Ile	Ile	His	Pro 415	Asn
5	Ala	Phe	Ser	Thr 420	Leu	Pro	Ser	Leu	Ile 425	Lys	Leu	Asp	Leu	Ser 430	Ser	Asn
	Leu	Leu	Ser 435	Ser	Phe	Pro	Ile	Thr 440	Gly	Leu	His	Gly	Leu 445	Thr	His	Leu
	Lys	Leu 450	Thr	Gly	Asn	His	Ala 455	Leu	Gln	Ser	Leu	Ile 460	Ser	Ser	Glu	Asn
10	Phe 465	Pro	Glu	Leu	Lys	Val 470	Ile	Glu	Met	Pro	Tyr 475	Ala	Tyr	Gln	Cys	Cys 480
	Ala	Phe	Gly	Val	Cys 485	Glu	Asn	Ala	Tyr	Lys 490	Ile	Ser	Asn	Gln	Trp 495	Asn
15	Lys	Gly	Asp	Asn 500	Ser	Ser	Met	Asp	Asp 505	Leu	His	Lys	Lys	Asp 510	Ala	Gly
	Met	Phe	Gln 515	Ala	Gln	Asp	Glu	Arg 520	Asp	Leu	Glu	Asp	Phe 525	Leu	Leu	Asp
	Phe	Glu 530	Glu	Asp	Leu	Lys	Ala 535	Leu	His	Ser	Val	Gln 540	Cys	Ser	Pro	Ser
20	Pro 545	Gly	Pro	Phe	Lys	Pro 550	Суѕ	Glu	His	Leu	Leu 555	Asp	Gly	Trp	Leu	Ile 560
	Arg	Ile	Gly	Val	Trp 565	Thr	Ile	Ala	Val	Leu 570	Ala	Leu	Thr	Cys	Asn 575	Ala
25	Leu	Val	Thr	Ser 580	Thr	Val	Phe	Arg	Ser 585	Pro	Leu	Tyr	Ile	Ser 590	Pro	Ile
	Lys	Leu	Leu 595	Ile	Gly	Val	Ile	Ala 600	Ala	Val	Asn	Met	Leu 605	Thr	Gly	Val
	Ser	Ser 610	Ala	Val	Leu	Ala	Gly 615	Val	Asp	Ala	Phe	Thr 620	Phe	Gly	Ser	Phe
30	Ala 625	Arg	His	Gly	Ala	Trp 630	Trp	Glu	Asn	Gly	Val 635	Gly	Cys	His	Val	Ile 640
	Gly	Phe	Leu	Ser	Ile 645	Phe	Ala	Ser	Glu	Ser 650	Ser	Val	Phe	Leu	Leu 655	Thr
35	Leu	Ala		Leu 660	Glu	Arg	Gly	Phe	Ser 665	Val	Lys	Tyr	Ser	Ala 670	Lys	Phe
	Glu	Thr	Lys 675	Ala	Pro	Phe	Ser	Ser 680	Leu	Lys	Val	Ile	Ile 685	Leu	Leu	Cys

	Ala	Leu 690	Leu	Ala	Leu	Thr	Met 695	Ala	Ala	Val	Pro	Leu 700	Leu	Gly	Gly	Ser	
	Lys 705	Tyr	Gly	Ala	Ser	Pro 710	Leu	Cys	Leu	Pro	Leu 715	Pro	Phe	Gly	Glu	Pro 720	
5	Ser	Thr	Met	Gly	Tyr 725	Met	Val	Ala	Leu	Ile 730	Leu	Leu	Asn	Ser	Leu 735	Cys	
	Phe	Leu	Met	Met 740	Thr	Ile	Ala	Tyr	Thr 745	Lys	Leu	Tyr	Cys	Asn 750	Leu	Asp	
10	Lys	Gly	Asp 755	Leu	Glu	Asn	Ile	Trp 760	Asp	Cys	Ser	Met	Lys 765	Lys	His	Ile	
	Ala	Leu 770	Leu	Leu	Phe	Thr	Asn 775	Cys	Ile	Leu	Asn	Cys 780	Pro	Val	Ala	Phe	
	Leu 785	Ser	Phe	Ser	Ser	Leu 790	Ile	Asn	Leu	Thr	Phe 795	Ile	Ser	Pro	Glu	Val 800	
15	Ile	Lys	Phe	Ile	Leu 805	Leu	Val	Val	Val	Pro 810	Leu	Pro	Ala	Cys	Leu 815	Asn	
	Pro	Leu	Leu	Tyr 820	Ile	Leu	Phe	Asn	Pro 825	His	Phe	Lys	Glu	Asp 830	Leu	Val	
20	Ser	Leu	Arg 835	Lys	Gln	Thr	Tyr	Val 840	Trp	Thr	Arg	Ser	Lys 845	His	Pro	Ser	
	Leu	Met 850	Ser	Ile	Asn	Ser	Asp 855	Asp	Val	Glu	Lys	Gln 860	Ser	Cys	Asp	Ser	
	Thr 865	Gln	Ala	Leu	Val	Thr 870	Phe	Thr	Ser	Ser	Ser 875	Ile	Thr	Tyr	Asp	Leu 880	
25	Pro	Pro	Ser	Ser	Val 885	Pro	Ser	Pro	Ala	Tyr 890	Pro	Val	Thr	Glu	Ser 895	Cys	
	His	Leu	Ser	Ser 900	Val	Ala	Phe	Val	Pro 905	Cys	Leu						
	(280) INE	ORMA	MOIT	FOR	SEC	ID	NO:2	79:									
30	(i)	(B) (C)	LEN TYP STR	GTH: E: n ANDE	ARAC 32 ucle DNES	base ic a S: s	pai cid ingl	rs.									
35	(ii	) MC	LECU	LE I	YPE:	DNA	. (ge	nomi	c)								
	(xi	) SE	QUEN	CE D	ESCR	IPTI	ON:	SEQ	ID N	0:27	9:						
	CATGCCAAC	C GG	CCCG	CGAG	GCT	GCTG	CTG	GT									32

236

#### (281) INFORMATION FOR SEQ ID NO:280:

5

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 32 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:280:

ACCAGCAGCA GCCTCGCGGG CCGGTTGGCA TG

Int. Honal Application No PCT/US 99/23938

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C12N15/12 C07K C07K14/72 G01N33/50 G01N33/566 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 7 C12N CO7K GO1N Documentation searched other than minimum documentation to the extent that such documents are included in the fleids searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Category Relevant to claim No. χ KJELSBERG M. A. ET AL.: "CONSTITUTIVE 1,2, ACTIVATION OF THE ALPHA1B-ADRENERGIC 4-13.RECEPTOR BY ALL AMINO ACID SUBSTITUTIONS 15 - 33, AT A SINGLE SITE" 35-37,41 JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 267, no. 3, 25 January 1992 (1992-01-25), pages 1430-1433, XP002911764 ISSN: 0021-9258 the whole document Further documents are listed in the continuation of box C. X X Patent family members are listed in annex. ° Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but "A" document defining the general state of the art which is not considered to be of particular relevance cited to understand the principle or theory underlying the invention earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-"O" document referring to an oral disclosure, use, exhibition or other means ments, such combination being obvious to a person skilled in the art. document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 2 March 2000 09/03/2000 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016 Mandl, B

Int. ional Application No PCT/US 99/23938

	PC1/US 99/23938
ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
SCHEER A. ET AL.: "CONSTITUTIVELY ACTIVE G PROTEIN-COUPLED RECEPTORS: POTENTIAL MECHANISMS OF RECEPTOR ACTIVATION" JOURNAL OF RECEPTOR AND SIGNAL TRANSDUCTION RESEARCH, vol. 17, no. 1/03, 1997, pages 57-73, XP000867531 ISSN: 1079-9893 the whole document	1,2, 4-13, 15-33, 35-37,41
WO 97 21731 A (NEW ENGLAND MEDICAL CENTER INC) 19 June 1997 (1997-06-19)	1,2,4, 9-13, 20-32, 35-37,41
WO 98 38217 A (HERRICK DAVIS KATHARINE; TEITLER MILT (US); EGAN CHRISTINA C (US)) 3 September 1998 (1998-09-03) the whole document, especially page 7, lines 24-27, and figure 4	1,2, 4-13, 15-33, 35-37,41
PAUWELS P. J. ET AL.: "REVIEW: AMINO ACID DOMAINS INVOLVED IN CONSTITUTIVE ACTIVATION OF G-PROTEIN-COUPLED RECEPTORS" MOLECULAR NEUROBIOLOGY, vol. 17, no. 1/03, 1998, pages 109-135, XP000866477 ISSN: 0893-7648 the whole document	1,2, 4-13, 15-33, 35-37,41
	SCHEER A. ET AL.: "CONSTITUTIVELY ACTIVE G PROTEIN—COUPLED RECEPTORS: POTENTIAL MECHANISMS OF RECEPTOR ACTIVATION" JOURNAL OF RECEPTOR AND SIGNAL TRANSDUCTION RESEARCH, vol. 17, no. 1/03, 1997, pages 57–73, XP000867531 ISSN: 1079—9893 the whole document  WO 97 21731 A (NEW ENGLAND MEDICAL CENTER INC) 19 June 1997 (1997—06—19)  the whole document, especially Fig. 2—3  WO 98 38217 A (HERRICK DAVIS KATHARINE; TEITLER MILT (US); EGAN CHRISTINA C (US)) 3 September 1998 (1998—09—03)  the whole document, especially page 7, lines 24—27, and figure 4  PAUWELS P. J. ET AL.: "REVIEW: AMINO ACID DOMAINS INVOLVED IN CONSTITUTIVE ACTIVATION OF G—PROTEIN—COUPLED RECEPTORS" MOLECULAR NEUROBIOLOGY, vol. 17, no. 1/03, 1998, pages 109—135, XP000866477 ISSN: 0893—7648

rnational application No.

PCT/US 99/23938

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This Inte	rnational Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1.	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
	Claims Nos.: 34,38-40,42,43 because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  See FURTHER INFORMATION sheet PCT/ISA/210
	. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of Invention is lacking (Continuation of item 2 of first sheet)
This Inter	national Searching Authority found multiple inventions in this international application, as follows:
1	As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. A	As only some of the required additional search fees were timely paid by the applicant, this International Search Report sovers only those claims for which fees were paid, specifically claims Nos.:
4. N	to required additional search fees were timely paid by the applicant. Consequently, this International Search Report is estricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark o	The additional search fees were accompanied by the applicant's protest.  No protest accompanied the payment of additional search fees.

International Application No. PCT/US 99 /23938

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 34,38-40,42,43

Claims 34, 38-40, 42 and 43 refer to compounds with an agonistic effect on a GPCR without giving a true technical characterization. Moreover, no such specific compounds are defined in the application. In consequence, the scope of said claims is ambiguous and vague, and their subject-matter is not sufficiently disclosed and supported (Art. 5 and 6 PCT). No search can be carried out for such purely speculative claims whose wording is, in fact, a mere recitation of the results to be achieved.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

information on patent family members

Inte ional Application No PCT/US 99/23938

Patent document cited in search report		Publication date		'atent family member(s)	Publication date
WO 9721731	A	19-06-1997	US AU CA EP	5750353 A 1334397 A 2239293 A 0869975 A	12-05-1998 03-07-1997 19-06-1997 14-10-1998
WO 9838217	Α	03-09-1998	AU	6343998 A	18-09-1998